


Sphinx-Needs

A Sphinx Extension



Overview

Sphinx-Needs allows the definition, representation and filtering of class-like objects in documentations based on Sphinx. Its main use case is the traceability handling of requirements, specifications and test cases in software development projects.

Maintainer: Daniel Woste ([useblocks GmbH](#))

Documentation: <https://sphinxcontrib-needs.readthedocs.io>

Source code: <https://github.com/useblocks/sphinxcontrib-needs> (License: MIT)

User base & numbers (date 17.01.2020)

Sphinx-Needs target user base are large development teams in process-driven companies. By nature their projects are closed-source and not reachable for further analysis. So the following numbers may not cover the complete situation.

Git & Github numbers

Created: 30.11.2016	Commits: 278
Contributors: 4 (3 not from useblocks)	Pull Requests: 0/13 (open/closed)
Issues: 17 / 83 (open /closed)	github Stars: 25

Project usage

Open source projects: 16	Closed source projects: ~10 (pers. known)
Open source customers: 6	Closed source customers: ~3
Biggest open source project: ONAP Source: https://github.com/onap	Biggest closed source project: Automotive OEM (Germany)
Use case: Cross-company project documentations (>1.000 needs)	Use case: ISO 26262 compliant documentations for common tool-development process and CI tools.

pypi – Python Package Index


Releases overall: ~60	Downloads per day: ~39
Last release: 0.4.3 (5.12.2019)	Downloads per week: ~261
Last release: URL	Downloads per month: ~821
Download stats: https://pypistats.org/packages/sphinxcontrib-needs	

Competitors

Name	Last release	Downloads (d,m,y)	Github dependents
mlx.traceability	28.12.1019	7, 32, 498	0
sphinxcontrib-requirements	2011	5, 11, 78	n/a (on Bitbucket)

Sphinx-Needs

A Sphinx Extension



Features (version >= 0.5.0)

Create needs

Define needs everywhere in your documentation project. No special page structure or order is needed.

Requirement: **What is a need** [REQ_1](#) ⓘ

tags: introduction
links incoming: [SPEC_1](#)

A need is a generic object, which can become everything you want for your sphinx documentation: A requirement, a test case, a user story, a bug, an employee, a product or anything else.

But whatever you chose it shall be and how many of them you need, each need is handled the same way.

Filter needs

Use tables and powerful filter-strings to get the insight you need. Tables can also be searched, exported and sorted on the fly.

Show entries

Columns

Copy

Excel

PDF

Search:



ID	Title	Status	Outgoing
EX_ROW_1	Implemented spec	implemented	
EX_ROW_2	Not implemented spec	open	
EX_ROW_3	Spec under progress	in progress	

Showing 1 to 3 of 3 entries

Previous Next

Analyze needs

Take a look on the traceability of needs or compare their field values. Free definable flow charts and pie charts provide expert insights into your data.



Customize needs

Define own need types, links or fields to fit Sphinx-Needs to your data. Also field-value dependent layouts and colors are supported (e.g. show failed tests with red border)

FEATURE_4 Customizing everything **Feature**

tags: introduction links outgoing: [SPEC_1](#)

Sphinx-needs allows to customize needs-types, needs-options, colors, layouts, ids, checks, ...

The pages Configuration and Layouts & Styles are full of possibilities to adopt Sphinx-needs for your own processes and workflows.

layout: complete style: yellow

Ex/Import needs

Want to reuse the data from your sphinx documentation? Get all your data as a single json-file, including all needs and selected table results. Or provide custom data as json, to import it into your documentation.

```
{
  "created": "2017-07-03T11:54:42.433876",
  "current version": "1.5",
  "project": "needs test docs",
  "versions": {
    "1.0": {
      "created": "2017-07-03T11:54:42.433868",
      "filters": {
        "FILTER_1": {
          "amount": 1,
          "export id": "FILTER_1",
          "filter": "",
          "result": {
            "IMPL_01",
            "status": [],
            "tags": "",
            "types": []
          }
        }
      },
      "needs": {
        "IMPL_01": {
          "description": "Incoming links of this spec: need",
          "id": "IMPL_01",
          "links": [

```

Automate needs

Sphinx-needs provides mechanisms to calculate field data based on values from other needs (e.g. set status on done, if all linked test cases have passed). It also can warn and stop build, if customized constraints are not fulfilled.

```
Checking sphinx-needs warnings
asset_life_cycle_exist: failed
  failed needs: 1 (ASSET_HW_tux01)
  used filter: type == 'asset' and not life_cycle
asset_life_cycle_enum: passed
failed
```

Extend needs

Sphinx-Needs provides an open API to let other sphinx extensions easily create needs for their custom use case. For instance Sphinx-Test-Reports, which collects test cases and their results and presents them as need.

