alexandermarquez.database.windows.net

VEAD

Server   alexandermarquez.database.windows.net

Author   AlexanderMarquez

Created   viernes, 3 de julio de 2020 06:42:12

File Path   D:\vead\alexandermarquez.database.windows.net-2020-07-03T06-42-12.pdf

Table of Contents

▤ *alexandermarquez.database.windows.net*

Databases (1)

- ▤ VEAD

Server Properties

Property	Value
Edition	SQL Azure

🗀 User databases

Databases (1)

- 🗄 VEAD

⊟ VEAD Database

Database Properties

Property	Value
SQL Server Version	Azure Sql Database
Compatibility Level	Max

🖽 *Tables*

Objects

Name
dbo.CARRERA
dbo.COLEGIO
dbo.DETALLE_MODALIDAD
dbo.ESTUDIANTE
dbo.MODALIDAD

🖽 [dbo].[CARRERA]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	11
Created	10:52:55 viernes, 3 de julio de 2020
Last Modified	10:52:55 viernes, 3 de julio de 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	CODCAR	int	4	NOT NULL
	NOMCAR	varchar(40)	40	NOT NULL
	ABRCAR	char(2)	2	NOT NULL
	ESTCAR	char(1)	1	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	CARRERA_pk	CODCAR	True

SQL Script

```sql
CREATE TABLE [dbo].[CARRERA]
(
[CODCAR] [int] NOT NULL,
[NOMCAR] [varchar] (40) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ABRCAR] [char] (2) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ESTCAR] [char] (1) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
)
GO
ALTER TABLE [dbo].[CARRERA] ADD CONSTRAINT [CARRERA_pk] PRIMARY KEY CLUSTERED
([CODCAR])
GO
```

▦ [dbo].[COLEGIO]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	11
Created	10:53:01 viernes, 3 de julio de 2020
Last Modified	10:53:01 viernes, 3 de julio de 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	CODCOL	int	4	NOT NULL
	NOMCOL	varchar(100)	100	NOT NULL
	CODREFCOL	char(10)	10	NOT NULL
	ESTCOL	char(1)	1	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	COLEGIO_pk	CODCOL	True

SQL Script

```
CREATE TABLE [dbo].[COLEGIO]
(
[CODCOL] [int] NOT NULL,
[NOMCOL] [varchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CODREFCOL] [char] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ESTCOL] [char] (1) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
)
GO
ALTER TABLE [dbo].[COLEGIO] ADD CONSTRAINT [COLEGIO_pk] PRIMARY KEY CLUSTERED
([CODCOL])
GO
```

🗐 [dbo].[DETALLE_MODALIDAD]

Properties

Property	Value
Row Count (~)	0
Created	10:53:06 viernes, 3 de julio de 2020
Last Modified	10:53:06 viernes, 3 de julio de 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	CODDETMOD	int	4	NOT NULL
	FECDETMOD	int	4	NOT NULL
	CODEST	int	4	NOT NULL
	CODMOD	int	4	NOT NULL
	CODCAR	int	4	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	DETALLE_MODALIDAD_pk	CODDETMOD	True

SQL Script

```
CREATE TABLE [dbo].[DETALLE_MODALIDAD]
(
[CODDETMOD] [int] NOT NULL,
[FECDETMOD] [int] NOT NULL,
[CODEST] [int] NOT NULL,
[CODMOD] [int] NOT NULL,
[CODCAR] [int] NOT NULL
)
GO
ALTER TABLE [dbo].[DETALLE_MODALIDAD] ADD CONSTRAINT [DETALLE_MODALIDAD_pk] PRIMARY KEY
CLUSTERED  ([CODDETMOD])
GO
```

📰 [dbo].[ESTUDIANTE]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	100
Created	10:53:12 viernes, 3 de julio de 2020
Last Modified	10:53:12 viernes, 3 de julio de 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	CODEST	int	4	NOT NULL
	NOMEST	varchar(50)	50	NOT NULL
	APEEST	varchar(50)	50	NOT NULL
	DNIEST	char(8)	8	NOT NULL
	CELEST	char(9)	9	NULL allowed
	DIREST	varchar(50)	50	NULL allowed
	COREST	varchar(50)	50	NOT NULL
	FECNACEST	date	3	NOT NULL
	ESTEST	char(1)	1	NOT NULL
	CODUBI	char(6)	6	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	ESTUDIANTE_pk	CODEST	True

SQL Script

```
CREATE TABLE [dbo].[ESTUDIANTE]
(
[CODEST] [int] NOT NULL,
[NOMEST] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[APEEST] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[DNIEST] [char] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CELEST] [char] (9) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[DIREST] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[COREST] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```

```
[FECNACEST] [date] NOT NULL,
[ESTEST] [char] (1) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[CODUBI] [char] (6) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
)
GO
ALTER TABLE [dbo].[ESTUDIANTE] ADD CONSTRAINT [ESTUDIANTE_pk] PRIMARY KEY CLUSTERED
([CODEST])
GO
```

[FECNACEST] [date] NOT NULL,

▦ [dbo].[MODALIDAD]

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	10:53:17 viernes, 3 de julio de 2020
Last Modified	10:53:17 viernes, 3 de julio de 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
PK C	CODMOD	int	4	NOT NULL
	NOMMOD	varchar(40)	40	NOT NULL
	ESTMOD	char(1)	1	NOT NULL

Indexes

Key	Name	Key Columns	Unique
PK C	MODALIDAD_pk	CODMOD	True

SQL Script

```
CREATE TABLE [dbo].[MODALIDAD]
(
[CODMOD] [int] NOT NULL,
[NOMMOD] [varchar] (40) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[ESTMOD] [char] (1) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
)
GO
ALTER TABLE [dbo].[MODALIDAD] ADD CONSTRAINT [MODALIDAD_pk] PRIMARY KEY CLUSTERED
([CODMOD])
GO
```

👤 *Users*

Objects

Name
dbo

👤 dbo

Properties

Property	Value
Type	SqlUser
Login Name	alexandermarquez
Default Schema	dbo

Database Level Permissions

Type	Action
CONNECT	Grant

SQL Script

```
GO
```

👥 *Database Roles*

Objects

Name
db_accessadmin
db_backupoperator
db_datareader
db_datawriter
db_ddladmin
db_denydatareader
db_denydatawriter
db_owner
db_securityadmin
public

👥 db_accessadmin

Properties

Property	Value
Owner	dbo

👥 db_backupoperator

Properties

Property	Value
Owner	dbo

👥 db_datareader

Properties

Property	Value
Owner	dbo

👥 db_datawriter

Properties

Property	Value
Owner	dbo

👥 db_ddladmin

Properties

Property	Value
Owner	dbo

👥 db_denydatareader

Properties

Property	Value
Owner	dbo

👥 db_denydatawriter

Properties

Property	Value
Owner	dbo

👥 db_owner

Properties

Property	Value
Owner	dbo

👥 db_securityadmin

Properties

Property	Value
Owner	dbo

👥 public

Properties

Property	Value
Owner	dbo