

Investigating the Potential of Automating Change Propagation in Clone-and-Own Development

Alexander Schultheiß

In collaboration with





Paul Maximilian Bittner



Timo Kehrer



Thomas Thüm











Outline



Change Synchronization in Clone-and-Own

Research Questions

Extracting a Usable Dataset




Change Synchronization in Clone-and-Own




$$\cdots \longrightarrow \bigcup_{i} \longrightarrow \bigcup_{i+1} \longrightarrow \bigcup_{i+2} \longrightarrow \bigcup_{i+3} \longrightarrow \cdots \bigvee 1$$

























V1

V3






V1

V3







V1

V3















A cherry-pick might not succeed





Outline




Change Synchronization in Clone-and-Own

Research Questions

Extracting a Usable Dataset

A cherry-pick might not succeed








RQ1

Applicability of commit-sized patches (cherry-picking)

RQ1: How many commit-sized patches are applicable?





Quantitative Evaluation


- propagate a commit to other variants
- count how often patching succeeds or fails



RQ2


Applicability of edit-sized patches






We can split patches






We can split patches





RQ2: How many edit-sized patches are applicable?





Quantitative Evaluation

- split commit into edits
- propagate edits to other variants
- count how often patching succeeds or fails




RQ3

Applicable patches and required patches








{A, B, C}


configurations

{**A**, B, D}

















configurations









configurations































RQ3: What is the ratio between applicable and required patches?






RQ3: What is the ratio between applicable and required patches?






RQ3: What is the ratio between applicable and required patches?





RQ3: What is the ratio of applicable to required patches?





Quantitative evaluation

- count how many patches are applicable
- count how many patches are required
- count how many are required and applicable

We require a dataset with



- The history of each variant
- Presence conditions of files and lines

Configuration of each variant

Outline



Change Synchronization in Clone-and-Own

Research Questions


Extracting a Usable Dataset




Extracting a Usable Dataset

We consider the evolution of variants in Linux





















We generate variants based on variability







We generate variants based on variability


























































































In summary...





- 1. Applicability of commit-sized patches
- 2. Applicability of edit-sized patches
- 3. Applicability of required patches

