
ViennaTS User Guide



Copyright Notice

Copyright © 2015 Institute for Microelectronics, TU Wien

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Table of Contents

About This Software	4
Getting Started	5

About This Software

ViennaTS

Developer repository for ViennaTS, a C++, OpenMP-parallelized Topography simulator. ViennaTS is currently in a prototype state.

System requirements

- * C++ compiler
- * OpenMP
- * Boost C++ Libraries
- * SPRNG
- * HDF5 only required to import HDF5 file types

Currently supported operating systems

* GNU/Linux

Authors and Contact

Current contributors: Lado Filipovic, Paul Manstetten, and Josef Weinbub

Contact us via: viennats AT iue DOT tuwien DOT ac DOT at

Founder and initial author was Otmar Ertl; not active anymore.

ViennaTS was developed under the aegis of the 'Institute for Microelectronics' at the 'TU Wien'.

Getting Started

Building Instructions

To build ViennaTS, clone the repository and issue the following suggested commands:

\$> cd viennats-dev # the checked-out GIT folder

\$> mkdir build # the build folder

Configure the build, default build type is the 'optimized/release' mode:

\$> cd build/

\$> cmake ..

Now build the 'viennats' executable

\$> make

CMake Options

CMAKE BUILD TYPE = debug, (release) # Turn off/on optimizations (default: release, i.e., optimized mode)

Running the software

./viennats [parameters file]