- 1. Haavaldsen, C., Eskild, A. & Morken, N. H. [Inducement of all births in gestational week 41 is inappropriate]. *Tidsskr Nor Laegeforen* **140**, (2020). DOI: 10.4045/tidsskr.20.0812
- 2. Morken, N. H. & Jacobsson, B. [Vaginal progesterone treatment in pregnancy does not prevent premature birth]. *Tidsskr Nor Laegeforen* **136**, 794 (2016). DOI: 10.4045/tidsskr.16.0338
- 3. Biggio, J. *et al.* A call for an international consortium on the genetics of preterm birth. *Am J Obstet Gynecol* **199**, 95-97 (2008). DOI: 10.1016/j.ajog.2008.06.012
- 4. Hellevik, L. R., Stergiopulos, N., Kiserud, T. & Rabben..., S. I. A mathematical model of umbilical venous pulsation. *J. Biomech.* (2000).
- 5. Acharya, G., Al-Sammarai, M. T. et al. A randomized, controlled trial comparing effect of oral misoprostol and intravenous syntocinon on intra-operative blood loss during cesarean section. *Acta Obstet Gynecol Scand* (2001). DOI: 10.1034/j.1600-0412.2001.080003245.x
- 6. Johnsen, S. L., Rasmussen, S., Sollien, R. & Kiserud, T. Accuracy of second trimester fetal head circumference and biparietal diameter for predicting the time of spontaneous birth. *Journal of Perinatal Medicine* (2006). DOI: 10.1515/JPM.2006.074/html
- 7. Morken, N. H. *et al.* Adverse Infant Outcomes Associated with Discordant Gestational Age Estimates. *Paediatr Perinat Epidemiol* **30**, 541-549 (2016). DOI: 10.1111/ppe.12311
- 8. Hellevik, L. R., Vierendeels, J. & Kiserud, T. An assessment of ductus venosus tapering and wave transmission from the fetal heart. *Biomech Model Mech Bio* (2009). DOI: 10.1007/s10237-009-0155-4
- 9. Smith, L. K. *et al.* An International Comparison of Death Classification at 22 to 25 Weeks' Gestational Age. *Pediatrics* **142**, e20173324 (2018). DOI: 10.1542/peds.2017-3324
- 10. Verner, M. A. et al. Associations of Perfluoroalkyl Substances (PFAS) with Lower Birth Weight: An Evaluation of Potential Confounding by Glomerular Filtration Rate Using a Physiologically Based Pharmacokinetic Model (PBPK). *Environ Health Perspect* **123**, 1317-1324 (2015). DOI: 10.1289/ehp.1408837
- 11. Kiserud, T. & Johnsen, S. L. Biometric assessment. *Best Pract Res Clin Obstet Gynaecol* **23**, 819-831 (2009). DOI: 10.1016/j.bpobgyn.2009.06.007
- 12. Sima, Y. T. *et al.* Birth Weight in Consecutive Pregnancies and Maternal Cardiovascular Disease Mortality Among Spontaneous and Iatrogenic Term Births: A Population-Based Cohort Study. *Am J Epidemiol* **192**, 1326-1334 (2023). DOI: 10.1093/aje/kwad075
- 13. Basnet, P. *et al.* Birthweight of the subsequent singleton pregnancy following a first twin or singleton pregnancy. *Acta Obstet Gynecol Scand* **102**, 1674-1681 (2023). DOI: 10.1111/aogs.14644
- 14. Nyberg, M. K., Johnsen, S. L. & Rasmusse, S. Blood flow in the foetal superior vena cava and the effect of foetal breathing movements. *Early human Development* (2012).
- 15. Myking, S. *et al.* Candidate gene analysis of spontaneous preterm delivery: new insights from re-analysis of a case-control study using case-parent triads and control-mother dyads. *BMC Med Genet* **12**, 174 (2011). DOI: 10.1186/1471-2350-12-174
- 16. Sima, Y. T. *et al.* Cesarean delivery in Norwegian nulliparous women with singleton cephalic term births, 1967-2020: a population-based study. *BMC Pregnancy Childbirth* **22**, 419 (2022). DOI: 10.1186/s12884-022-04755-3
- 17. Morken, N. H., Travlos, G. S., Wilson, R. E., Eggesbø, M. & Longnecker, M. P. Correction: Maternal Glomerular Filtration Rate in Pregnancy and Fetal Size. *PLoS One* **10**, e0130752 (2015). DOI: 10.1371/journal.pone.0130752

- 18. Skulstad, S. M. & Kiserud, T. Degree of fetal umbilical venous constriction at the abdominal wall in a low-risk population at 20–40 weeks of gestation. *Prenat. Diagn* (2002). DOI: 10.1002/pd.462
- 19. Acharya, G., Wilsgaard, T. & Berntsen, G. K. R. Doppler-derived umbilical artery absolute velocities and their relationship to fetoplacental volume blood flow: a longitudinal study *Ultrasound Obstet Gynecol* (2005). DOI: 10.1002/uog.1880
- 20. Kiserud, T. Ductus venosus blood velocity in myeloproliferative disorders. *Ultrasound in Obstetrics and Gynecology* (2001).
- 21. Kiserud, T., Kessler, J. & Ebbing, C. Ductus venosus shunting in growth-restricted fetuses and the effect of umbilical circulatory compromise. *Ultrasound Obstet Gynecol* (2006). DOI: 10.1002/uog.2784
- 22. Vietheer, A., Kiserud, T., Lie, R. T., Haaland, Ø. A. & Kessler, J. Effect of maternal sleep on embryonic development. *Scientific reports* **12**, 17099 (2022). DOI: 10.1038/s41598-022-21516-6
- 23. Kiserud, T., Ozaki, T. & Nishina, H. Effect of NO, phenylephrine, and hypoxemia on ductus venosus diameter in fetal sheep. *Am J Physiol Heart Circ Physiol* (2000). DOI: 10.1152/ajpheart.2000.279.3.H1166
- 24. Skulstad, S. M. & Ulriksen, M. Effect of umbilical ring constriction on Wharton's jelly. *Ultrasound Obstet Gynecol* (2006). DOI: 10.1002/uog.3814
- 25. Dögl, M. *et al.* Elective induction of labor: A prospective observational study. *PLoS One* **13**, e0208098 (2018). DOI: 10.1371/journal.pone.0208098
- 26. Salpou, D., Kiserud, T. & Rasmussen, S. Fetal age assessment based on 2<sup>nd</sup>trimester ultrasound in Africa and the effect of ethnicity. *BMC pregnancy and childbirth* (2008). DOI: 10.1186/1471-2393-8-48
- 27. Johnsen, S. L., Rasmussen, S. & Sollien, R. Fetal age assessment based on femur length at 10-25 weeks of gestation, and reference ranges for femur length to head circumference ratios. *Acta Obstet Gynecol Scand* (2005). DOI: 10.1111/j.0001-6349.2005.00691.x
- 28. Nyberg, M. K. & Johnsen, S. L. Fetal breathing is associated with increased umbilical blood flow. *Ultrasound Obstet Gynecol* (2010). DOI: 10.1002/uog.7701
- 29. Kiserud, T., Ebbing, C. & Kessler, J. Fetal cardiac output, distribution to the placenta and impact of placental compromise. *Ultrasound Obstet Gynecol* (2006). DOI: 10.1002/uog.2832
- 30. Ebbing, C., Rasmussen, S. & Godfrey, K. M. Fetal celiac and splenic artery flow velocity and pulsatility index: longitudinal reference ranges and evidence for vasodilation at a low portocaval pressure gradient. *Ultrasound Obstet Gynecol* (2008). DOI: 10.1002/uog.6145
- 31. Morken, N. H., Källen, K. & Jacobsson, B. Fetal growth and onset of delivery: a nationwide population-based study of preterm infants. *Am J Obstet Gynecol* **195**, 154-161 (2006). DOI: 10.1016/j.ajog.2006.01.019
- 32. Ebbing, C. & Rasmussen, S. Fetal hemodynamic development in macrosomic growth. *Ultrasound Obstet Gynecol* (2011). DOI: 10.1002/uog.9046
- 33. Ebbing, C., Rasmussen, S. & Kiserud, T. Fetal hemodynamic development in macrosomic growth. *Ultrasound Obstet Gynecol* **38**, 303-308 (2011). DOI: 10.1002/uog.9046
- 34. Haugen, G., Hanson, M., Kiserud, T. & Crozier, S. Fetal liver-sparing cardiovascular adaptations linked to mother's slimness and diet. *Circ Res* (2005). DOI: 10.1161/01.RES.0000152391.45273.A2

- 35. Johnsen, S. L., Wilsgaard, T. & Rasmussen, S. Fetal size in the second trimester is associated with the duration of pregnancy, small fetuses having longer pregnancies. *BMC pregnancy and childbirth* (2008). DOI: 10.1186/1471-2393-8-25
- 36. Coutelle, C., Themis, M., Schneider, H. & Kiserud, Coutelle, C. et al. Fetal Somatic Gene Therapy A Preventive Approach to the Treatment of Genetic Disease: The Case For. In: Holzgreve, W., Lessl, M. (eds) Stem Cells from Cord Blood, in Utero Stem Cell Development and Transplantation-Inclusive Gene Therapy. Ernst Schering Research Foundation Workshop, vol 33. Springer, Berlin, Heidelberg (2001). https://doi.org/10.1007/978-3-662-04469-8\_7 37.Ebbing, C., Rasmussen, S. & Godfrey, K. M. Fetal superior mesenteric artery: longitudinal reference ranges and evidence of regulatory link to portal liver circulation. *Early human Development* (2009).
- 38. Kiserud, T. Fetal venous circulation. Fetal and Maternal Medicine Review (2003).
- 39. Kiserud, T. Fetal venous circulation-an update on hemodynamics. *J Perinat Med* (2000). DOI: 10.1515/JPM.2000.011/html
- 40. Rasmussen, S., Kiserud, T. & Albrechtsen, S. Foetal size and body proportion at 17–19 weeks of gestation and neonatal size, proportion, and outcome. *Early human development* (2006).
- 41. Kiserud, T. & Chedid, G. Foramen ovale changes in growth-restricted fetuses. *Ultrasound Obstet Gynecol* (2004). DOI: 10.1002/uog.1079
- 42. Nyberg, M. K. & Johnsen, S. L. Hemodynamics of fetal breathing movements: the inferior vena cava. *Ultrasound Obstet Gynecol* (2011). DOI: 10.1002/uog.9000
- 43. Ebbing, C., Rasmussen, S. & Godfrey, K. M. Hepatic artery hemodynamics suggest operation of a buffer response in the human fetus. *Reprod Sci.* (2008). DOI: 10.1177/1933719107310307
- 44. Ebbing, C., Rasmussen, S., Godfrey, K. M., Hanson, M. A. & Kiserud, T. Hepatic Artery Hemodynamics Suggest Operation of a Buffer Response in the Human Fetus. *Reprod Sci.* **15**, 166-178 (2008). DOI: 10.1177/1933719107310307
- 45. Martins, W. P. & Kiserud, T. How to record ductus venosus blood velocity in the second half of pregnancy. *Ultrasound Obstet Gynecol* (2013).
- 46. Haavaldsen, C., Morken, N. H., Saugstad, O. D. & Eskild, A. Is the increasing prevalence of labor induction accompanied by changes in pregnancy outcomes? An observational study of all singleton births at gestational weeks 37-42 in Norway during 1999-2019. *Acta Obstet Gynecol Scand* **102**, 158-173 (2023). DOI: 10.1111/aogs.14489
- 47. Bhide, A. et al. ISUOG Practice Guidelines (updated): use of Doppler velocimetry in obstetrics. *Ultrasound Obstet Gynecol* **58**, 331-339 (2021). DOI: 10.1002/uog.23698
- 48. Bhide A, et al. ISUOG practice guidelines: use of Doppler ultrasonography in obstetrics. Ultrasound Obstet Gynecol. Feb;41(2):233-39. (2013 ) doi: 10.1002/uog.12371
- 49. Johnsen, S. L., Wilsgaard, T. & Rasmussen, S. Longitudinal reference charts for growth of the fetal head, abdomen and femur. *Eur J Obstet Gynecol Reprod Biol.* (2006).
- 50. Kessler, J., Rasmussen, S. & Hanson, M. Longitudinal reference ranges for ductus venosus flow velocities and waveform indices. *Ultrasound Obstet Gynecol* (2006). DOI: 10.1002/uog.3857
- 51. Johnsen, S. L., Rasmussen, S., Wilsgaard, T., Sollien, R. & Kiserud, T. Longitudinal reference ranges for estimated fetal weight. *Acta Obstet Gynecol Scand* **85**, 286-297 (2006).

- 52. Kessler, J., Rasmussen, S., Godfrey, K. & Hanson, M. Longitudinal study of umbilical and portal venous blood flow to the fetal liver: low pregnancy weight gain is associated with preferential supply to the fetal left liver lobe. *Pediatr Res.* (2008).
- 53. Ryckman, K. K. *et al.* Maternal and fetal genetic associations of PTGER3 and PON1 with preterm birth. *PLoS One* **5**, e9040 (2010). DOI: 10.1371/journal.pone.0009040
- 54. Lie, R. T., Wilcox, A. J. & Skjaerven, R. Maternal and paternal influences on length of pregnancy. *Obstet Gynecol* **107**, 880-885 (2006). DOI: 10.1097/01.AOG.0000206797.52832.36
- 55. Morken, N. H., Travlos, G. S., Wilson, R. E., Eggesbø, M. & Longnecker, M. P. Maternal glomerular filtration rate in pregnancy and fetal size. *PLoS One* **9**, e101897 (2014). DOI: 10.1371/journal.pone.0101897
- 56. Vietheer, A. *et al.* Maternal physical activity affects yolk sac size and growth in early pregnancy, but girls and boys use different strategies. *Scientific Reports* **13**, 20246 (2023). DOI: 10.1038/s41598-023-47536-4
- 57. Kvalvik, L. G. *et al.* Maternal Smoking Status in Successive Pregnancies and Risk of Having a Small for Gestational Age Infant. *Paediatr Perinat Epidemiol* **31**, 21-28 (2017). DOI: 10.1111/ppe.12333
- 58. Hellebust, H. & Johnsen, S. L. Maternal weight gain: a determinant for fetal abdominal circumference in the second trimester. *Acta Obstet Gynecol Scand.* (2011). DOI: 10.1111/j.1600-0412.2011.01129.x
- 59. Ebbing, C., Rasmussen, S. & Kiserud, T. Middle cerebral artery blood flow velocities and pulsatility index and the cerebroplacental pulsatility ratio: longitudinal reference ranges and terms for serial measurements. *Ultrasound Obstet Gynecol.* **30**, 287-296 (2007). DOI: 10.1002/uog.4088
- 60. Kiserud, T. Naming veins: by morphology, physiology or sociology. *Ultrasound Obstet Gynecol.* (2001). DOI: 10.1046/j.0960-7692.2001.00601.x
- 61. Alleman, B. W. *et al.* No observed association for mitochondrial SNPs with preterm delivery and related outcomes. *Pediatr Res* **72**, 539-544 (2012). DOI: 10.1038/pr.2012.112
- 62. Ebbing, C., Njølstad, G. & Kiserud, T. Parvovirus B19-infeksjon–en livstruende fostersykdom. *Tidsskrift for Den norske Legeforeningen* (2004).
- 63. Rasmussen, S. *et al.* Paternal and maternal birthweight and offspring risk of macrosomia at term gestations: A nationwide population study. *Paediatr Perinat Epidemiol* **38**, 183-192 (2024). DOI: 10.1111/ppe.13005
- 64. Morken, N. H., Klungsøyr, K. & Skjaerven, R. Perinatal mortality by gestational week and size at birth in singleton pregnancies at and beyond term: a nationwide population-based cohort study. *BMC Pregnancy Childbirth* **14**, 172 (2014). DOI: 10.1186/1471-2393-14-172
- 65. Kiserud, T. Physiology of the fetal circulation. *Seminars in Fetal and Neonatal Medicine* (2005).
- 66. Haugen, G., Kiserud, T. & Godfrey, K. Portal and umbilical venous blood supply to the liver in the human fetus near term. *Ultrasound Obstet Gynecol.* (2004). DOI: 10.1002/uog.1744
- 67. Sorbye, L. M., Klungsoyr, K., Samdal, O., Owe, K. M. & Morken, N. H. Pre-pregnant body mass index and recreational physical activity: effects on perinatal mortality in a prospective pregnancy cohort. *BJOG* **122**, 1322-1330 (2015). DOI: 10.1111/1471-0528.13290
- 68. Morken, N. H., Källen, K. & Jacobsson, B. Predicting risk of spontaneous preterm delivery in women with a singleton pregnancy. *Paediatr Perinat Epidemiol* **28**, 11-22 (2014). DOI: 10.1111/ppe.12087

- 69. Karlsen, H. O., Johnsen, S. L. & Rasmussen, S. Prediction of adverse neonatal outcomes using size centiles and conditional growth centiles. *Ultrasound Obstet Gynecol.* (2015).
- 70. Nakling, J. & Backe, B. Pregnancy risk increases from 41 weeks of gestation. *Acta Obstet Gynecol Scand* **85**, 663-668 (2006). DOI: 10.1080/00016340500543733
- 71. Khatibi, A. *et al.* Prepregnancy maternal body mass index and preterm delivery. *Am J Obstet Gynecol* **207**, 212.e1-7 (2012). DOI: 10.1016/j.ajog.2012.06.002
- 72. Morken, N. H., Källen, K., Hagberg, H. & Jacobsson, B. Preterm birth in Sweden 1973-2001: rate, subgroups, and effect of changing patterns in multiple births, maternal age, and smoking. *Acta Obstet Gynecol Scand* **84**, 558-565 (2005). DOI: 10.1111/j.0001-6349.2005.00765.x
- 73. Morken, N. H. Preterm birth: new data on a global health priority. *Lancet* **379**, 2128-2130 (2012). DOI: 10.1016/S0140-6736(12)60857-5
- 74. Morken, N. H. Preterm delivery in IVF versus ICSI singleton pregnancies: a national population-based cohort. *Eur J Obstet Gynecol Reprod Biol* **154**, 62-66 (2011). DOI: 10.1016/j.ejogrb.2010.08.025
- 75. Ebbing, C., Kiserud, T., Johnsen, S. L. & Albrechtsen, S. Prevalence, risk factors and outcomes of velamentous and marginal cord insertions: a population-based study of 634,741 pregnancies. *PloS one* (2013). DOI: 10.1371/journal.pone.0070380&type=printable
- 76. Kiserud, T., Johnsen, S. L. & Rasmussen, S. Re: A direct method for ultrasound prediction of day of delivery: a new, population-based approach. Problems of accounting for a retrospective selection. *Ultrasound Obstet Gynecol* (2008).
- 77. Morken, N. H., Melve, K. K. & Skjaerven, R. Recurrence of prolonged and post-term gestational age across generations: maternal and paternal contribution. *BJOG* **118**, 1630-1635 (2011). DOI: 10.1111/j.1471-0528.2011.03154.x
- 78. Ebbing, C., Rasmussen, S., Godfrey, K. M., Hanson, M. A. & Kiserud, T. Redistribution pattern of fetal liver circulation in intrauterine growth restriction. *Acta Obstet Gynecol Scand* **88**, 1118-1123 (2009). DOI: 10.1080/00016340903214924
- 79. Morken, N. H. *et al.* Reference population for international comparisons and time trend surveillance of preterm delivery proportions in three countries. *BMC Womens Health* **8**, 16 (2008). DOI: 10.1186/1472-6874-8-16
- 80. Acharya, G., Wilsgaard, T. & Berntsen, G. K. R. Reference ranges for serial measurements of blood velocity and pulsatility index at the intra-abdominal portion, and fetal and placental ends of the umbilical artery. *Ultrasound Obstet Gynecol.* (2005). DOI: 10.1002/uog.1902
- 81. Acharya, G., Wilsgaard, T. & Berntsen, G. K. R. Reference ranges for serial measurements of umbilical artery Doppler indices in the second half of pregnancy. *Am J Obstet Gynecol.* (2005).
- 82. Acharya, G. & Wilsgaard, T. Reference ranges for umbilical vein blood flow in the second half of pregnancy based on longitudinal data. *Prenat Diagn*. (2005). DOI: 10.1002/pd.1091
- 83. Morken, N. H., Gunnes, N., Magnus, P. & Jacobsson, B. Risk of spontaneous preterm delivery in a low-risk population: the impact of maternal febrile episodes, urinary tract infection, pneumonia and ear-nose-throat infections. *Eur J Obstet Gynecol Reprod Biol* **159**, 310-314 (2011). DOI: 10.1016/j.ejogrb.2011.08.006

- 84. Vietheer, A., Kiserud, T., Lie, R. T., Haaland, Ø. A. & Kessler, J. Sleep and physical activity from before conception to the end of pregnancy in healthy women: A longitudinal actigraphy study. *Sleep Medicine* **83**, 89-98 (2021). DOI: 10.1016/j.sleep.2021.04.028
- 85. Morken, N. H., Magnus, P. & Jacobsson, B. Subgroups of preterm delivery in the Norwegian Mother and Child Cohort Study. *Acta Obstet Gynecol Scand* **87**, 1374-1377 (2008). DOI: 10.1080/00016340802491508
- 86. Richards, J. L. *et al.* Temporal Trends in Late Preterm and Early Term Birth Rates in 6 High-Income Countries in North America and Europe and Association With Clinician-Initiated Obstetric Interventions. *JAMA* **316**, 410-419 (2016). DOI: 10.1001/jama.2016.9635
- 87. Skulstad, S. M., Rasmussen, S. & Iversen, O. E. The development of high venous velocity at the fetal umbilical ring during gestational weeks 11–19. *BJOG* (2001).
- 88. Sande, R. K., Matre, K., Eide, G. E. & Kiserud, T. The effect of ultrasound output level on obstetric biometric measurements. *Ultrasound in medicine & biology* (2013).
- 89. Skulstad, S. M., Rasmussen, S. & Seglem, S. The effect of umbilical venous constriction on placental development, cord length and perinatal outcome. *Early human Development* (2005).
- 90. Skulstad, S. M. & Kiserud, T. The effect of vascular constriction on umbilical venous pulsation. *Ultrasound Obstet Gynecol* (2004). DOI: 10.1002/uog.971
- 91. Sande, R. K., Matre, K. & Eide, G. E. The effects of reducing the thermal index for bone from 1.0 to 0.5 and 0.1 on common obstetric pulsed wave Doppler measurements in the second half of pregnancy. *Acta obstetricia et Gynecol* (2013). DOI: 10.1111/aogs.12114
- 92. Acharya, G., Rasanen, J. & Kiserud, T. The fetal cardiac function. *Obstetrics and Gynecology* (2006).
- 93. Kiserud, T. & Acharya, G. The fetal circulation. *Prenat Diagn* **24**, 1049-1059 (2004). DOI: 10.1002/pd.1062
- 94. Kessler, J. & Rasmussen, S. The fetal portal vein: normal blood flow development during the second half of human pregnancy. *Ultrasound Obstet Gynecol* (2007). DOI: 10.1002/uog.4054
- 95. Kessler, J. & Rasmussen, S. The left portal vein as an indicator of watershed in the fetal circulation: development during the second half of pregnancy and a suggested method of evaluation. *Ultrasound Obstet Gynecol* (2007). DOI: 10.1002/uog.5146
- 96. Kilavuz, O., Vetter, K., Kiserud, T. & Vetter, P. The left portal vein is the watershed of the fetal venous system. *J Perinat Med* **31**, 184-187 (2003). DOI: 10.1515/JPM.2003.025
- 97. Bjørnerem, Å., Johnsen, S. L. & Nguyen, T. V. The shifting trajectory of growth in femur length during gestation. *J Bone Miner Res.* (2010). DOI: 10.1359/jbmr.091107
- 98. Kiserud, T. *et al.* The World Health Organization Fetal Growth Charts: A Multinational Longitudinal Study of Ultrasound Biometric Measurements and Estimated Fetal Weight. *PLoS Med* **14**, e1002220 (2017). DOI: 10.1371/journal.pmed.1002220
- 99. Kiserud, T. *et al.* The World Health Organization fetal growth charts: concept, findings, interpretation, and application. *Am J Obstet Gynecol* **218**, S619-S629 (2018). DOI: 10.1016/j.ajog.2017.12.010
- 100. Morken, N. H. Time to focus on the public health aspects of preterm delivery. *Acta Obstet Gynecol Scand* **89**, 165-167 (2010). DOI: 10.3109/00016340903530944
- 101. Kiserud, T., Eik-Nes, S. H., Blaas, H. G. K. & Hellevik, L. R. Ultrasonographic velocimetry of the fetal ductus venosus. *The Lancet* (1991).
- 102. Acharya, G., Kiserud, T. & Lunde, P. Ultrasound assessment of maternal endothelial function: a tool for epidemiology. *Norsk epidemiologi* (2009).

- 103. Morken, N. H., Skjaerven, R. & Wilcox, A. J. Ultrasound prediction of perinatal outcome: the unrecognised value of sibling data. *BJOG* **122**, 1674-1681 (2015). DOI: 10.1111/1471-0528.13022
- 104. Sande, R. K., Matre, K., Eide, G. E. & Kiserud, T. Ultrasound safety in early pregnancy: reduced energy setting does not compromise obstetric Doppler measurements. *Ultrasound Obstet Gynecol* **39**, 438-443 (2012). DOI: 10.1002/uog.10148
- 105. Kiserud, T. Ultrasound: providing the physiological basis for fetal medicine. *Ultrasound Obstet Gynecol* (2008). DOI: 10.1002/uog.6229
- 106. Kiserud, T., Stratford, L. & Hanson, M. A. Umbilical flow distribution to the liver and the ductus venosus: an in vitro investigation of the fluid dynamic mechanisms in the fetal sheep. *American journal of obstetrics and Gynecol* (1997).
- 107. Acharya, G. & Wilsgaard..., T. Umbilical vein constriction at the umbilical ring: a longitudinal study. *Ultrasound Obstet Gynecol* (2006). DOI: 10.1002/uog.2711
- 108. Einum, A., Sørbye, L. M., Nilsen, R. M., Ebbing, C. & Morken, N. H. Unveiling sex bias and adverse neonatal outcomes in ultrasound estimation of gestational age: A population-based cohort study. *Paediatr Perinat Epidemiol* **38**, 34-42 (2024). DOI: 10.1111/ppe.13029
- 109. Kessler, J., Rasmussen, S., Godfrey, K., Hanson, M. & Kiserud, T. Venous liver blood flow and regulation of human fetal growth: evidence from macrosomic fetuses. *Am J Obstet Gynecol* **204**, 429 e1-7 (2011). DOI: 10.1016/j.ajog.2010.12.038
- 110. Kiserud, T., Kilavuz, Ö. & Hellevik, L. R. Venous pulsation in the fetal left portal branch: the effect of pulse and flow direction. *Ultrasound Obstet Gynecol* (2003). DOI: 10.1002/uog.78
- 111. Morken, N. H. Victims and addicts of biostatistics. *Acta Obstet Gynecol Scand* **98**, 1085 (2019). DOI: 10.1111/aogs.13669
- 112. Kiserud, T. What is the duration of pregnancy? *Tidsskrift for den Norske Laegeforening: Tidsskrift for den Norske Legeforeningen* (2012).
- 113. Merialdi, M., Widmer, M. & Gülmezoglu, A. M. WHO multicentre study for the development of growth standards from fetal life to childhood: the fetal component. *BMC pregnancy and childbirth* (2014). DOI: 10.1186/1471-2393-14-157
- 114. Myking, S. *et al.* X-chromosomal maternal and fetal SNPs and the risk of spontaneous preterm delivery in a Danish/Norwegian genome-wide association study. *PLoS One* **8**, e61781 (2013). DOI: 10.1371/journal.pone.0061781