

Namespace SharpChess.Api.Contracts.Auth

Classes

[LoginRequest](#)

[LoginResponse](#)

[RegisterRequest](#)

[RegisterResponse](#)

Class LoginRequest

Namespace: [SharpChess.Api.Contracts.Auth](#)

Assembly: SharpChess.Api.dll

```
public record LoginRequest : IEquatable<LoginRequest>
```

Inheritance

[object](#)  ← LoginRequest

Implements

[IEquatable](#)  <[LoginRequest](#)>

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  ,
[object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  ,
[object.ToString\(\)](#) 

Constructors

LoginRequest(string, string)

```
public LoginRequest(string Username, string Password)
```

Parameters

Username [string](#) 

Password [string](#) 

Properties

Password

```
public string Password { get; init; }
```

Property Value

[string](#) 

Username

```
public string Username { get; init; }
```

Property Value

[string](#) 

Class LoginResponse

Namespace: [SharpChess.Api.Contracts.Auth](#)

Assembly: SharpChess.Api.dll

```
public record LoginResponse : IEquatable<LoginResponse>
```

Inheritance

[object](#)  ← LoginResponse

Implements

[IEquatable](#)  <[LoginResponse](#)>

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  ,
[object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  ,
[object.ToString\(\)](#) 

Constructors

LoginResponse(string)

```
public LoginResponse(string Token)
```

Parameters

Token [string](#) 

Properties

Token

```
public string Token { get; init; }
```

Property Value

Class RegisterRequest

Namespace: [SharpChess.Api.Contracts.Auth](#)

Assembly: SharpChess.Api.dll

```
public record RegisterRequest : IEquatable<RegisterRequest>
```

Inheritance

[object](#)  ← RegisterRequest

Implements

[IEquatable](#)  <[RegisterRequest](#)>

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  ,
[object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  ,
[object.ToString\(\)](#) 

Constructors

RegisterRequest(string, string, string, string)

```
public RegisterRequest(string Username, string Email, string Password,  
string ConfirmPassword)
```

Parameters

Username [string](#) 

Email [string](#) 

Password [string](#) 

ConfirmPassword [string](#) 

Properties

ConfirmPassword

```
public string ConfirmPassword { get; init; }
```

Property Value

[string](#)

Email

```
public string Email { get; init; }
```

Property Value

[string](#)

Password

```
public string Password { get; init; }
```

Property Value

[string](#)

Username

```
public string Username { get; init; }
```

Property Value

[string](#)

Class RegisterResponse

Namespace: [SharpChess.Api.Contracts.Auth](#)

Assembly: SharpChess.Api.dll

```
public record RegisterResponse : IEquatable<RegisterResponse>
```

Inheritance

[object](#)  ← RegisterResponse

Implements

[IEquatable](#)  <[RegisterResponse](#)>

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  ,
[object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  ,
[object.ToString\(\)](#) 

Constructors

RegisterResponse(string, string, string)

```
public RegisterResponse(string Id, string Username, string Email)
```

Parameters

Id [string](#) 

Username [string](#) 

Email [string](#) 

Properties

Email

```
public string Email { get; init; }
```

Property Value

[string](#)

Id

```
public string Id { get; init; }
```

Property Value

[string](#)

Username

```
public string Username { get; init; }
```

Property Value

[string](#)

Namespace SharpChess.Api.Controllers

Classes

[AuthController](#)

Beheert authenticatie-gerelateerde endpoints zoals registreren en inloggen.

Class AuthController

Namespace: [SharpChess.Api.Controllers](#)

Assembly: SharpChess.Api.dll

Beheert authenticatie-gerelateerde endpoints zoals registreren en inloggen.

```
[ApiController]
[Route("api/[controller]")]
public class AuthController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← AuthController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#),
[ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#),
[ControllerBase.RedirectToAction\(\)](#), [ControllerBase.RedirectToAction\(string\)](#),
[ControllerBase.RedirectToAction\(string, object\)](#), [ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),

[ControllerBase.RedirectToRoute\(string, object\).☐](#) , [ControllerBase.RedirectToRoute\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) ,
[ControllerBase.NotFound\(\).☐](#) , [ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string, IDictionary<string, object>\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary, IDictionary<string, object>\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) ,
[ControllerBase.Accepted\(string\).☐](#) , [ControllerBase.Accepted\(string, object\).☐](#) ,
[ControllerBase.Accepted\(Uri, object\).☐](#) , [ControllerBase.AcceptedAtAction\(string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,

[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).](#) ,
[ControllerBase.SignOut\(\).](#) , [ControllerBase.SignOut\(AuthenticationProperties\).](#) ,
[ControllerBase.SignOut\(params string\[\]\).](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).](#) ,
[ControllerBase.TryValidateModel\(object\).](#) , [ControllerBase.TryValidateModel\(object, string\).](#) ,
[ControllerBase.HttpContext](#) , [ControllerBase.Request](#) , [ControllerBase.Response](#) ,
[ControllerBase.RouteData](#) , [ControllerBase.ModelState](#) , [ControllerBase.ControllerContext](#) ,
[ControllerBase.MetadataProvider](#) , [ControllerBase.ModelBinderFactory](#) , [ControllerBase.Url](#) ,
[ControllerBase.ObjectValidator](#) , [ControllerBase.ProblemDetailsFactory](#) , [ControllerBase.User](#) ,
[ControllerBase.Empty](#) , [object.Equals\(object\).](#) , [object.Equals\(object, object\).](#) ,
[object.GetHashCode\(\).](#) , [object.GetType\(\).](#) , [object.MemberwiseClone\(\).](#) ,
[object.ReferenceEquals\(object, object\).](#) , [object.ToString\(\).](#)

Constructors

AuthController(ISender)

```
public AuthController(ISender mediator)
```

Parameters

mediator ISender

Methods

Login(LoginRequest)

Logt de gebruiker in.

```
[HttpPost("login")]  
public Task<IActionResult> Login(LoginRequest request)
```

Parameters

request [LoginRequest](#)

Returns

[Task](#) <[IActionResult](#)>

Register(RegisterRequest)

Registreert een nieuwe gebruiker met gebruikersnaam, e-mailadres en wachtwoord.

```
[HttpPost("register")]  
public Task<IActionResult> Register(RegisterRequest request)
```

Parameters

request [RegisterRequest](#)

De registratiegegevens van de gebruiker.

Returns

[Task](#) <[IActionResult](#)>

Een succesvolle response met de aangemaakte gebruiker, of een foutresponse als de registratie mislukt.