

SCHEMAS

Filter objects

- my_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

Schema: my_db



Table Name: phone

Charset/Collation: Default Charset

Default Collation

Comments:

Column Name	Datatype	PK	NN	UQ	B	UN	ZF	AI
id_phone	INT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
manufacturer	VARCHAR(20)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
model	VARCHAR(20)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
price	INT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
amount	INT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Column Name: store

Charset/Collation: Default Charset

Default Collation

Comments:

Columns Indexes Foreign Keys Triggers Partitioning Options

Output

Action Output

#	Time	Action
1	20:07:37	Apply changes to my_db
2	20:26:43	Apply changes to phone

Review SQL Script

Apply SQL Script

Review the SQL Script to be Applied on the Database

Online DDL

Algorithm: Default

Lock Type: Default

```
1 CREATE TABLE `my_db`.`phone` (  
2   `id_phone` INT NOT NULL AUTO_INCREMENT,  
3   `manufacturer` VARCHAR(20) NOT NULL,  
4   `model` VARCHAR(20) NOT NULL,  
5   `price` INT NOT NULL,  
6   `amount` INT NULL DEFAULT 0,  
7   `store` VARCHAR(20) NOT NULL,  
8   PRIMARY KEY (`id_phone`),  
9   UNIQUE INDEX `id_phone_UNIQUE` (`id_phone` ASC) VISIBLE);  
10
```

Back

Apply

Cancel

Applying object changes ...

Navigator

SCHEMAS

Filter objects

- my_db
 - Tables
 - phone
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

Table: phone

Columns:

id_phone int AI PK
 manufacturer varchar(20)
 model varchar(20)
 price int
 amount int
 store varchar(20)

Administrator my_db - Schema phone - Table phone

Limit to 1000 rows

1 • `SELECT * FROM my_db.phone;`

Result Grid

	id_phone	manufacturer	model	price	amount	store
1	1	OnePlus	9RT	400	10	Eldo...
2	2	Nokia	3110	100	999	MTS
3	3	Samsung	Note 9	500	2	MTS
4	4	Philips	L20	500	1	Beeline
5	5	Htc	123	400	0	Domo
*	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

phone 1 x Apply Revert

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	20:07:37	Apply changes to my_db	Changes applied	
✓ 2	20:26:43	Apply changes to phone	Changes applied	
✓ 3	20:29:06	SELECT * FROM my_db.phone LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

SCHEMAS

Filter objects

- my_db
 - Tables
 - phone
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

Table: phone

Columns:

id_phone	int AI PK
manufacturer	varchar(20)
model	varchar(20)
price	int
amount	int
store	varchar(20)

Object Info Session

Administrator my_db - Schema phone - Table phone x

Limit to 1000 rows

```
1 • SELECT * FROM my_db.phone;
2
3 • SELECT manufacturer, model, price
4 FROM my_db.phone
5 WHERE amount > 2;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	manufacturer	model	price
▶	OnePlus	9RT	400
	Nokia	3110	100

Result Grid

Form Editor

Field Types

phone 5 x Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	2 20:26:43	Apply changes to phone	Changes applied	
✓	3 20:29:06	SELECT * FROM my_db.phone LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓	4 20:32:08	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	5 20:33:31	SELECT manufacturer, model, price FROM my_db.phone WHERE amount > 2 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓	6 20:33:56	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	7 20:34:04	SELECT manufacturer, model, price FROM my_db.phone WHERE amount > 2 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Filter objects

- my_db
 - Tables
 - phone
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Table: phone

Columns:

id_phone	int AI PK
manufacturer	varchar(20)
model	varchar(20)
price	int
amount	int
store	varchar(20)

Limit to 1000 rows

```

1 • SELECT * FROM my_db.phone;
2
3 • SELECT manufacturer, model, price
4 FROM my_db.phone
5 WHERE amount > 2;
6
7 • SELECT *
8 FROM my_db.phone
9 WHERE manufacturer = 'Samsung';
    
```

Result Grid

Filter Rows:

	id_phone	manufacturer	model	price	amount	store
▶	3	Samsung	Note 9	500	2	MTS
•	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Action Output

#	Time	Action	Message	Duration / Fetch
✓	5 20:33:31	SELECT manufacturer, model, price FROM my_db.phone WHERE amount > 2 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓	6 20:33:56	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	7 20:34:04	SELECT manufacturer, model, price FROM my_db.phone WHERE amount > 2 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✗	8 20:35:17	SELECT * FROM my_db.phone WHERE manufakrurer = 'Samsung' LIMIT 0, 1000	Error Code: 1054. Unknown column 'manufakrurer' in 'where clause'	0.000 sec
✓	9 20:35:22	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	10 20:35:33	SELECT * FROM my_db.phone WHERE manufacturer = 'Samsung' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
7	20:34:04	SELECT manufacturer, model, price FROM my_db.phone WHERE amount > 2 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
8	20:35:17	SELECT * FROM my_db.phone WHERE manufakrurer = 'Samsung' LIMIT 0, 1000	Error Code: 1054. Unknown column 'manufakrurer' in 'where clause'	0.000 sec
9	20:35:22	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10	20:35:33	SELECT * FROM my_db.phone WHERE manufacturer = 'Samsung' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
11	20:37:06	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
12	20:39:50	SELECT * FROM my_db.phone WHERE model LIKE "%Iphone%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Administratormy_db - Schemaphone - Tablephone x

Limit to 1000 rows

9WHERE manufacturer = 'Samsung';

10

11• SELECT *

12FROM my_db.phone

13WHERE model LIKE '%Iphone%';

14

15• SELECT *

16FROM my_db.phone

17WHERE manufacturer LIKE '%Samsung%';

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Contents:

	id_phone	manufacturer	model	price	amount	store
▶	3	Samsung	Note 9	500	2	MTS
•	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

AdministrationSchemas

Information

Table: phone

Columns:
id_phone
manufacturer
model
price
amount
store

int AI PK
varchar(20)
varchar(20)
int
int
varchar(20)

Object InfoSession

phone 10 x

Apply

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖ 8	20:35:17	SELECT * FROM my_db.phone WHERE manufakurer = "Samsung" LIMIT 0, 1000	Error Code: 1054. Unknown column 'manufakurer' in 'where clause'	0.000 sec
✔ 9	20:35:22	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✔ 10	20:35:33	SELECT * FROM my_db.phone WHERE manufacturer = "Samsung" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✔ 11	20:37:06	SELECT * FROM my_db.phone LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✔ 12	20:39:50	SELECT * FROM my_db.phone WHERE model LIKE "%Iphone%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✔ 13	20:40:37	SELECT * FROM my_db.phone WHERE manufacturer LIKE "%Samsung%" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

SCHEMAS

Filter objects

- my_db
 - Tables
 - phone
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Limit to 1000 rows

```
17 WHERE manufacturer LIKE '%Samsung%';
18
19 • SELECT *
20 FROM my_db.phone
21 WHERE model NOT LIKE '%[0-9]%';
22
23 • SELECT *
24 FROM my_db.phone
25 WHERE model LIKE '%8%';
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	id_phone	manufacturer	model	price	amount	store
▶	6	Apple	Iphone 8	400	10	Domo
*	NULL	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

Table: phone

Columns:

id_phone	int AI PK
manufacturer	varchar(20)
model	varchar(20)
price	int
amount	int
store	varchar(20)

Object Info

Session

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

phone 31 x

Apply

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 29	20:44:27	SELECT * FROM my_db.phone WHERE model LIKE '%8%' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 30	20:44:35	SELECT * FROM my_db.phone WHERE model NOT LIKE '%[0-9]%' LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 31	20:44:41	SELECT * FROM my_db.phone WHERE model LIKE '%[0-9]%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 32	20:44:42	SELECT * FROM my_db.phone WHERE model LIKE '%[0-9]%' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 33	20:44:50	SELECT * FROM my_db.phone WHERE model NOT LIKE '%[0-9]%' LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 34	20:44:53	SELECT * FROM my_db.phone WHERE model LIKE '%8%' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec