-Table of Contents

Bash tips: Colors and formatting (ANSI/VT100 Control sequences)

The **ANSI/VT100** terminals and terminal emulators are not just able to display black and white text; they can display **colors** and formatted texts thanks to **escape sequences**. Those sequences are composed of the **Escape character** (often represented by "^[" or "<ESC>") followed by some other characters: "<ESC> [FormatCodem".

In Bash, the <Esc> character can be obtained with the following syntaxes:

- \e
- \033
- \x1B

Examples:

Code (Bash)	Preview
echo -e "\e[31mHello World\e[0m"	Hello World
echo -e "\033[31mHello\e[0m World"	Hello World

NOTE1: The -e option of the echo command enable the parsing of the escape sequences.

NOTE²: The " $\ensuremath{^{\circ}}$ " sequence removes all attributes (formatting and colors). It can be a good idea to add it at the end of each colored text. ;)

NOTE3: The examples in this page are in **Bash** but the **ANSI/VT100** escape sequences can be used in every programming languages.

Formatting

Here are the most commonly supported control sequences for formatting text. Their support depends on the used terminal (see the compatibility list).

Set

Code	Description	Example	Preview
1	Bold/Bright	echo -e "Normal \e[1mBold"	Normal Bold
2	Dim	echo -e "Normal \e[2mDim"	Normal Dim
4	Underlined	echo -e "Normal \e[4mUnderlined"	Normal <u>Underlined</u>
5	Blink ¹⁾	echo -e "Normal \e[5mBlink"	Normal
7	Reverse (invert the foreground and background colors)	echo -e "Normal \e[7minverted"	Normal inverted

C	Code	Description	Example	Preview
	8	Hidden (useful for passwords)	echo -e "Normal \e[8mHidden"	Normal

Reset

Code	Description	Example	Preview
0	Reset all attributes	echo -e "\e[0mNormal Text"	Normal Text
21	Reset bold/bright	echo -e "Normal \e[1mBold \e[21mNormal"	Normal Bold Normal
22	Reset dim	echo -e "Normal \e[2mDim \e[22mNormal"	Normal Dim Normal
24	Reset underlined	echo -e "Normal \e[4mUnderlined \e[24mNormal"	Normal <u>Underlined</u> Normal
25	Reset blink	echo -e "Normal \e[5mBlink \e[25mNormal"	Normal Normal
27	Reset reverse	echo -e "Normal \e[7minverted \e[27mNormal"	Normal inverted Normal
28	Reset hidden	echo -e "Normal \e[8mHidden \e[28mNormal"	Normal Normal

8/16 Colors

The following colors works with most terminals and terminals emulators $^{2)}$, see the compatibility list for more informations.

NOTE: The colors can vary depending of the terminal configuration.

Foreground (text)

Code	Color	Example	Preview
39	Default foreground color	echo -e "Default \e[39mDefault"	Default Default
30	Black	echo -e "Default \e[30mBlack"	Default Black
31	Red	echo -e "Default \e[31mRed"	Default Red
32	Green	echo -e "Default \e[32mGreen"	Default Green
33	Yellow	echo -e "Default \e[33mYellow"	Default Yellow

Code	Color	Example	Preview
34	Blue	echo -e "Default \e[34mBlue"	Default Blue
35	Magenta	echo -e "Default \e[35mMagenta"	Default Magenta
36	Cyan	echo -e "Default \e[36mCyan"	Default Cyan
37	Light gray	echo -e "Default \e[37mLight gray"	Default Light gray
90	Dark gray	echo -e "Default \e[90mDark gray"	Default Dark gray
91	Light red	echo -e "Default \e[91mLight red"	Default Light red
92	Light green	echo -e "Default \e[92mLight green"	Default Light green
93	Light yellow	echo -e "Default \e[93mLight yellow"	Default Light yellow
94	Light blue	echo -e "Default \e[94mLight blue"	Default Light blue
95	Light magenta	echo -e "Default \e[95mLight magenta"	Default Light magenta
96	Light cyan	echo -e "Default \e[96mLight cyan"	Default Light cyan
97	White	echo -e "Default \e[97mWhite"	Default White

Background

Code	Color	Example	Preview
49	Default background color	echo -e "Default \e[49mDefault"	Default Default
40	Black	echo -e "Default \e[40mBlack"	Default Black
41	Red	echo -e "Default \e[41mRed"	Default <mark>Red</mark>
42	Green	echo -e "Default \e[42mGreen"	Default <mark>Green</mark>
43	Yellow	echo -e "Default \e[43mYellow"	Default <mark>Yellow</mark>

Code	Color	Example	Preview
44	Blue	echo -e "Default \e[44mBlue"	Default <mark>Blue</mark>
45	Magenta	echo -e "Default \e[45mMagenta"	Default <mark>Magenta</mark>
46	Cyan	echo -e "Default \e[46mCyan"	Default <mark>Cyan</mark>
47	Light gray	echo -e "Default \e[47mLight gray"	Default Light gray
100	Dark gray	echo -e "Default \e[100mDark gray"	Default Dark gray
101	Light red	echo -e "Default \e[101mLight red"	Default <mark>Light red</mark>
102	Light green	echo -e "Default \e[102mLight green"	Default <mark>Light green</mark>
103	Light yellow	echo -e "Default \e[103mLight yellow"	Default <mark>Light yellow</mark>
104	Light blue	echo -e "Default \e[104mLight blue"	Default Light blue
105	Light magenta	echo -e "Default \e[105mLight magenta"	Default <mark>Light magenta</mark>
106	Light cyan	echo -e "Default \e[106mLight cyan"	Default <mark>Light cyan</mark>
107	White	echo -e "Default \e[107mWhite"	Default

88/256 Colors

Some terminals (see the compatibility list) can support 88 or 256 colors. Here are the control sequences that permit you to use them.

<u>NOTE</u>: The colors number 256 is only supported by **vte** (GNOME Terminal, XFCE4 Terminal, Nautilus Terminal, Terminator,...).

NOTE²: The 88-colors terminals (like **rxvt**) does not have the same color map that the 256-colors terminals. For showing the 88-colors terminals color map, run the "256-colors.sh" script in a 88-colors terminal.

Foreground (text)

For using one of the 256 colors on the foreground (text color), the control sequence is "<Esc>[38;5; ColorNumber*M" where ColorNumber is one of the following colors:

	1	2	3	4	5	6	7	8	9
10	11	12	13	14	15				19
20					25	26	27	28	29
30	31	32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47	48	49
50	51							58	59
60	61	62	63	64	65	66	67	68	69
70	71	72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87		89
90			93	94	95	96	97	98	99
100	101	102	103	104	105	106	107	108	109
110	111	112	113	114	115	116	117	118	119
120	121	122	123			126		128	129
130	131	132	133	134	135	136	137	138	139
140	141	142	143	144	145	146	147	148	149
150	151	152	153	154	155	156	157	158	159
160	161	162	163	164	165	166	167	168	169
170	171	172	173	174	175	176	177	178	179
180	181	182	183	184	185	186	187	188	189
190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209
210	211	212	213	214	215	216	217	218	219
220	221	222	223	224	225	226	227	228	229
230	231								239
240	241	242	243	244	245	246	247	248	249
250	251	252	253	254	255	256			

Examples:

Code (Bash)	Preview
echo -e "\e[38;5;82mHello \e[38;5;198mWorld"	Hello World
for i in {1621} {2116} ; do echo -en "\e[38;5;\${i}m#\e[0m" ; done ; echo	#########

Background

For using one of the 256 colors on the background, the control sequence is "<Esc>[48;5; ColorNumberM" where ColorNumber is one of the following colors:

0	1	2	3	4	5	6	7	8	9
10	11	12	13	14		16	17	18	19
20	21	22	23	24	25	26	27	28	29
30	31	32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47	48	49
50	51	52	53	54	55	56	57	58	59
60	61	62	63	64	65	66	67	68	69
70	71	72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87	88	89
90	91	92	93	94	95	96	97	98	99
100	101	102	103	104	105	106	107	108	109
110		112	113	114	115	116	117	118	119
120				124	125	126	127	128	129
130	131	132	133	134	135	136	137	138	139
140	141	142	143	144	145	146	147	148	149
150	151	152	153	154	155	156	157	158	159
160	161	162	163	164	165	166	167	168	169
170	171	172	173	174	175	176	177	178	179
180	181	182		184		186	187	188	189
190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209
210	211	212	213	214	215	216			219
220		222	223	224	225	226	227	228	229
230		232	233	234	235	236	237	238	239
240	241	242	243	244	245	246	247	248	249
250									

Examples:

Code (Bash)	Preview
echo -e "\e[40;38;5;82m Hello \e[30;48;5;82m World \e[0m"	Hello World
for i in {1621} {2116} ; do echo -en "\e[48;5;\${i}m \e[0m" ; done ; echo	

Attributes combination

Terminals allow attribute combinations. The attributes must be separated by a semicolon (";").

Examples:

Description	Code (Bash)	Preview			
Bold + Underlined	echo -e "\e[1;4mBold and Underlined"	Bold and Underlined			
Bold + Red forground + Green background	echo -e "\e[1;31;42m Yes it is awful \e[0m"	Yes it is awful			

Terminals compatibility

Terminal	Formatting							Со	lors	;	Commont	
	Bold	Dim	Underlined	Blink	invert	Hidden	8	16	88	256	Comment	
aTerm [http://www.afterstep.org/aterm.php]	ok	-	ok	-	ok	-	ok	~	,	-	Lighter background instead of blink.	

T		Formatting							lors	;		
Terminal	Bold	Dim	Underlined	Blink	invert	Hidden	8	16	88	256	Comment	
Eterm [http://www.eterm.org/]	~	-	ok	ı	ok	ı	ok	~	ı	ok	Lighter color instead of Bold. Lighter background instead of blink. Can overline a text with the "^[[6m" sequence.	
GNOME Terminal [http://library.gnome.org/users/gnome-terminal/]	ok	ok	ok	ok	ok	ok	ok	ok	1	ok	Strikeout with the "^[[9m" sequence.	
Guake [http://guake.org/]	ok	ok	ok	ok	ok	ok	ok	ok	1	ok	Strikeout with the " $\hat{\ }$ [$[9\text{m}]$ sequence.	
Konsole [http://konsole.kde.org/]	ok	-	ok	ok	ok	-	ok	ok	•	ok		
Nautilus Terminal [https://github.com/flozz/nautilus-terminal]	ok	ok	ok	ok	ok	ok	ok	ok	1	ok	Strikeout with the "^[[9m" sequence.	
rxvt [http://rxvt.sourceforge.net/]	ok	-	ok	~	ok	-	ok	ok	ok	1	If the background is not set to the default color, Blink make it lighter instead of blinking. Support of italic text with the "^[[3m" sequence.	
Terminator [http://www.tenshu.net/terminator/]	ok	ok	ok	-	ok	ok	ok	ok	-	ok	Strikeout with the "^[[9m" sequence.	
Tilda [http://tilda.sourceforge.net/tildaabout.php]	ok	-	ok	ok	ok	-	ok	ok	-	-	Underline instead of Dim. Convert 256-colors in 16-colors.	
XFCE4 Terminal [http://www.xfce.org/projects/terminal]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the "^[[9m" sequence.	
XTerm [http://invisible-island.net/xterm/xterm.html]	ok	-	ok	ok	ok	ok	ok	ok	-	ok		
xvt	ok	-	ok	-	ok	-	- 1	-	•	•		
Linux TTY	ok	-	-	=	ok	-	ok	~	-	-	Specials colors instead of Dim and Underlined. Lighter background instead of Blink, Bug with 88/256 colors.	
VTE Terminal [http://developer.gnome.org/vte/]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the "^[[9m" sequence.	

Notations used in the table:

- "ok": Supported by the terminal.
- "~": Supported in a special way by the terminal.
- "-": Not supported at all by the terminal.

Demonstration programs

Colors and formatting (16 colors)

The following shell script displays a lot of possible combination of the attributes (but not all, because it uses only one formatting attribute at a time).

colors_and_formatting.sh

```
[0;49;37m ^[1;49;37m
                                                                                                ^[5;49;37m
                                                                                     ^[4;49;37m
#!/bin/bash
                                                      [0;49;92m ^[1;49;92m
[0;43;93m ^[1;49;93m
                                                                           ^[2;49;92m _
                                                                                     ^[4;49;92m ^[5;49;92m
# This program is free software. It comes with
# the extent permitted by applicable law. You
# and/or modify it under the terms of the Do
                                                                                    ^[4;49;96m
# To Public License, Version 2, as published
                                                     ∩[0;49;96m ∩[1;49;9€m
                                                                           ^[2;49;96m
                                                                                                 [5;49;96m
                                                     ^{0;49;97m ^[1;49;97m
^[0;49;39m ^[1;49;39m
                                                                                                ^[5;49;97m
                                                                                                           ^[7;49;97m
                                                                          ^[2;49;97m <u>^[4;49;97m</u>
# http://sam.zoy.org/wtfpl/COPYING for more de
#Background
for clbg in {40..47} {100..107} 49; do
         #Foreground
         for clfg in {30..37} {90..97} 39; do
                  #Formatting
                  for attr in 0 1 2 4 5 7; do
                           #Print the result
                           echo -en "\e[${attr};${clbg};${clfg}m ^[${attr};${clbg};${clfg}m \e[0m"
                  done
                  echo #Newline
```

[0;49;32m ^[1;49;32m [0;49;33m ^[1;49;33m [0;49;34m ^[1;49;34m

[0;49;36m ^[1;49;36m

^[1;49;35m

[5;49;34m

^[5;49;36m

^[4;49;36m

done
done
exit 0

256 colors

The following script display the 256 colors available on some terminals and terminals emulators like **XTerm** and **GNOME Terminal**.

256-colors.sh

```
#!/bin/bash
# This program is free software. It comes without any warranty, to
# the extent permitted by applicable law. You can redistribute it
# and/or modify it under the terms of the Do What The Fuck You Want
# To Public License, Version 2, as published by Sam Hocevar. See
# http://sam.zoy.org/wtfpl/COPYING for more details.
for fgbg in 38 48 ; do # Foreground / Background
    for color in {0..255}; do # Colors
        # Display the color
        printf "\e[${fgbg};5;%sm %3s \e[0m" $color $color
        # Display 6 colors per lines
        if [\$(((\$color + 1) \% 6)) == 4]; then
            echo # New line
        fi
    done
    echo # New line
done
exit 0
```

Θ	1				
4	5		7	8	9
10	- 11	12	13	14	15
16	17	18	19	20	21
22	23	24	25	26	27 33
28	29	30	31	32	33
34	35	36	37	38	39
40	41	42	43	44	45
52	53	54	55	56	57
58	59	60	61	62	63
64	65	66	67	68	69
70			73		
76					
88	89	90	91	92	93
94	95	96	97	98	99
100	101	102	103	104	105
106				110	
112					
124	125	126	127	128	129
130	131	132	133	134	135
136	137	138	139		141
142					
160	161	162	163	164	165
166	167	168	169	170	171
172	173				
		174 189			
196	197	198	199	200	201
202	203	204	205	206	297
208					
232	233	234	235	236	237
238	239	240	241	242	243
244	245	246	247	248	249
250	251	252	253	254	72.5

Links

- Linux console codes manual ("man console codes") [http://linux.die.net/man/4/console codes]
- XTerm Control Sequences [http://invisible-island.net/xterm/ctlseqs/ctlseqs.html]
- Compilation of all escape sequences [http://bjh21.me.uk/all-escapes/all-escapes.txt]
- ANSI escape code (Wikipedia) [https://en.wikipedia.org/wiki/ANSI_escape_code]

1)

Does not work with most of the terminal emulators, works in the tty and XTerm.

2)

Some terminals supports only the first 8 colors (30..37 and 40..47), and some others does not support any color at all.

GTK Widget used in GNOME Terminal, Nautilus Terminal, XFCE4 Terminal...

Discussion



William C Grisaitis, 2011/11/13 01:00

Thanks! This was invaluable in customizing my PS1's:



@caravaggisto

Barry Scott, 2012/06/14 19:41

Great work on terminal compatibility. I have been trying to get blinking text on a Linux tty(at the console). Do you have any idea if it's possible?

Anatoly, 2017/09/21 09:54