


Comparative EIS Kinetics Report

Model Structure: $R_0 - p(R_1 - p(R_2 - p(R_3, CPE_3), CPE_2), CPE_1)$

Used data: original data



Element	Unit	Bounds	Cauvel_III_NaVO3_48H	Cauvel_III_NaVO3_72H	Cauvel_III_NaVO3_168H
R_0	Ω	$[1.0e+00, 1.0e+03]$	$4.65e+01 \pm 2.0e-01$	$5.75e+01 \pm 2.9e-01$	$3.83e+01 \pm 2.4e-01$
R_1	Ω	$[1.0e+00, 1.0e+08]$	$4.93e+03 \pm 5.2e+02$	$5.04e+03 \pm 5.7e+03$	$5.95e+01 \pm 4.0e+00$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$3.98e+03 \pm 1.4e+03$	$5.50e+02 \pm 4.2e+04$	$5.34e+03 \pm 1.9e+03$
R_3	Ω	$[1.0e+00, 1.0e+08]$	$1.20e+04 \pm 3.5e+03$	$1.29e+04 \pm 4.0e+04$	$6.18e+03 \pm 1.7e+03$
Q_3	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$1.00e-03 \pm 3.4e-04$	$5.89e-05 \pm 1.7e-03$	$5.64e-05 \pm 1.4e-05$
n_3	-	$[5.0e-01, 1.0e+00]$	$8.04e-01 \pm 1.2e-01$	$1.00e+00 \pm 3.5e+00$	$1.00e+00 \pm 1.9e-01$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$1.45e-04 \pm 2.3e-05$	$5.80e-04 \pm 8.5e-04$	$9.00e-05 \pm 1.1e-05$
n_2	-	$[5.0e-01, 1.0e+00]$	$9.75e-01 \pm 1.7e-01$	$5.00e-01 \pm 3.3e-01$	$8.08e-01 \pm 1.9e-02$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$1.65e-04 \pm 3.8e-06$	$2.29e-04 \pm 1.9e-05$	$3.96e-04 \pm 1.2e-05$
n_1	-	$[5.0e-01, 1.0e+00]$	$6.51e-01 \pm 3.7e-03$	$6.53e-01 \pm 1.1e-02$	$5.26e-01 \pm 3.4e-03$
χ^2	-	-	$2.609e-04$	$3.215e-04$	$1.828e-04$

Analysis Results: 48H




Figure 1: EIS Fit Results for Cauvel_III_NaVO3_48H

Analysis Results: 72H




Figure 2: EIS Fit Results for CaueI_III_NaVO3_72H

Analysis Results: 168H




Figure 3: EIS Fit Results for Cauvel.III.NaVO3-168H