


Comparative EIS Kinetics Report

Model Structure: $R_0-p(R_1-p(R_2,CPE_2),CPE_1)$

Used data: original data



Element	Unit	Bounds	Cauvel_3_MBT_48H	Cauvel_3_MBT_168H
R_0	Ω	$[1.0e+00, 1.0e+03]$	$6.43e+01 \pm 1.3e-01$	$6.30e+01 \pm 1.9e-01$
R_1	Ω	$[1.0e+00, 1.0e+08]$	$1.23e+04 \pm 1.7e+02$	$2.02e+04 \pm 3.0e+02$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$4.45e+04 \pm 2.4e+03$	$1.03e+04 \pm 7.7e+02$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$2.62e-04 \pm 8.4e-06$	$8.00e-04 \pm 1.1e-04$
n_2	-	$[5.0e-01, 1.0e+00]$	$7.38e-01 \pm 1.5e-02$	$1.00e+00 \pm 4.7e-02$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$4.19e-05 \pm 2.6e-07$	$5.60e-05 \pm 3.9e-07$
n_1	-	$[5.0e-01, 1.0e+00]$	$8.58e-01 \pm 1.3e-03$	$8.01e-01 \pm 1.5e-03$
χ^2	-	-	$1.030e-04$	$2.182e-04$

Analysis Results: 48H




Figure 1: EIS Fit Results for Cauvel.3_MBT_48H

Analysis Results: 168H




Figure 2: EIS Fit Results for Cauvel.3_MBT_168H