


Comparative EIS Kinetics Report

Model Structure: R0-p(R1-p(R2,CPE2),CPE1)

Used data: altered data, first 0 points removed and points with $freq > 1e+05$ and $freq < 1e-01$ removed



Element	Unit	Bounds	Cauvel_I_48h	Cauvel_I_72h
R_0	Ω	$[1.0e-05, 1.0e+03]$	$5.69e+01 \pm 6.0e-01$	$5.57e+01 \pm 6.5e-01$
R_1	Ω	$[1.0e+04, 1.0e+08]$	$1.00e+04 \pm 1.2e+03$	$1.00e+04 \pm 1.1e+06$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$1.00e+08 \pm 9.7e-08$	$1.00e+00 \pm 1.1e+06$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-11, 1.0e-03]$	$1.00e-03 \pm 6.0e-04$	$1.00e-03 \pm 4.4e+03$
n_2	-	$[5.0e-01, 1.0e+00]$	$1.00e+00 \pm 8.8e-01$	$5.00e-01 \pm 1.1e+06$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-11, 1.0e-03]$	$9.40e-05 \pm 3.2e-06$	$9.71e-05 \pm 3.8e-05$
n_1	-	$[5.0e-01, 1.0e+00]$	$7.96e-01 \pm 7.1e-03$	$7.88e-01 \pm 3.8e-02$
χ^2	-	-	$2.551e-03$	$2.590e-03$

Analysis Results: Cauvel_{I48h}




Figure 1: EIS Fit Results for Cauvel.I.48h

Analysis Results: Cauvel_{I72h}




Figure 2: EIS Fit Results for Cauvel_{I72h}