


Comparative EIS Kinetics Report

Model Structure: $R_0-p(R_1-p(R_2-p(R_3,CPE_3),CPE_2),CPE_1)$

Used data: altered data, first 0 points removed and points with $freq > 3e + 04$ and $freq < 2e - 02$ removed



Element	Unit	Bounds	Cauvel.II.NaVO3.48H	Cauvel.II.NaVO3.72H
R_0	Ω	$[1.0e + 00, 1.0e + 03]$	$5.08e + 01 \pm 3.5e - 01$	$5.96e + 01 \pm 3.9e - 01$
R_1	Ω	$[1.0e + 00, 1.0e + 08]$	$3.61e + 03 \pm 7.7e + 06$	$3.44e + 01 \pm 1.6e + 01$
R_2	Ω	$[1.0e + 00, 1.0e + 08]$	$1.00e + 00 \pm 2.0e + 05$	$1.07e + 03 \pm 3.1e + 02$
R_3	Ω	$[1.0e + 00, 1.0e + 08]$	$1.15e + 04 \pm 7.6e + 06$	$8.72e + 03 \pm 5.2e + 02$
Q_3	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$2.06e - 04 \pm 2.7e - 01$	$2.13e - 04 \pm 1.4e - 05$
n_3	-	$[5.0e - 01, 1.0e + 00]$	$5.00e - 01 \pm 3.3e - 01$	$5.00e - 01 \pm 1.2e - 02$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$1.00e - 09 \pm 3.2e - 01$	$5.27e - 05 \pm 3.8e - 05$
n_2	-	$[5.0e - 01, 1.0e + 00]$	$1.00e + 00 \pm 7.7e + 04$	$7.99e - 01 \pm 5.9e - 02$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$1.15e - 04 \pm 8.4e - 05$	$6.87e - 05 \pm 5.8e - 05$
n_1	-	$[5.0e - 01, 1.0e + 00]$	$7.10e - 01 \pm 5.7e - 02$	$7.40e - 01 \pm 8.0e - 02$
χ^2	-	-	$1.861e - 04$	$4.037e - 05$

Analysis Results: 48H




Figure 1: EIS Fit Results for CaueI.LNaVO3-48H

Analysis Results: 72H




Figure 2: EIS Fit Results for CaueI.LNaVO3-72H