


Comparative EIS Kinetics Report

Model Structure: R0-p(R1-p(R2-p(R3,CPE3),CPE2),CPE1)

Used data: original data



Element	Unit	Bounds	Cauvel_4.control_1H	Cauvel_4.control_48H	Cauvel_4.control_72H	Cauvel_4.control_168H
R_0	Ω	$[1.0e+00, 1.0e+03]$	$5.53e+01 \pm 2.5e-01$	$5.29e+01 \pm 2.0e-01$	$2.83e+01 \pm 1.2e-01$	$3.08e+01 \pm 1.6e+01$
R_1	Ω	$[1.0e+00, 1.0e+08]$	$4.44e+03 \pm 1.0e+03$	$3.00e+03 \pm 1.8e+03$	$5.07e+03 \pm 1.1e+03$	$8.99e+00 \pm 1.6e+01$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$1.00e+00 \pm 5.1e+05$	$1.53e+02 \pm 2.4e+03$	$9.65e+03 \pm 8.4e+05$	$3.27e+03 \pm 3.6e+02$
R_3	Ω	$[1.0e+00, 1.0e+08]$	$7.30e+03 \pm 5.1e+05$	$5.24e+03 \pm 1.6e+03$	$1.48e+03 \pm 8.6e+05$	$2.62e+03 \pm 2.1e+02$
Q_3	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$1.10e-09 \pm 1.6e+04$	$6.02e-04 \pm 1.3e-03$	$1.00e-03 \pm 9.9e-01$	$1.00e-03 \pm 9.6e-05$
n_3	-	$[5.0e-01, 1.0e+00]$	$1.00e+00 \pm 4.8e+05$	$1.00e+00 \pm 9.9e-01$	$5.00e-01 \pm 2.8e+01$	$9.61e-01 \pm 6.4e-02$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$5.42e-04 \pm 1.6e+04$	$4.32e-04 \pm 1.7e-03$	$7.34e-04 \pm 2.7e-03$	$1.25e-04 \pm 1.2e-05$
n_2	-	$[5.0e-01, 1.0e+00]$	$1.00e+00 \pm 1.1e+00$	$5.88e-01 \pm 7.1e-01$	$7.23e-01 \pm 2.2e+00$	$8.11e-01 \pm 9.5e-03$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$4.92e-05 \pm 8.5e-07$	$1.48e-04 \pm 9.3e-06$	$1.35e-04 \pm 3.3e-06$	$2.06e-05 \pm 2.2e-05$
n_1	-	$[5.0e-01, 1.0e+00]$	$9.07e-01 \pm 3.5e-03$	$7.89e-01 \pm 9.5e-03$	$8.27e-01 \pm 4.3e-03$	$5.00e-01 \pm 3.1e-01$
χ^2	-	-	$5.613e-04$	$2.652e-04$	$3.720e-04$	$2.717e-04$

Analysis Results: 1H




Figure 1: EIS Fit Results for Cauvel_4_control_1H

Analysis Results: 48H




Figure 2: EIS Fit Results for Cauvel_4_control_48H

Analysis Results: 72H




Figure 3: EIS Fit Results for Cauvel_4_control_72H

Analysis Results: 168H




Figure 4: EIS Fit Results for Cauvel_4.control_168H