


Comparative EIS Kinetics Report

Model Structure: $R_0-p(R_1-p(R_2,CPE_2),CPE_1)$

Used data: original data



Element	Unit	Bounds	Cauvel_4_control_48H	Cauvel_4_control_72H
R_0	Ω	$[1.0e+00, 1.0e+03]$	$7.02e+01 \pm 2.3e-01$	$3.76e+01 \pm 1.4e-01$
R_1	Ω	$[1.0e+00, 1.0e+08]$	$3.99e+03 \pm 9.6e+01$	$6.72e+03 \pm 2.2e+02$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$6.45e+03 \pm 3.1e+02$	$1.47e+04 \pm 1.6e+03$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$7.25e-04 \pm 4.4e-05$	$5.57e-04 \pm 5.4e-05$
n_2	-	$[5.0e-01, 1.0e+00]$	$8.01e-01 \pm 2.6e-02$	$7.17e-01 \pm 4.1e-02$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$1.11e-04 \pm 1.5e-06$	$1.02e-04 \pm 1.3e-06$
n_1	-	$[5.0e-01, 1.0e+00]$	$7.90e-01 \pm 2.9e-03$	$8.27e-01 \pm 2.5e-03$
χ^2	-	-	$2.677e-04$	$3.641e-04$

Analysis Results: 48H




Figure 1: EIS Fit Results for Cauvel_4_control_48H

Analysis Results: 72H




Figure 2: EIS Fit Results for Cauvel_4_control.72H