


# Comparative EIS Kinetics Report

**Model Structure:**  $R_0-p(R_1-p(R_2-p(R_3,CPE_3),CPE_2),CPE_1)$

**Used data:** altered data, first 0 points removed and points with  $freq > 1e+04$  and  $freq < 1e-03$  removed



| Element  | Unit                        | Bounds               | Cauvel_6_NaVO3_168H    |
|----------|-----------------------------|----------------------|------------------------|
| $R_0$    | $\Omega$                    | $[1.0e+00, 1.0e+03]$ | $4.22e+01 \pm 1.8e+00$ |
| $R_1$    | $\Omega$                    | $[1.0e+00, 1.0e+08]$ | $1.18e+01 \pm 3.5e+00$ |
| $R_2$    | $\Omega$                    | $[1.0e+00, 1.0e+08]$ | $2.20e+01 \pm 2.5e+01$ |
| $R_3$    | $\Omega$                    | $[1.0e+00, 1.0e+08]$ | $8.55e+03 \pm 5.2e+02$ |
| $Q_3$    | $\Omega^{-1} \text{ sec}^a$ | $[1.0e-09, 1.0e-03]$ | $2.82e-04 \pm 3.3e-04$ |
| $n_3$    | -                           | $[5.0e-01, 1.0e+00]$ | $7.90e-01 \pm 9.8e-02$ |
| $Q_2$    | $\Omega^{-1} \text{ sec}^a$ | $[1.0e-09, 1.0e-03]$ | $1.15e-04 \pm 3.7e-04$ |
| $n_2$    | -                           | $[5.0e-01, 1.0e+00]$ | $8.30e-01 \pm 4.0e-01$ |
| $Q_1$    | $\Omega^{-1} \text{ sec}^a$ | $[1.0e-09, 1.0e-03]$ | $5.03e-04 \pm 8.5e-05$ |
| $n_1$    | -                           | $[5.0e-01, 1.0e+00]$ | $5.00e-01 \pm 4.5e-02$ |
| $\chi^2$ | -                           | -                    | $8.728e-05$            |

## Analysis Results: 168H




Figure 1: EIS Fit Results for Cauvel\_6\_NaVO3.168H