


Comparative EIS Kinetics Report

Model Structure: R0-p(R1-p(R2-p(R3,CPE3),CPE2),CPE1)

Used data: altered data, first 0 points removed and points with $freq > 2e + 04$ and $freq < 7e - 02$ removed



Element	Unit	Bounds	Cauvel_7_NaVO3_24H	Cauvel_7_NaVO3_48H	Cauvel_7_NaVO3_72H
R_0	Ω	$[1.0e + 00, 1.0e + 03]$	$6.40e + 01 \pm 1.4e - 01$	$5.03e + 01 \pm 2.9e - 01$	$5.76e + 01 \pm 2.9e - 01$
R_1	Ω	$[1.0e + 00, 1.0e + 08]$	$2.92e + 03 \pm 2.8e + 02$	$1.52e + 01 \pm 2.2e + 00$	$1.17e + 04 \pm 4.0e + 05$
R_2	Ω	$[1.0e + 00, 1.0e + 08]$	$2.48e + 03 \pm 1.3e + 03$	$5.88e + 01 \pm 6.0e + 01$	$3.53e + 02 \pm 3.2e + 05$
R_3	Ω	$[1.0e + 00, 1.0e + 08]$	$1.07e + 04 \pm 3.2e + 03$	$4.25e + 04 \pm 4.3e + 03$	$9.00e + 03 \pm 9.9e + 04$
Q_3	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$2.29e - 04 \pm 3.4e - 05$	$1.85e - 05 \pm 2.5e - 05$	$7.37e - 05 \pm 3.6e - 02$
n_3	-	$[5.0e - 01, 1.0e + 00]$	$6.70e - 01 \pm 9.5e - 02$	$8.25e - 01 \pm 9.5e - 02$	$1.00e + 00 \pm 7.3e + 01$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$4.20e - 05 \pm 2.0e - 05$	$1.52e - 05 \pm 2.6e - 05$	$3.82e - 05 \pm 3.8e - 02$
n_2	-	$[5.0e - 01, 1.0e + 00]$	$1.00e + 00 \pm 1.7e - 01$	$8.74e - 01 \pm 1.7e - 01$	$7.55e - 01 \pm 1.1e + 02$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e - 09, 1.0e - 03]$	$1.28e - 04 \pm 2.6e - 06$	$2.87e - 04 \pm 2.7e - 06$	$3.28e - 04 \pm 9.3e - 05$
n_1	-	$[5.0e - 01, 1.0e + 00]$	$6.73e - 01 \pm 2.9e - 03$	$5.00e - 01 \pm 7.8e - 03$	$6.10e - 01 \pm 3.0e - 02$
χ^2	-	-	$3.355e - 05$	$1.017e - 05$	$5.658e - 05$

Analysis Results: 24H




Figure 1: EIS Fit Results for Cauvel_7_NaVO3_24H

Analysis Results: 48H




Figure 2: EIS Fit Results for Cauvel_7_NaVO3_48H

Analysis Results: 72H




Figure 3: EIS Fit Results for Cauvel_7_NaVO3_72H