


Comparative EIS Kinetics Report

Model Structure: $R_0-p(R_1-p(R_2,CPE_2),CPE_1)$

Used data: original data



Element	Unit	Bounds	Cauvel_I.control_1H	Cauvel_I.control_24H
R_0	Ω	$[1.0e+00, 1.0e+03]$	$4.10e+01 \pm 3.3e-01$	$2.51e+01 \pm 1.4e-01$
R_1	Ω	$[1.0e+00, 1.0e+08]$	$3.26e+03 \pm 1.6e+02$	$4.16e+03 \pm 2.2e+02$
R_2	Ω	$[1.0e+00, 1.0e+08]$	$2.95e+04 \pm 3.5e+03$	$4.92e+04 \pm 1.1e+06$
Q_2	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$8.14e-04 \pm 4.6e-05$	$9.84e-04 \pm 1.2e-04$
n_2	-	$[5.0e-01, 1.0e+00]$	$1.00e+00 \pm 3.0e-02$	$1.00e+00 \pm 3.4e-01$
Q_1	$\Omega^{-1} \text{ sec}^a$	$[1.0e-09, 1.0e-03]$	$2.29e-04 \pm 6.3e-06$	$1.21e-04 \pm 2.5e-06$
n_1	-	$[5.0e-01, 1.0e+00]$	$8.37e-01 \pm 6.7e-03$	$8.35e-01 \pm 4.0e-03$
χ^2	-	-	$1.861e-03$	$7.784e-04$

Analysis Results: 1H




Figure 1: EIS Fit Results for Cauvel.Lcontrol.1H

Analysis Results: 24H




Figure 2: EIS Fit Results for Cauvel.L_control_24H