

昂欣 企業有限公司

ON SHINE ENTERPRISE CO.,LTD.

11F, No. 722-6 Jing Ping Road, Chung Ho City Taipei Hsien, Taiwan TEL:886-2-22496895 FAX:886-2-22496175 http://:www.onshine.com.tw

TX MODULE MODELNO:TXA1-434-F11

REV.NO.:1

A.GENERAL DESCRIPTION

Radio transmitter module with SAW Resonator and External Antenna.

The TXA1-434-F11 is an hybrid circuit that allows to realize a complete radio transmitter adding a coding circuit




B. Application

Home security systems
Car alarm
Remote gate control
Sensor reporting


C.ELECTRICAL CHARACTERISTICS:

PARAMETER	Units	Minimum	Typical	Maximum
TRANSMIT FREQUENCY	MHz	433.845	433.92	433.995
MODULATION			ASK	
OUTPUT POWER at 12v	dBm		10	
DATA RATE	KHz		1	3
FREQUENCY TOLERANCE	KHz		+/-75	
TEMP.RANGE	°C	-20		85
POWER SOURCE	Voltage	3		12
POWER CONSUMPTION at 12v	mA			15


D.FREQUENCY CHARACTERISTICS:



E. Typing Test Circuit



F. Typical transmitter Application



Notes:

1.Encoder: HT12D/E, PTC (2262)


 $2. Antenna: Length = 22.6 cm \ for \ 315 MHz \ ; \ Length = 17.2 cm \ for \ 434 MHz$

ON SHINE ENTERPRISE CO., LTD.

G.PIN CONFIGURATION

PIN	Connections	TOP VIEW
1	ANT	4 3 2 1
2	GND	••••
3	VCC	
4	DATA	

H.<u>DIMENSION</u>



Dimensions	Millimeters	Dimensions	Millimeters
A	11.3	I	2.54
В	15.6	J	2.54
C	2.54	K	2.7
D	2.54	L	2.7
E	2.54	M	6 max
F	1.7	N	3.8
G	1.7	0	9 max
H	2.54	P	0.8

Unit: mm