ERTMS Solutions

ERTMSFormalSpecs (EFS)
A domain specific language to formalize ERTMS specifications for onboard unit development

Stanislas Pinte Laurent Ferier Svitlana Lukicheva



ERTMSFormalSpecs



ERTMS Specifications

100% ERTMS Business Logic Formal Language



CASE tool




SIL4 Interpreter

Test tools

Target

ERTMS SOLUTIONS

Use in the OpenETCS process



Benchmark report

\$3.13.4 Acceleration / Deceleration due to gradients 6 100 6 0,18 \$3.13.6.2 Emergency brake and more particularly 23 100 23 0,69 \$3.13.6.2.1.3 Calculation of A_safe 1 100 1 0,03 \$3.13.7 Determination of Most Restrictive Speed Profile 2 100 2 0,06 \$3.13.8.3 Emergency Brake Deceleration curves 3 100 3 0,09 \$3.13.9.3.3.9 Computation of d_FLOI 1 100 1 0,03 \$3.13.9.4.3 Release speed supervision limits and more particularly 13 92,9 14 0,42 Not implemented: recolculation of \$3.13.9.4.7 Computation of of the French of the most restrictive value amongst several EBI 5 83,33 6 0,18 Not implemented: recolculation of \$3.13.9.4.8.2 Iterative computation of the release speed 1 50 1 0,03 Not implemented: recolculation of \$3.13.9.4.8.2 Iterative computation of the RNDT 1 50 1 0,03 Not implemented: recolculation of \$3.13.9.4.8.2 Calculation of the MRDT 1 50 2 0,06 Not implemented: colculations dep \$4.6.2 & \$4.6.3 from SB to SH 3 100 3 0,09 from SB to SH 3 100 3 0,09 from SB to SH 3 100 3 0,09 from SB to SH 3 100 1 0,03 Not implemented: colculations dep \$4.6.2 & \$4.6.3 from SB to Sh 5 1 0,03 Not implemented: colculations dep \$3.13.9.4.3 Not implemented: colculations dep \$4.6.2 & \$4.6.3 from SB to SH 3 100 3 0,09 Not implemented: colculations dep \$4.6.2 & \$4.6.3 from SB to SH 3 100 1 0,03 Not implemented: colculations dep \$4.6.2 & \$4.6.3 from SB to SH 3 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 3 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 3 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100 1 0,03 Not implemented: colculations dep \$4.6.3 from SB to SH 1 100							
\$3.13.4 Acceleration / Deceleration due to gradients 6 100 6 0,18 \$3.13.6.2 Emergency brake and more particularly 23 100 23 0,69 \$3.13.5.2.1.3 Calculation of A_safe 1 1 00 1 0,03 \$3.13.7 Determination of Most Restrictive Speed Profile 2 100 2 0,06 \$3.13.8.3 Emergency Brake Deceleration curves 3 100 3 0,09 \$3.13.9.3.3.9 Computation of d_FLOI 1 1 00 1 0,03 \$3.13.9.4 Release speed supervision limits and more particularly 13 92,9 14 0,42 Not implemented: recalculation of \$3.13.9.4.7 Computation of different release speed supervision limits 1 100 1 0,03 \$3.13.9.4.8 Computation of the most restrictive value amongst several EB 5 83,33 6 0,18 Not implemented: recalculation of \$3.13.9.4.8.2 Literative computation of the release speed 1 50 1 0,03 Not implemented: recalculation of \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release s 1 100 1 0,03 \$3.13.10.4.2 Calculation of the MRDT 1 50 2 0,06 Not implemented: calculations dep \$4.6.2 & \$4.6.3 from SB to SH 3 100 3 0,09 from SB to IS 1 0,03	Paragraph id	Requirement	Implemented	Percentage	Total	Total percentage	Comment
3.13.6.2 Emergency brake and more particularly 23 100 23 0,69 3.13.6.2 Calculation of A_safe 1 100 1 0,03 3.13.7 Determination of Most Restrictive Speed Profile 2 100 2 0,06 3.13.8.3 Emergency Brake Deceleration curves 3 100 3 0,09 3.13.9.3 Computation of d_FLOI 1 100 1 0,03 3.13.9.4 Release speed supervision limits and more particularly 13 92,9 14 0,42 Not implemented: recalculation of \$3.13.9.4 Computation of different release speed supervision limits 1 100 1 0,03 3.13.9.4 Computation of the most restrictive value amongst several EBI 5 83,33 6 0,18 Not implemented: recalculation of \$3.13.9.4.8 2 terative computation of the release speed 1 50 1 0,03 Not implemented: recalculation of \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release s 1 100 1 0,03 3.13.10.4.2 Calculation of the MRDT 1 50 2 0,06 Not implemented: calculations dep \$4.6.2 & §4.6.3 from SB to FS 1 100 1 0,03 4.6.2 & §4.6.3 from SB to FS 1 100 1 0,03 5.9 Procedure On-Sight 26 100 26 0,78 5.9.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of \$3.13.1.3 Static Speed Profile 10 10 10 0,3 5.1.1.1 Static Speed Profile 10 10 10 0,3 5.1.1.1 Static Speed Profile 10 10 10 0,3 5.1.1.1 Static Speed Profile 10 10 0,03 All the implemented: not handling of \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 5.1.2 Movement Authority message 1 100 1 0,03 All the messages and packets are interpretation of the messages and packets are interpretat	§3.5.3	Establishing a communication session	11	21,4	26	0,78	
\$3.13.6.2.1.3 Calculation of A_safe	§3.13.4	Acceleration / Deceleration due to gradients	6	100	6	0,18	
\$3.13.7 Determination of Most Restrictive Speed Profile 2 100 2 0,06 \$ \$3.13.8.3 Emergency Brake Deceleration curves 3 100 3 0,09 \$ \$3.13.9.3.3.9 Computation of d_FLOI 1 100 1 0,03 \$ \$3.13.9.4 Release speed supervision limits and more particularly 13 92,9 14 0,42 Not implemented: recalculation of \$3.13.9.4.7 Computation of different release speed supervision limits 1 100 1 0,03 \$ \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI 5 83,33 6 0,18 Not implemented: recalculation of \$3.13.9.4.8.2 literative computation of the release speed 1 50 1 0,03 Not implemented: recalculation of \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release s 1 100 1 0,03 \$ \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release s 1 100 1 0,03 Not implemented: recalculation of \$4.6.2 & \$4.6.3 from SB to SB 1 0,09 from SB to SB 1 100 1 0,03 \$ \$5.9 Procedure On-Sight 26 100 26 0,78 \$ \$3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile 0 0 8 0,24 All the implemented: not handling of \$3.8.5 Update of Movement Authority 10 100 10 0,3 \$ \$3.11.1 Static Speed Profile 10 0,03 All the messages and packets are in \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 \$ \$4.8.3.2 From National System X (through STM interface) 0 0 0 2 0,06 \$ \$4.8.3.2 From National System X (through STM interface) 0 0 0 2 0,06 \$ \$4.8.3.2 Movement Authority message 1 100 10 0,03 All the messages and packets are in \$4.8.3.2 from National System X (through STM interface) 1 0,00 4 All the messages and packets are in \$4.8.3.2 from National System X (through STM interface) 1 0,00 1 0,00 All the messages and packets are in \$4.8.3.2 from National System X (through STM interface) 1 0,00 1 0,00 All the messages and packets are in \$4.8.3.2 from National System X (through STM interface) 1 0,00 1 0,00 All the messages and packets are in \$4.8.3.2 from National System X (through STM interface) 1 0,00 1 0,00 All the messages and packets are in \$4.8.3.2 from National System X (through STM interfa	§3.13.6.2	Emergency brake and more particularly	23	100	23	0,69	
\$3.13.8.3 Emergency Brake Deceleration curves 3 100 3 0,09 \$3.13.9.3.3.9 Computation of d_FLOI 1 100 1 0,03 \$3.13.9.4 Release speed supervision limits and more particularly 13 92,9 14 0,42 Not implemented: recalculation of d_S3.13.9.4.7 Computation of different release speed supervision limits 1 100 1 0,03 \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI 5 83,33 6 0,18 Not implemented: recalculation of d_S3.13.9.4.8.2 Iterative computation of the release speed 1 50 1 0,03 Not implemented: recalculation of d_S3.13.9.4.9 Using the most restrictive MRSP value instead of the release si 1 100 1 0,03 \$3.13.10.4.2 Calculation of the MRDT 1 50 2 0,06 Not implemented: calculations dep d_S4.6.2 & §4.6.3 from SB to SH 3 100 3 0,09 \$4.6.2 & §4.6.3 from SB to SH 1 100 1 0,03 \$5.9 Procedure On-Sight 26 100 26 0,78 \$3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile 0 0 8 0,24 All the implemented not handling of d_S3.8.5 Update of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of d_S3.8.5 Update of Movement Authority 10 10 0,3 \$3.11.1 Gradients 6 100 6 0,18 \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 \$8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in the same of the most restrictive and packets are in the material packets are in the messages and packets are in the material packets are in the messages and packets are in the mess	§3.13.6.2.1.3	Calculation of A_safe	1	100	1	0,03	
\$3.13.9.3.3.9 Computation of d_FLOI	§3.13.7	Determination of Most Restrictive Speed Profile	2	100	2	0,06	
\$3.13.9.4 Release speed supervision limits and more particularly \$3.13.9.4.7 Computation of different release speed supervision limits \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI \$3.13.9.4.8 Computation of the release speed \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release speed \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release speed \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release speed \$3.13.10.4.2 Calculation of the MRDT \$4.6.2 & §4.6.3 from SB to SB \$4.6.2 & §4.6.3 from SB to SB \$3.10.0 3 \$0.09 \$5.10.0 1 \$0.03 \$5.9 Procedure On-Sight \$0.03 \$5.9 Procedure On-Sight \$0.03 \$0.09 \$0.04 \$0.04 \$0.04 \$0.04 \$0.04 \$0.04 \$0.04 \$0.04 \$0.05 \$0.06 \$0.07 \$0.06 \$0.	§3.13.8.3	Emergency Brake Deceleration curves	3	100	3	0,09	
\$3.13.9.4.7 Computation of different release speed supervision limits \$3.13.9.4.8 Computation of the most restrictive value amongst several EBI \$3.33.3 6	§3.13.9.3.3.9	Computation of d_FLOI	1	100	1	0,03	
Salage S	§3.13.9.4	Release speed supervision limits and more particularly	13	92,9	14	0,42	Not implemented: recalculation of t
\$3.13.9.4.8.2 Iterative computation of the release speed \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release si \$3.13.9.4.9 Using the most restrictive MRSP value instead of the release si \$3.13.10.4.2 Calculation of the MRDT \$4.6.2 & §4.6.3 from SB to SH \$5.9 from SB to IS \$5.9 Procedure On-Sight \$6.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile \$6.6.3.3 Structure of Movement Authority \$6.6.3 Structure of Movement Authority \$6.6.3 Structure of Movement Authority \$6.6.4 Structure of Movement Authority \$6.6.5 Structure of Movement Authority \$6.7.5 Structure of Movement Authority \$6.7.6 Structure of Movement Authority \$6.7.7 Structure of Movement Authority \$6.7.8 Structure of Movement Authority \$6.7.8 Structure of Movement Authority \$6.7.9 Structure of Movement Authority \$6.7.0 Structure of Movement Authority \$6.7.1 Structure of Movement Authority \$6.7.2 Structure of Movement Authority \$6.7.3 Structure of Movement Authority \$6.7.4 Structure of Movement Authority \$6.7.5	§3.13.9.4.7	Computation of different release speed supervision limits	1	100	1	0,03	
1 100 1 0,03 1 0,03 1 0,03 1 0,03 1 0,03 1 0,03 1 0,03 1 0,04 1 0,05 0,05 1 0,05 0,05 1 0,05 0	§3.13.9.4.8	Computation of the most restrictive value amongst several EBI	5	83,33	6	0,18	Not implemented: recalculation of t
\$3.13.10.4.2 Calculation of the MRDT \$4.6.2 & §4.6.3 from SB to SH from SB to FS from SB to IS \$5.9 Procedure On-Sight \$3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile \$3.8.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of \$3.8.5 Update of Movement Authority 10 10 10 0,3 \$5.11.3 Static Speed Profile 10 10 10 10 0,3 \$6.3.11.12 Gradients 6 100 6 0,18 \$6.4.3.2 Movement Authority message 10 0,00 All the messages and packets are in \$4.8.7.2 Movement Authority message	§3.13.9.4.8.2	Iterative computation of the release speed	1	50	1	0,03	Not implemented: recalculation of t
\$4.6.2 & §4.6.3 from SB to SH from SB to FS from SB to FS from SB to IS from Sal Is from SB to IS from Sal	§3.13.9.4.9	Using the most restrictive MRSP value instead of the release s	1	100	1	0,03	
from SB to FS 1 100 1 0,03 from SB to IS 1 100 1 0,03 §5.9 Procedure On-Sight 26 100 26 0,78 §3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile 0 0 8 0,24 All the implemented profile data p §3.8.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of §3.8.5 Update of Movement Authority 10 100 10 0,3 §3.11.3 Static Speed Profile 10 100 10 0,3 §3.11.12 Gradients 6 100 6 0,18 §4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 §8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in	§3.13.10.4.2	Calculation of the MRDT	1	50	2	0,06	Not implemented: calculations depe
From SB to IS 1 100 1 0,03	§4.6.2 & §4.6.3	from SB to SH	3	100	3	0,09	
§5.9 Procedure On-Sight 26 100 26 0,78 §3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile 0 8 0,24 All the implemented profile data profile data profile data profile data profile data profile §3.8.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of the profile data profile §3.8.5 Update of Movement Authority 10 100 10 0,3 §3.11.3 Static Speed Profile 10 100 10 0,3 §3.11.12 Gradients 6 100 6 0,18 §4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 §8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in the profile data profile dat		from SB to FS	1	100	1	0,03	
\$3.6.3.2 Location, Continuous Profile Data and Non-Continuous Profile 0 0 8 0,24 All the implemented profile data p. \$3.8.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of \$3.8.5 Update of Movement Authority 10 100 10 0,3 \$3.11.3 Static Speed Profile 10 100 10 0,3 \$3.11.12 Gradients 6 100 6 0,18 \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 \$8.7.2 Movement Authority message 1 100 1 0 1 0,03 All the messages and packets are in the same of th		from SB to IS	1	100	1	0,03	
\$3.8.3 Structure of Movement Authority 12 92,3 13 0,39 Not implemented: not handling of \$3.8.5 Update of Movement Authority 10 100 10 0,3 \$3.11.3 Static Speed Profile 10 100 10 0,3 \$3.11.12 Gradients 6 100 6 0,18 \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 \$8.7.2 Movement Authority message 1 100 1 0 1 0,03 All the messages and packets are in	§5.9	Procedure On-Sight	26	100	26	0,78	
\$3.8.5 Update of Movement Authority 10 100 10 0,3 \$3.11.3 Static Speed Profile 10 100 10 0,3 \$3.11.12 Gradients 6 100 6 0,18 \$4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 \$8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in	§3.6.3.2	Location, Continuous Profile Data and Non-Continuous Profile	0	0	8	0,24	All the implemented profile data pr
§3.11.3 Static Speed Profile 10 100 10 0,3 §3.11.12 Gradients 6 100 6 0,18 §4.8.3.2 From National System X (through STM interface) 0 2 0,06 §8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in the packets are in t	§3.8.3	Structure of Movement Authority	12	92,3	13	0,39	Not implemented: not handling of t
§3.11.12 Gradients 6 100 6 0,18 §4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 §8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in the packets are in the packets.	§3.8.5	Update of Movement Authority	10	100	10	0,3	
§4.8.3.2 From National System X (through STM interface) 0 0 2 0,06 §8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in the packets are in the packets.	§3.11.3	Static Speed Profile	10	100	10	0,3	
§8.7.2 Movement Authority message 1 100 1 0,03 All the messages and packets are in	§3.11.12	Gradients	6	100	6	0,18	
	§4.8.3.2	From National System X (through STM interface)	0	0	2	0,06	
139 76,53 168 5,04 🖧	§8.7.2	Movement Authority message	1	100	1	0,03	All the messages and packets are in
			139	76,53	168	5,04	+




Benchmark report

Benchmark

5,04%

ERTMSFormalSpecs

36,46%





Benchmark report

	Author	A
Consistency to SSRS (D.2.6-X-12.2)	3	
Coverage of SSRS (D.2.6-X-12.2.1)	3	
Traceability to SSRS (D.2.6-X-12.3)	3	
Simulation or animation (D.2.6-X-13 partial)	3	
Execution (D.2.6-X-13 partial)		
Extensible to strictly formal model (D.2.6-X-14.3)	3	
Easy to refine towards strictly formal model (D.2.6-X-14.4)	3	
Extensible and modular design (D.2.6-X-15)		
Extensible to software design (???)	3	


Means / language

Does the language allow to formalize (D.2.6-X-29):

	Author	Assessor 1	Assessor 2	Total
State machines	Y			
Time-outs	3			
Truth tables	Y			
Arithmetic	Y			
Braking curves	Y			
Logical statements	3			
Message and fields	3			

ERTMS SOLUTIONS

ERTMSFormalSpecs is open source



ERTMSFormalSpecs tools


- ERTMSFormalSpecs workbench usable today to model Subset-026
 - Requirements Traceability
 - Complete language
 - Testing environment (15,85% tested as of today)
 - Including Subset-076
- https://github.com/openETCS/ERTMSFormalSpecs/blob/master/ /ErtmsFormalSpecs/doc/EFSW_User_Guide.doc




Missing features?

- Eclipse version
- File-based version control -> model-based
- Already available in ERTMSFormalSpecs Eclipse toolchain today:
 - ERTMSFormalSpecs EMF model interface
 - EMFStore repository for distributed model version control
- Ongoing: full ERTMSFormalSpecs Eclispe toolchain, target september 2013





ERTMS SOLUTIONS



Summary

- ERTMSFormalSpecs can cover 100% of SSRS (S026 as of today)
- ERTMSFormalSpecs can finish on time
 - Semi-formal model effort: 32 person / month
 - WP3 T3.5 and T3.6: 194 person / month
- EUPL toolchain available today
- Eclipse-based toolchain 0.3 available today
 - EMF-based ERTMSFormalSpecs model
 - EMFStore



Any questions?

