



EXERCISES — Trailing whitespaces with sed

version #f6de30ca5ee18fb9a30e5fbfc9eb9a1de8e13354



**The way is lit. The path is clear.
We require only the strength to follow it.**

Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2022-2023 Assistants <assistants@tickets.assistants.epita.fr>

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

1	Goal	3
2	Example	3

*<https://intra.assistants.epita.fr>

File Tree

```
sed_trailing_whitespaces/  
└─ whitespaces.sed  (to submit)
```

Reminder : Grant execution permission to your scripts before pushing them

1 Goal

The goal of this exercise is to write a `sed` script that will remove trailing whitespaces in your file.

Your `sed` script will be used the following way:

```
42sh$ sed -i -Ef whitespaces.sed <file>
```

As you can deduce from the example, the flag `-E` is used for the extended regex.

2 Example

```
42sh$ cat -e test.txt  
hello $  
This is a $  
Test $  
Ok?$  
42sh$ sed -i -Ef whitespaces.sed test.txt  
42sh$ cat -e test.txt  
hello$  
This is a$  
Test$  
Ok?$
```

The way is lit. The path is clear. We require only the strength to follow it.