Problem Set #5

MACS 40000, Dr. Evans Alexandre Sollaci

1. Estimating distribution of bequest recipients

- (a) Se figure 1 for a histogram plot of the values of ζ_s and figure 2 for ζ_s plotted in a histogram as a function of age.
- (b) See figure 3 for the histogram of $\zeta_{i,s}$ as a function of age and income quartile.

2. Solve for the steady-state equilibrium

(a) The steady state can be summarized by the following variables:

```
'C_ss': 98.795370573548041,

'EulErr_ss': array([ 1.11022302e-16, -2.22044605e-16, 0.000000e+00, ..., 3.33066907e-16, -3.33066907e-16, 5.55111512e-16]),

'K_ss': 499.19691929407128,

'RCerr_ss': 1.3855583347321954e-13,

'Y_ss': 123.75521653825174,

'b_ss': array([ 0.03557041, 0.0747969 , 0.11871779, ..., 2.68224015, 1.92057549, 1.13333687]),

'c_ss': array([ 1.34236699, 1.33949387, 1.3366269 , ..., 1.13820395, 1.1357678 , 1.13333687]),

'r_ss': 0.03676801501427561,

'ss_time': 0.02499037268586335,

'w_ss': 1.3774125128401291
```

(b) See figure 4 for the plot of steady state consumption and savings distribution by age.

A Figures




Figure 1: Histogram for the distribution of ζ_s .




Figure 2: ζ_s plotted as a histogram.




Figure 3: $\zeta_{j,s}$ plotted as a histogram.




Figure 4: Distribution of steady state consumption and savings by age.