K10 - Project assignment

buil<mark>dpassi</mark>n

Requirements

- GNU Compiler Collection
- GNU Make

Compilation

```
make
make test # Optional: Executes the unit tests
```

Execution

```
./build/project.out
./build/project_test.out  # Optional: Executed by `make test`
```

Cleaning

make clean

Methodology

A detailed description of the entities and the relationships can be found at docs/Specification.md.

The <u>behavior-driven development</u> process was used in which, based on the specification, <u>unit tests</u> were written first and then the corresponding entities were being implemented. The unit tests were implemented using the <u>Google Test</u> library.

<u>Git</u> was used as the <u>version control system</u> along with <u>GitHub</u>. New features were being developed in separate branches that were merged into the master branch afterwards using a pull request. In addition, <u>Travis CI</u> was used as the continuous integration service.

Operating systems

- Ubuntu GNU/Linux 15.10
- OS X 10.11.2

Tools

• <u>Apple LLVM</u> 7.0.2

- Git 2.7.0
- GNU Compiler Collection 5.2.1
- GNU Make 3.81
- Google Test
- Travis Cl

Authors

- Alexandros Kalimeris kalimerisalx@gmail.com sdi1400056@di.uoa.gr
- Mario Saldinger <u>mariosaldinger@gmail.com</u> <u>sdi1400177@di.uoa.gr</u>