# Text Sentiment Analysis

Deep Learning Semester Project

Alexandros Chantzaras Nikolaos Kyriakakis

## Objectives

Experiment with different textual representations


Apply text pre-processing techniques

Use pre-trained word embeddings


Train and evaluate different types of neural networks on textual data

Measure the performance of those models on test data that were never seen before by the model

## **Project Overview**



## Bag Of Words Classifier



### **CNN Classifier**


#### sequence before padding [21, 4, 2, 12, 22, 23, 13, 2, 24, 6, 2, 7, 2, 4, 25], sequence after padding [ 2, 26, 7, 27, 14, 9, 1, 4, 28 ], (padding and truncate in front/pre) [15, 25, 1, 29, 6, 15, 30 [ 1, 16, 17, 27, 30, 1, 5, 2 ], [23, 13, 2, 24, 6, 2, 7, 2, 4, 25], [ 0, 2, 26, 7, 27, 14, 9, 1, 4, 28], [31, 2, 28, 6, 32, 9, 33 [ 0, 0, 0, 15, 25, 1, 29, 6, 15, 30], [ 0, 0, 1, 16, 17, 27, 30, 1, 5, 2], [ 0, 0, 0, 31, 2, 28, 6, 32, 9, 33], *-fast*Text− MAX\_SEQUENCE\_LENGTH = 10 Feature maps → Positive Negative Convolutions Subsampling


### LSTM Classifier


#### sequence before padding

```
[21, 4, 2, 12, 22, 23, 13, 2, 24, 6, 2, 7, 2, 4, 25],
                                                     sequence after padding
[ 2, 26, 7, 27, 14, 9, 1, 4, 28 ],
                                                     (padding and truncate in front/pre)
[15, 25, 1, 29, 6, 15, 30
[ 1, 16, 17, 27, 30, 1, 5, 2 ],
                                                     [23, 13, 2, 24, 6, 2, 7, 2, 4, 25],
[31, 2, 28, 6, 32, 9, 33
                                                     [ 0, 2, 26, 7, 27, 14, 9, 1, 4, 28],
                                                     [ 0, 0, 0, 15, 25, 1, 29, 6, 15, 30],
                                                     [ 0, 0, 1, 16, 17, 27, 30, 1, 5, 2],
                                                     [ 0, 0, 0, 31, 2, 28, 6, 32, 9, 33],
                                                                                                        → fastText—
                                                        MAX_SEQUENCE_LENGTH = 10
                                                                                                                                                                             Positive
                                                                                                                                            forget gate output
                                                                                                                                            Input gate output
                                                                                                                                                                           Negative
```

## Bag of Words Results










Dataset	Tweets	IMDB
Number of Epochs	5	5
Accuracy Score	79.14%	51.09%
F1 - Score	79.00%	39.94
Loss	0.45	5.51

## **CNN Results**







Dataset	Tweets	IMDB
Number of Epochs	5	5
Accuracy Score	79.08%	63.39%
F1 - Score	78.94%	61.08%
Loss	0.46	0.63

## LSTM Results

