Provability facts for conjunction in the sequent calculus

The Open Logic Project contributors

openlogic:first-order-logic/sequent-calculus:local-snapshot-20261013; CC BY 4.0

Editorial note. All delivered mathematical text is the author's own, copied from the pinned Open Logic Project unit file sources/olp-first-order-logic-sequent-calculus/pinned-original-source.tex; no statement or proof step was rewritten, reordered or removed.

Editorial note. The counted proof is the author's complete argument: the census lists prop:provability-land-left and prop:provability-land-right on the same statement/proof span; they are sub-labels of this proposition and are covered by this card (same-span consolidation precedent)

Editorial note. The label prop:provability-land names the counted statement, and the proof environment immediately following it in the source is delivered verbatim as its proof.

Editorial note. The counted statement is carried by the author's own prop environment in the unit source.

Allowed standard prerequisites (editorial).

- Left and right conjunction rules. Left-and derives A and B from (A and B) on the left; Right-and derives (A and B) on the right from both A and B.. Item (1) uses Left-and on the initial sequents; item (2) uses Right-and on the two initial sequents A sequent A and B sequent B.

Proposition 0.1. *1. Both $A \wedge B \vdash A$ and $A \wedge B \vdash B$.*

2. $A, B \vdash A \wedge B$.

Proof. 1. Both sequents $A \wedge B \Rightarrow A$ and $A \wedge B \Rightarrow B$ are derivable:

$$\dfrac{AA}{A \wedge BA} \qquad \dfrac{BB}{A \wedge BB}$$

2. Here is derivation of the sequent $A, B \Rightarrow A \wedge B$:

$$\dfrac{AA \qquad BB}{A, BA \wedge B}$$

□