$t \leftarrow$ forgetting vector given by Theorem 10
$u \leftarrow$ the only child of v
if t contains a secondary constraint **then**
    $i \leftarrow$ arbitrary secondary constraint in t
    $(M_u|z_u) \leftarrow \mathsf{Del}\big((M_v|z_v), t, i\big)$ ▷ The constraint i is now removed
    $\rho_u = \rho_v$
        ▷ The sets of primary constraints, fixed blocks, and marked variables are not changed
else ▷ t contains only primary constraints
    $i \leftarrow$ arbitrary primary constraint in t
    $(M_u|z_u) \leftarrow \mathsf{Del}\big((M_v|z_v), t, i\big)$ ▷ The constraint i is now removed
    $a \leftarrow$ the marked variable of i
    $B_j \leftarrow$ the block of the variable a ▷ i is the primary constraint of B_j in $(M_v|z_v)$
    $j_1 \leftarrow$ the index of a in B_j
    if the variables $B_j \setminus \{j_1\}$ are safe in $(M_u|z_u)$ **then**
        forget x_j ▷ B_j is a new free block
    else ▷ B_i contains a dangerous variable of $(M_u|z_u)$
        $D \leftarrow$ indices of all dangerous variables of $(M_u|z_u)$ in B_j
        $j_2 \in D \setminus \{j_1\}$ by Definition 7
        $a' \leftarrow$ the j_2-th variable of B_j
        $k \leftarrow$ a secondary constraint of $(M_u|z_u)$ containing a'
        $(M_u|z_u) \leftarrow$ pivoting a' in $(M_u|z_u)$ by adding the constraint k to other constraints
            ▷ k is the new primary constraint of B_j, a' is the new marked variable of B_j
            ▷ a is a new safe (and thus independent) variable
$v \leftarrow u$