TAMELY RAMIFIED EXTENSIONS COMPOSE

THE STACKS PROJECT AUTHORS

Editorial note. All delivered mathematical text is the author's own, copied from the pinned Stacks Project chapter file more-algebra.tex; no statement or proof step was rewritten, reordered or removed. The counted span is the author environment and its own proof environment. References inside the span are handed to the assembler as navigation stubs that carry the canonical tag of the cited tag only; whether each of them is load-bearing is recorded on the stub itself.

Allowed standard prerequisites (editorial).

- Ramification indices are multiplicative in towers of discrete valuation rings. invoked at proof lines 34152-34153. Combines the tamely ramified indices along the tower.

Source reference. Original lemma 0BRL: sources/stacks-more-algebra/pinned-original-source.tex, source lines 32952–32952. Cited at proof lines 34152-34153 to compose the ramification indices; the conclusion is used inside the counted span.

Lemma 0.2. *Let A be a discrete valuation ring with fraction field K. Let $M/L/K$ be finite separable extensions. Let B be the integral closure of A in L. If L/K is tamely ramified with respect to A and M/L is tamely ramified with respect to $B_{\mathfrak{m}}$ for every maximal ideal $\mathfrak{m}$ of B, then M/K is tamely ramified with respect to A.*

Proof. Let C be the integral closure of A in M. Every maximal ideal $\mathfrak{m}'$ of C lies over a maximal ideal $\mathfrak{m}$ of B. Then the lemma follows from the multiplicativity of ramification indices (Lemma 0BRL) and the fact that we have the tower $\kappa(\mathfrak{m}')/\kappa(\mathfrak{m})/\kappa_A$ of finite extensions of fields. □

Date: stacks-project:more-algebra.tex:local-snapshot-20261012; GNU FDL 1.2 or later.