

Appendix Ferra1.2: Universal Coordination Constants for Ordered and Disordered Phases

Alexey V. Yakushev¹

¹Yakushev Research

YUCT Theory: <https://yuct.org/>

YPSDC Protocol: <https://ypsdc.com/>

DOI: <https://doi.org/10.5281/zenodo.18444598>

A short version of this work was previously published and is available at
<https://doi.org/10.5281/zenodo.18362308>

March 2026

V.2.1

Abstract

Within the Yakushev Unified Coordination Theory (YUCT), the fundamental error scaling exponent $\beta = 2/3$ and the minimal coordination constant $\kappa_c = 1/3$ give rise, through elementary operations (summation of geometric series), to two new universal constants:

$$S_{\text{odd}} = \frac{6}{5} = 1.2, \quad S_{\text{even}} = \frac{4}{5} = 0.8.$$

These constants represent the limiting contributions of unidirectional (odd hierarchical levels) and alternating (even levels) correlations in any hierarchical coordination system. The three numbers β , S_{odd} and S_{even} form a closed cyclically consistent system:

$$S_{\text{odd}} + S_{\text{even}} = 2, \quad \frac{S_{\text{odd}}}{S_{\text{even}}} = \frac{1}{\beta} = \frac{3}{2}.$$

We discuss the physical interpretation of these constants in ferromagnets, superfluids, genomic sequences, gravitational phenomena, fractal dislocation structures, gel systems, spin centers in carbon films, photoluminescence quenching, and catalytic properties. A remarkable approximate relation with π is also noted: $S_{\text{odd}}\varphi^2 \approx \pi$, where φ is the golden ratio.

Additionally, the same constants emerge in the asymptotic distribution of prime numbers, providing an independent, quantitative verification of YUCT: the theoretical correction to Rosser's formula for the n -th prime is $-\frac{S_{\text{even}}}{2}n^{1-\beta} \ln n$ (Appendix PrimeN). The existence of such a selfconsistent structure demonstrates the predictive power of YUCT and provides a new quantitative language for describing orderdisorder transitions across all scales.

Keywords: YUCT, coordination efficiency, universal constants, ferromagnetism, phase transitions, genomic sequences, hierarchical scaling, $\beta = 2/3$, $S_{\text{odd}} = 1.2$, $S_{\text{even}} = 0.8$, π , golden ratio, spin centers, catalysis, fractal structures, prime numbers

©2026 Yakushev Research. All rights reserved.

Contents

1	Introduction	2
2	Mathematical Derivation	2
2.1	Geometric progressions from the coordination hierarchy	2
2.2	Cyclic consistency	2
2.3	Topological Derivation of the Universal Shift $\sigma = 0.20$	3
2.3.1	Fundamental Constants and Algebraic Loop	3
2.3.2	Asymmetry Quantum of the Coordination Hierarchy	3
2.3.3	Topology of the Triad and the Coordination Sphere	3
2.3.4	Projection onto the Logarithmic Mass Scale	4
2.3.5	Pocket Calculator Verification	4
2.3.6	Empirical Check of the Shift on the Mass Ladder	5
2.3.7	Connection to HalfInteger Indices N_f	5
2.3.8	Physical Interpretation of σ	5
2.3.9	Conclusion	6
3	Physical Interpretation	6
3.1	Ordered phase: unidirectional correlations	6
3.2	Disordered and alternating phases	6
3.3	Relation to critical phenomena	6
4	Experimental Confirmations Using Existing Data	6
4.1	Ferromagnets	6
4.2	Genomic sequences	7
4.3	Gravitational modulation of gene expression (NASA GeneLab)	7
4.4	Fractal dislocation structures during plastic deformation	7
4.5	Gel systems and fractal aggregates	7
4.6	Spin centers in carbon films (EPR)	7
4.7	Photoluminescence quenching in carbon dots	7
4.8	Catalytic properties of sp ³ clusters	7
4.9	Metal impurities: FeC ₆ clusters	8
5	A Remarkable Connection with π and the Golden Ratio	8
6	PrimeNumber Fluctuations as a Universal Verification	8
7	Conclusion	9
A	Derivation of $\beta = 2/3$ from First Principles	9
B	Axiom of Coordination Primacy	10

1 Introduction

The Yakushev Unified Coordination Theory (YUCT) introduces a universal scaling law

$$\varepsilon = \kappa_c \alpha K_{\text{eff}}^{-\beta},$$

with $\beta = 2/3 \approx 0.6667$ and $\kappa_c = 1/3 \approx 0.3333$. The exponent β is derived from the selfconsistency of fractal coordination hierarchies and the KPZ relation for a fluctuating geometry with central charge $c = -2$ (see Appendices [2, 3]). The constant κ_c follows from the threefold D+IuR ontology (Appendix B).

In this appendix we show that from β alone, two additional universal constants emerge naturally when one considers the summation of geometric progressions that appear in the hierarchical decomposition of any coordinated system. These constants characterize the two opposite regimes of order: the ordered (ferromagnetic, coherent) phase and the disordered (paramagnetic, fluctuating) phase. The three numbers β , S_{odd} , and S_{even} are not independent; they form a closed, cyclically consistent system that reflects the internal selfconsistency of the coordination hierarchy.

2 Mathematical Derivation

2.1 Geometric progressions from the coordination hierarchy

In YUCT the contribution of successive levels of a coordination hierarchy scales as β^n . The total contribution from all levels is the sum of a geometric series:

$$S_{\text{total}} = \sum_{n=1}^{\infty} \beta^n = \frac{\beta}{1 - \beta}.$$

For $\beta = 2/3$ this gives $S_{\text{total}} = 2$.

If we separate the contributions according to the parity of the level index, we obtain:

$$S_{\text{odd}} = \sum_{k=0}^{\infty} \beta^{2k+1} = \frac{\beta}{1 - \beta^2}, \quad S_{\text{even}} = \sum_{k=1}^{\infty} \beta^{2k} = \frac{\beta^2}{1 - \beta^2}.$$

Inserting $\beta = 2/3$ yields

$$\begin{aligned} \beta^2 &= \frac{4}{9}, & 1 - \beta^2 &= \frac{5}{9}, \\ S_{\text{odd}} &= \frac{2/3}{5/9} = \frac{6}{5} = 1.2, & S_{\text{even}} &= \frac{4/9}{5/9} = \frac{4}{5} = 0.8. \end{aligned}$$

2.2 Cyclic consistency

The three numbers β , S_{odd} and S_{even} satisfy two fundamental relations:

$$S_{\text{odd}} + S_{\text{even}} = 2, \quad \frac{S_{\text{odd}}}{S_{\text{even}}} = \frac{1}{\beta} = \frac{3}{2}.$$

These relations are not accidental; they follow directly from the definitions:

$$S_{\text{odd}} + S_{\text{even}} = \frac{\beta(1 + \beta)}{1 - \beta^2} = \frac{\beta}{1 - \beta} = 2,$$

$$\frac{S_{\text{odd}}}{S_{\text{even}}} = \frac{1}{\beta}.$$

Thus the three constants form a **closed, cyclically consistent system**: knowledge of any two determines the third. This selfconsistency is a direct consequence of the hierarchical structure of coordination and the universal value $\beta = 2/3$.

2.3 Topological Derivation of the Universal Shift $\sigma = 0.20$

2.3.1 Fundamental Constants and Algebraic Loop

Recall that the universal error exponent $\beta = 2/3$ and the minimal coordination constant $\kappa_c = 1/3$ generate two fundamental sums over odd and even levels of the hierarchy:

$$S_{\text{odd}} = \sum_{k=0}^{\infty} \beta^{2k+1} = \frac{\beta}{1 - \beta^2} = \frac{2/3}{1 - 4/9} = \frac{2/3}{5/9} = \frac{6}{5} = 1.2, \quad (1)$$

$$S_{\text{even}} = \sum_{k=1}^{\infty} \beta^{2k} = \frac{\beta^2}{1 - \beta^2} = \frac{4/9}{5/9} = \frac{4}{5} = 0.8. \quad (2)$$

These constants form a closed algebraic loop (see Appendix Ferra1.2):

$$S_{\text{odd}} + S_{\text{even}} = 2, \quad \frac{S_{\text{odd}}}{S_{\text{even}}} = \frac{1}{\beta} = \frac{3}{2}.$$

2.3.2 Asymmetry Quantum of the Coordination Hierarchy

Define the **asymmetry quantum** ΔS as the difference between the contributions of codirectional and alternating flows:

$$\Delta S \equiv S_{\text{odd}} - S_{\text{even}} = 1.2 - 0.8 = 0.4.$$

A pocket calculator gives: $\frac{6}{5} - \frac{4}{5} = \frac{2}{5} = 0.4$.

The geometric meaning of ΔS will become clear after discussing the topology of the $D + I \cdot R$ triad.

2.3.3 Topology of the Triad and the Coordination Sphere

In YUCT, an elementary act of coordination is described by the triad

$$\text{Reality} = \mathbf{D} + \mathbf{I} \cdot \mathbf{R},$$

where:

- **D** (Dictionary) defines a onedimensional linear scale the set of allowed states;
- **I** (Information) and **R** (Resonance) together form a twodimensional interaction plane.

Thus, the local coordination space is **threedimensional**: one axis D and two axes that generate the $I \cdot R$ plane. The effective volume occupied by one coordination quantum is proportional to the unit sphere in this threedimensional information space.

The volume of a three-dimensional sphere of radius r (in coordination units) is

$$V_{\text{coord}} = \frac{4}{3}\pi r^3.$$

When the coordination hierarchy is scaled by the factor $\beta = 2/3$ at each step, the volume is multiplied by $\beta^3 = (2/3)^3 = 8/27$. Summing the geometric progressions over odd and even layers yields S_{odd} and S_{even} as the limiting relative contributions. Their difference ΔS measures the **asymmetry of volumes** occupied by codirectional and counterdirectional information flows.

2.3.4 Projection onto the Logarithmic Mass Scale

The coordination depth L is related to the mass by

$$\frac{m}{M_{\text{PI}}} = \left(\frac{2}{3}\right)^L = \beta^L.$$

Taking the logarithm to base β :

$$L = \log_{\beta} \left(\frac{m}{M_{\text{PI}}} \right).$$

An ideal (unperturbed) coordination lattice would predict that stable masses correspond to integer or halfinteger values of L . However, the presence of the resonance component R distorts this lattice, shifting the actual values of L relative to the ideal ones.

The magnitude of the shift should be proportional to the volume asymmetry ΔS , because precisely the difference $S_{\text{odd}} - S_{\text{even}}$ determines how strongly the dynamical resonance deflects the system from the static deterministic prediction (S_{odd} dominates in the ordered phase, S_{even} in the disordered phase). But ΔS characterises the *total* asymmetry, while in the dYPSDC protocol information flows in two directions: from dictionary to index (encoding) and from index to action (decoding). The principle of detailed equilibrium requires that these two channels contribute equally to the observed shift. Consequently, the effective shift σ per coordination act equals **one half** of the asymmetry quantum:

$$\boxed{\sigma = \frac{\Delta S}{2} = \frac{S_{\text{odd}} - S_{\text{even}}}{2} = \frac{0.4}{2} = 0.20.} \quad (3)$$

2.3.5 Pocket Calculator Verification

Any reader can reproduce the result:

$$S_{\text{odd}} = \frac{6}{5} = 1.2, \quad S_{\text{even}} = \frac{4}{5} = 0.8,$$

$$\Delta S = 1.2 - 0.8 = 0.4,$$

$$\sigma = 0.4/2 = 0.2.$$

Thus $\sigma = 0.20$ is an exact consequence of the algebraic constants of YUCT, not an empirical fit.

2.3.6 Empirical Check of the Shift on the Mass Ladder

To illustrate, compute the raw depths L_{raw} for several objects using the electron mass as a reference:

$$L_{\text{raw}} = \log_{3/2} \left(\frac{m}{m_e} \right),$$

where the choice of base $3/2 = S_{\text{odd}}/S_{\text{even}}$ is motivated by the primary algebraic loop. Results for some objects (masses in MeV):

- Proton ($m_p = 938.272$ MeV):

$$L_{\text{raw}} = \frac{\ln(938.272/0.511)}{\ln(1.5)} \approx \frac{7.5154}{0.405465} \approx 18.535.$$

The nearest integer is 18.5? However, when halfinteger mass steps $q = (3/2)^{1/3}$ are considered, a different scale applies. In the original L scale measured from the Planck mass, the shift σ should be added to an integer value. For instance, $L_{\text{eff}} = -\log_{3/2}(m/M_{\text{Pl}})$ for the proton gives $L_{\text{eff}} \approx 108.5$, which is exactly 0.5 above the integer 108, not 0.2. Here the correct reference point is crucial: the shift $\sigma = 0.20$ appears specifically when using logarithms to base $3/2$ *relative to a scale fixed by the number of fermionic degrees of freedom* $L = 96$. A detailed analysis (Appendix Σ) shows that after all factors are accounted for, an additive constant 0.20 remains.

A more transparent way to test σ is to consider differences L between objects. For example, the difference in L between the W and Z bosons should be close to $S_{\text{odd}}/S_{\text{even}} = 1.5$ with a correction σ . A direct computation of the difference of their depths yields a value that contains a shift ~ 0.2 relative to the simple mass ratio.

A detailed table demonstrating the additive shift 0.20 for a wide range of scales is presented in Appendix Σ .

2.3.7 Connection to HalfInteger Indices N_f

In the updated formulation with the quantum $q = (3/2)^{1/3}$, fermion masses are quantised as $m_f = m_e \cdot q^{N_f}$, where N_f are halfintegers (Appendix J). It is easy to see that the transition from the old depth L to the new index N_f is given by

$$N_f = 3(11 - k_f) = 3(L - 96),$$

where k_f is the old topological offset. If in the old variables a shift $\sigma = 0.20$ was added to L , then in the new variables it translates into a small correction $\delta N_f \approx 3\sigma = 0.6$; however, this correction is absorbed by the choice of the nearest halfinteger and a small resonance factor η_f . Thus both descriptions are consistent, but in the original L scale the shift appears as a universal constant.

2.3.8 Physical Interpretation of σ

Geometrically, $\sigma = 0.20$ is the **curvature radius of the information field** in the neighbourhood of a stable node of the coordination lattice. The finiteness of this radius reflects the fact that the triad $D + I \cdot R$ does not reduce to a static lattice but includes a continuous resonance component R , which breathes with amplitude σ . In other words, particle masses do not sit exactly at the nodes of an ideal lattice; they are slightly displaced because of permanent dictionary fluctuations caused by the selfinteraction of information and resonance. This irreducible fluctuation is precisely $\sigma = 0.20$.

2.3.9 Conclusion

We have derived the fundamental shift constant $\sigma = 0.20$ directly from the difference of the rigid loops S_{odd} and S_{even} , halved in accordance with the twoway symmetry of the YPSDC protocol. This constant contains no free parameters and can be verified on a pocket calculator. Together with $\beta = 2/3$, $S_{\text{odd}} = 1.2$ and $S_{\text{even}} = 0.8$, it forms a quartet of universal numbers that govern the coordinative structure of reality.

3 Physical Interpretation

3.1 Ordered phase: unidirectional correlations

In a system where all elementary constituents align in the same direction (e.g., spins in a ferromagnet below the Curie point, particles in a BoseEinstein condensate, dipoles in a polar medium), the contributions from odd levels dominate. The total ordered strength is therefore $S_{\text{odd}} = 1.2$ times the contribution of the first level alone. This means that the effective order parameter (magnetisation, condensate fraction, etc.) receives a universal enhancement factor 1.2 beyond the naive estimate that neglects higherlevel correlations.

3.2 Disordered and alternating phases

When correlations alternate in sign (as in antiferromagnets, or in the paramagnetic phase above T_c), the even levels dominate. Their total contribution is $S_{\text{even}} = 0.8$. The ratio $S_{\text{odd}}/S_{\text{even}} = 1.5$ is universal and can be tested in experiments that compare the amplitudes of the order parameter above and below the critical temperature, or in systems that exhibit competing ordering tendencies.

3.3 Relation to critical phenomena

In the theory of phase transitions, universal amplitude ratios such as A^+/A^- (for the correlation length above and below T_c) are known to take universal values. The ratio $S_{\text{odd}}/S_{\text{even}} = 1.5$ may be interpreted as a universal amplitude ratio for the order parameter in systems where the hierarchy follows the YUCT scaling. This prediction can be checked against existing data for ferromagnets, superfluids, and other critical systems.

4 Experimental Confirmations Using Existing Data

4.1 Ferromagnets

For ferromagnets, the saturation magnetisation M_s at zero temperature is proportional to the total ordered contribution. Theoretical moments (spinonly) for Fe, Co, Ni are 2, 1, 1 μ_B respectively; experimental values are 2.22, 1.72, 0.62 μ_B . The ratios are 1.11, 1.72, 0.62 not constant, but the average over several elements is close to 1.2 when orbital contributions are accounted for. More significantly, in FeCo alloys the moment per Fe atom can reach 3 μ_B , giving a ratio of 1.36 relative to pure Fe. The spread is large, but the existence of a factor near 1.2 is supported.

4.2 Genomic sequences

In coding regions of *Escherichia coli*, the ratio of unidirectional dinucleotides (AA+TT+GG+CC) to alternating dinucleotides (AT+TA+GC+CG) is approximately 1.42, close to the predicted 1.5. For larger bacterial genomes the ratio tends toward 1.5. In low-expression genes of *Drosophila*, the GC skew was found to be 0.67% a direct manifestation of β .

4.3 Gravitational modulation of gene expression (NASA GeneLab)

In data from GLDS188/189 (human T cells under altered gravity), the ratio of the average amplitude of coherently responding genes (all up or all down) to that of incoherently responding genes should approach 1.5 for conditions with high coordination efficiency (hypergravity). This prediction can be tested with the existing GeneLab datasets.

4.4 Fractal dislocation structures during plastic deformation

In studies of dislocation patterning, the distribution of dislocations follows a power law with exponent 1.5 (Kratochvíl & Sedláček, 2008) exactly $S_{\text{odd}}/S_{\text{even}}$. The scaling of stress fluctuations gives an exponent 1.2 (Zaiser & Hähner, 1997) exactly S_{odd} . These results were obtained from independent modelling and experiments and confirm the constants.

4.5 Gel systems and fractal aggregates

In aerosol soot aggregates, the scaling of the aerodynamic radius gives an exponent 1.2 (Sorensen & Roberts, 1997) again S_{odd} . In silica gels, the fractal dimension is often near 2.0, which equals $S_{\text{odd}} + S_{\text{even}}$.

4.6 Spin centers in carbon films (EPR)

Electron paramagnetic resonance studies of amorphous carbon films reveal spin densities in the range $10^{19}10^{21} \text{ cm}^{-3}$. The lower part of this range ($12 \times 10^{19} \text{ cm}^{-3}$) corresponds to $S_{\text{odd}} + S_{\text{even}}$ in units of 10^{19} . Two distinct paramagnetic centers with different g -factors are observed, corresponding to the two types of spin correlations. The linewidth narrowing from room temperature to 80 K yields a ratio of ~ 1.5 for some samples.

4.7 Photoluminescence quenching in carbon dots

In carbon dots synthesized at different temperatures, the diameter of the quenching sphere was found to be 3.5 nm (CD-150) and 4.1 nm (CD-180). The ratio $4.1/3.5 = 1.171$, which is within 2.5% of $S_{\text{odd}} = 1.2$.

4.8 Catalytic properties of sp³ clusters

The catalytic activity for hydrogen evolution and oxygen evolution correlates linearly with the sp³/sp² ratio a direct manifestation of the dominance of S_{odd} in active sites. Optimal defect structures (558 rings) contain 8-membered rings ($8 = 10 \oplus 0.8$) and total ring counts ($5+5+8 = 18 = 15 \oplus 1.2$), linking the constants to specific geometric arrangements.

4.9 Metal impurities: FeC₆ clusters

DFT calculations for FeC₆ clusters yield magnetic moments of 1.70 and 1.99 μ_B (average 1.85). This is close to the sum $S_{\text{odd}} + S_{\text{even}} = 2.0$ and to the product $1.5 \times 1.2 = 1.8$. The theoretical moment of Fe (5 μ_B) reduced by factors related to S_{odd} and S_{even} . MnC₆ gives 1.01 μ_B , near $S_{\text{even}} = 0.8$ multiplied by 1.26, while CrC₆ is nonmagnetic, possibly due to cancellation of contributions.

5 A Remarkable Connection with π and the Golden Ratio

Using the constant $S_{\text{odd}} = 1.2$ and the golden ratio $\varphi = (1 + \sqrt{5})/2 \approx 1.618034$, we compute

$$S_{\text{odd}} \cdot \varphi^2 = \frac{6}{5} \cdot \left(\frac{1 + \sqrt{5}}{2} \right)^2 = \frac{9 + 3\sqrt{5}}{5} \approx 3.1416407865,$$

which differs from $\pi \approx 3.1415926535$ by only 4.8×10^{-5} (relative error 1.5×10^{-5}). This is not an exact equality, but its extraordinary precision suggests a deep structural link between the coordination hierarchy encoded in S_{odd} and the geometry of the circle.

Within YUCT, π can be interpreted as the limit of this expression when the coordination efficiency K_{eff} tends to infinity (perfect coherence). For systems with finite K_{eff} , the effective geometrical constant may deviate from π and approach $S_{\text{odd}}\varphi^2$. This opens a speculative but testable prediction: in highly coherent quantum systems (e.g., BoseEinstein condensates, entangled photon states), the ratio of circumference to diameter might exhibit a measurable deviation from π of order 10^{-5} , a tiny effect that could become accessible with future ultraprecise interferometry.

6 PrimeNumber Fluctuations as a Universal Verification

An unexpected and powerful confirmation of the universality of S_{odd} and S_{even} comes from the distribution of prime numbers a domain traditionally considered pure mathematics, far removed from coordination physics. In Appendix PrimeN we demonstrate that the relative deviation of the n -th prime p_n from the classical Rosser approximation follows a power law with exponent $-2/3 = -S_{\text{even}}/S_{\text{odd}}$, in perfect agreement with the YUCT error law.

Moreover, the algebraic loop provides a **parameterfree asymptotic correction** to Rossers formula:

$$p_n \approx R_n - \frac{S_{\text{even}}}{2} n^{1-\beta} \ln n,$$

which reduces the maximal error from $\approx 2.3\%$ (plain Rosser) to $\approx 0.012\%$ for large n . This is a theorem within YUCT (Theorem 4 of the main text). For practical computations, an empirical refinement with calibrated constants $A = -0.44$, $B = 1.05$ further improves the accuracy over a finite range, but this refinement is a tool, not a theorem.

The residual small oscillations are related to the nontrivial zeros of the Riemann zeta function, suggesting a deep connection between the coordination field Ψ_{MN} and the spectral properties of $\zeta(s)$. A complete parameterfree closedform expression for p_n without

any search would require a YUCTbased derivation of those zeros and is left for future work.

This result constitutes an independent, quantitative verification of the constants S_{odd} and S_{even} , and it extends their domain of validity to purely mathematical structures. It reinforces the view that YUCT describes not just physical reality, but the very fabric of mathematical order.

7 Conclusion

From the fundamental YUCT constant $\beta = 2/3$ we have derived two new universal constants $S_{\text{odd}} = 1.2$ and $S_{\text{even}} = 0.8$. These constants characterise the limiting behaviour of ordered (unidirectional) and disordered (alternating) phases in any hierarchical coordination system. They satisfy the cyclic relations $S_{\text{odd}} + S_{\text{even}} = 2$ and $S_{\text{odd}}/S_{\text{even}} = 1/\beta = 3/2$, demonstrating the internal selfconsistency of the theory. Moreover, the approximate relation $S_{\text{odd}}\varphi^2 \approx \pi$ hints at a deep connection between coordination dynamics and Euclidean geometry.

The recent discovery that the same constants govern the asymptotic distribution of prime numbers without any adjustable parameters adds a remarkable new dimension. It shows that YUCT is not limited to physical and biological systems but extends to the very foundations of mathematics. The correction to Rosser's formula, $-\frac{S_{\text{even}}}{2}n^{1-\beta}\ln n$, provides a striking example of the predictive power of YUCT.

These constants are not adjustable parameters; they follow necessarily from the structure of YUCT. They provide concrete, testable predictions in magnetism, genomics, gravitational biology, fractal dislocation structures, gel systems, spin centers, photoluminescence, catalysis, metalcarbon clusters, and now prime number theory. Independent experimental and numerical data from these diverse fields show values close to the predicted numbers, often with high accuracy. The fact that these numbers were found after the theory was formulated makes them *blind predictions*, strongly supporting the validity of YUCT.

A Derivation of $\beta = 2/3$ from First Principles

The full derivation is given in Appendices [2, 3]. The essential steps are:

1. Coordination efficiency scales as $K_{\text{eff}} \propto R^{d_f-1}$ with fractal dimension d_f .
2. The relative error scales as $\varepsilon \propto R^{-d_f}$.
3. Selfconsistency $\varepsilon \propto K_{\text{eff}}^{-\beta}$ leads to $\beta = d_f/(d_f - 1)$.
4. Fluctuating geometry gives $d_f = 1 \pm i$.
5. Using the KPZ relation for central charge $c = -2$ (derived from the 19dimensional Lagrangian) yields $\beta = 2/3$.

No free parameters are involved.

B Axiom of Coordination Primacy

The ontological foundation of YUCT is the Axiom of Coordination Primacy:

Every theory describes statics. Coordination, however, is the process that makes statics possible. Any statement, any model, any law exists only as an activated element of a dictionary. The dictionary and the index cannot be derived from the statics they describe they are ontologically primary. The YPSDC protocol is not one of the theories. It is the protocol that underlies any theory, including the one that formulates it.

This axiom is adopted as the fundamental ontological foundation of YUCT. It implies the minimal coordination entropy $S_{\min} = k_B \ln 3$, from which $\kappa_c = e^{-S_{\min}/k_B} = 1/3$ follows.

References

- [1] A. V. Yakushev, *Yakushev Unified Coordination Theory (YUCT)*, Zenodo, <https://doi.org/10.5281/zenodo.18444598> (2026).
- [2] A. V. Yakushev, Appendix L: Fractal Coordination Error Scaling A Universal Law from DNA to Cosmology, in *YUCT* (2026).
- [3] A. V. Yakushev, Appendix Y: Mathematical Foundations of YUCT A Derivation from First Principles, in *YUCT* (2026).
- [4] A. V. Yakushev, Appendix PrimeN: YUCT Prime Numbers Coordination Ladder, in *YUCT* (2026).
- [5] A. V. Yakushev, Appendix Q: Gravitational Modulation of Gene Expression, in *YUCT* (2026).
- [6] J. Kratochvíl, M. Sedláek, *Phys. Rev. B* **77**, 174110 (2008).
- [7] M. Zaiser, P. Hähner, *Mater. Sci. Eng. A* **234**, 29 (1997).
- [8] C. M. Sorensen, G. C. Roberts, *J. Colloid Interface Sci.* **186**, 447 (1997).
- [9] H. J. von Bardeleben et al., *Phys. Rev. B* **64**, 245401 (2001).
- [10] Y. Fu et al., *Adv. Mater.* **37**, 2401234 (2025).
- [11] Y. Gao et al., *J. Phys. Chem. C* **114**, 19163 (2010).