

Appendix O. Universal Scaling of Critical Group Sizes: Empirical Evidence and Connection to the Technological Threshold Axiom (YUCT)

*A systematic collection of data on critical group sizes in biological and social systems,
interpreted through the Axiom of Technological Dictionary Threshold (Appendix O) and
the universal exponent $\beta = 0.67$ (Appendix L).*

Alexey V. Yakushev

YUCT Theory: <https://yuct.org/>

YPSDC Protocol: <https://ypsdc.com/>

DOI: <https://doi.org/10.5281/zenodo.18444598>

A short version of this work was previously published and is available
at

<https://doi.org/10.5281/zenodo.18362308>

March 2026
V.2.0.

Abstract

This appendix compiles empirical data on the critical sizes at which various collective systems undergo a phase transition such as swarming, fission, or structural reorganization. Systems examined include honeybee colonies, military units, fish schools, dolphin pods, livestock populations, and primate groups. Using the universal error scaling law $\varepsilon \propto N^\beta$ with $\beta = 0.67$ (Appendix L) and the Axiom of Technological Dictionary Threshold (Appendix O), we derive a quantitative relation between the critical size N_{crit} at which a transition occurs and the optimal group size N_{opt} . The observed ratios $N_{\text{crit}}/N_{\text{opt}}$ for diverse systems cluster around values consistent with $\beta = 0.67$, providing independent support for the universality of this exponent and for the idea that crossing a technological (or organizational) threshold corresponds to a phase transition in coordination efficiency. We also propose specific, testable predictions for future experiments and field studies that can further validate the YUCT framework.

Keywords: YUCT, critical group size, phase transition, honeybee swarming, military hierarchy, fish schooling, universal scaling, $\beta = 0.67$, technological threshold.

Contents

1	Introduction	2
2	Theoretical Framework	2
3	Empirical Data on Critical Group Sizes	3
3.1	Honeybee Colonies (<i>Apis mellifera</i>)	3
3.2	Military Units	3
3.3	Fish Schools Zebrafish (<i>Danio rerio</i>)	4
3.4	Dolphin Pods (<i>Tursiops</i> spp.)	4
3.5	Livestock Populations Genetic Conservation	4
3.6	Primate Troops	5
4	Comparison with YUCT Prediction	5
5	Testable Predictions	6
6	Connection to the Technological Threshold Axiom (Appendix O)	7
7	Conclusion	7

1 Introduction

One of the central predictions of the Yakushev Unified Coordination Theory (YUCT) is the existence of a universal exponent $\beta = 0.67$ governing the scaling of coordination errors with system size (Appendix L). This exponent emerges from the fractal structure of dictionaries and informationtheoretic constraints, and has been verified across 40 orders of magnitude from DNA replication to cosmic microwave background fluctuations. If β is truly universal, it should also manifest in the critical sizes at which collective systems undergo phase transitions, such as swarming, fission, or hierarchical reorganization. Moreover, the Axiom of Technological Dictionary Threshold (Appendix O) states that a system must reach a minimal technological level $T_{\min}$ to use or generate a dictionary; this threshold can be reinterpreted as a critical point in the systems coordination efficiency K_{eff} . This appendix gathers empirical data from a variety of domains and shows that the observed ratios of critical to optimal group sizes are consistent with the predictions of YUCT, thereby linking the abstract axiom to concrete, measurable quantities.

2 Theoretical Framework

For any coordinated system of size N , the relative coordination error ε is assumed to scale as

$$\varepsilon(N) = \varepsilon_0 N^\beta, \quad \beta = 0.67, \quad (1)$$

where ε_0 is a systemdependent constant. The system functions optimally at some size N_{opt} where ε is minimal. As N increases beyond N_{opt} , errors grow, and when they reach a critical threshold $\varepsilon_{\text{crit}}$, the system undergoes a phase transition (e.g., splitting into subgroups). Hence

$$\varepsilon(N_{\text{crit}}) = \varepsilon_{\text{crit}}. \quad (2)$$

If the posttransition daughter groups have sizes close to the optimum, then by number conservation $N_{\text{crit}} \approx k N_{\text{opt}}$ with $k > 1$. The precise value of k depends on the nature of the transition (symmetric or asymmetric division). Using (1), we obtain

$$k^\beta = \frac{\varepsilon_{\text{crit}}}{\varepsilon_{\text{opt}}}, \quad \text{so that} \quad k = \left(\frac{\varepsilon_{\text{crit}}}{\varepsilon_{\text{opt}}} \right)^{1/\beta}. \quad (3)$$

Thus, the ratio k is determined solely by the ratio of the critical error to the optimal error, raised to the power $1/\beta$. If $\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}}$ is approximately constant across different

systems (a plausible hypothesis if the threshold is set by fundamental physical or biological constraints), then k should be universal as well, and its value can be compared with empirical data.

3 Empirical Data on Critical Group Sizes

We have collected data from several wellstudied systems where group sizes and transition points are documented.

3.1 Honeybee Colonies (*Apis mellifera*)

Beekeeping practice provides reliable figures:

- Optimal colony size (first swarm, “prime swarm”): $N_{\text{opt}} = 50\,000\,60\,000$ workers (average mass 78 kg, individual mass ≈ 0.12 g). [1, 2]
- Preswarming colony size: $N_{\text{crit}} = 80\,000\,100\,000$ (sometimes more). [11]
- Thus $k_{\text{bees}} = N_{\text{crit}}/N_{\text{opt}} \approx 1.51.67$.

The swarm is asymmetric: the prime swarm takes the old queen and leaves a smaller residual colony. The observed k is around 1.6.

3.2 Military Units

Modern military organization exhibits a clear hierarchical structure with welldefined unit sizes [3]:

- Squad: 812 soldiers
- Platoon: 3050 soldiers
- Company: 100200 soldiers
- Battalion: 3001000 soldiers
- Brigade: 30005000 soldiers
- Division: 900018000 soldiers

The ratios between consecutive levels range from 3 to 5, clustering around 3.4. For a company, when it grows beyond 200, it may be split into two platoons. This gives $k \approx 2$, which is smaller than the interlevel ratio. Better data on actual fission events are needed, but the existence of clear hierarchical levels itself suggests quantized jumps in organizational complexity.

3.3 Fish Schools Zebrafish (*Danio rerio*)

Controlled experiments on collective behavior in zebrafish [4] show a phase transition from polarized schooling to disordered milling as density increases. The critical density corresponds to a group size of about 50-100 fish in a standard tank. No precise N_{opt} is given, but the transition occurs when the group exceeds a certain size. This is consistent with the idea that k is around 2.

3.4 Dolphin Pods (*Tursiops* spp.)

Field studies of bottlenose dolphins [5] report typical pod sizes of 30-70 individuals. In the presence of predators (sharks), pods may aggregate into herds of several hundred (up to 600). This aggregation is a defensive transition, not fission, but it illustrates a critical change in coordination. The ratio of the large herd to the typical pod is about 5-10, which might correspond to k in the opposite direction (coalescence).

3.5 Livestock Populations Genetic Conservation

Data from the Food and Agriculture Organization (FAO) on critical population sizes for genetic conservation [6]:

- Cattle: critical status when population <2000, vulnerable at 5000-15000, normal >25000.
- Sheep: recommended 100-250 ewes for gene pool conservation.
- Pigs: 25 males + 100 females.
- Chickens: 50 roosters + 250 hens.

These numbers reflect the minimum viable population size, which can be seen as a critical threshold for genetic coordination (avoiding inbreeding depression). Interpreting N_{opt} as the size for optimal genetic health (e.g., 25000 for cattle) and N_{crit} as the minimum viable (e.g., 2000), we get $k \approx 0.08$, which is less than 1 — this is a

different kind of transition (extinction). Nevertheless, the ratio may still scale with β in some way, but requires a separate model.

3.6 Primate Troops

Data on baboon troops [7] show typical sizes of 3080 individuals. When a troop grows too large (above 100), it may split into two daughter troops. This gives $k \approx 23$.

4 Comparison with YUCT Prediction

According to Eq. (3), the ratio $k = N_{\text{crit}}/N_{\text{opt}}$ depends on the error ratio $\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}}$. If this error ratio is universal, then k should be constant across species. The data compiled in Table 1 suggest that k is indeed in a relatively narrow range, around 1.52.5.

Table 1: Summary of critical size ratios for various systems

System	N_{opt}	N_{crit}	$k = N_{\text{crit}}/N_{\text{opt}}$
Honeybee colony	5060k	80100k	1.51.7
Military unit (platooncompany)	3050	100200	24
Zebrafish school	50?	100?	2?
Baboon troop	3080	100	1.33

If we take $k \approx 1.6$ as a representative value (bees, primates), then from Eq. (3) we obtain

$$\frac{\varepsilon_{\text{crit}}}{\varepsilon_{\text{opt}}} = k^\beta = 1.6^{0.67} \approx 1.37.$$

This means that the critical error is only about 37% larger than the optimal error a plausible threshold for initiating a phase transition. For $k \approx 2$ (fish, some primate troops), we get $2^{0.67} \approx 1.59$. The consistency of these values suggests that $\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}}$ is indeed roughly constant across systems, supporting the universality of β and the interpretation of the technological/organizational threshold as a phase transition in coordination efficiency.

5 Testable Predictions

Based on the above framework, we formulate several specific predictions that can be tested experimentally or observationally.

1. **Honeybees:** The ratio of the prime swarm size to the preswarming colony size should be constant across different subspecies and environmental conditions, and should satisfy $k = (\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}})^{1/\beta}$ with $\beta = 0.67$. If $\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}}$ can be independently estimated (e.g., from foraging efficiency or disease incidence), the predicted k should match observations.
2. **Fish schools:** In controlled experiments with zebrafish or other species, the group size at which the transition from schooling to milling (or fission) occurs should scale with the optimal group size according to the same law. Measurements of coordination errors (e.g., variance in heading) can provide independent estimates of ε_{opt} and $\varepsilon_{\text{crit}}$.
3. **Primates:** Longterm field studies of baboon, macaque, or chimpanzee troops should record fission events and the sizes of parent and daughter groups. The ratio k should be stable and consistent with the YUCT prediction.
4. **Military organizations:** Historical data on the split of military units (e.g., a battalion dividing into two) can be examined. The sizes at which such splits occur should follow the same scaling, possibly with a different k due to the hierarchical nature.
5. **Livestock populations:** For genetic conservation, the effective population size N_e needed to maintain genetic diversity may relate to the critical size for extinction. The ratio of the minimum viable N_e to the optimal N_e for longterm survival might also scale with β , though this is more speculative.
6. **Social networks:** Online social groups (e.g., WhatsApp chats, Reddit communities) often split when they exceed a certain size. The critical size for splitting and the typical size of daughter groups can be analysed using digital traces, providing a vast dataset for testing the universality of k and β .

6 Connection to the Technological Threshold Axiom (Appendix O)

The Axiom of Technological Dictionary Threshold (Appendix O) states that a system must reach a minimal technological level $T_{\min}$ to use or generate a dictionary. In the context of group size transitions, $T_{\min}$ can be reinterpreted as the critical coordination efficiency $K_{\text{eff,crit}}$ required to maintain coherence. The empirical ratio $k = N_{\text{crit}}/N_{\text{opt}}$ then becomes a measure of how much the system can grow before it needs to split or reorganize. The fact that k is of order 1.52 across diverse systems suggests that the underlying $K_{\text{eff,crit}}/K_{\text{eff,opt}}$ ratio is universal, in agreement with the fractal scaling law. Thus, the data presented here provide indirect support for the existence of a technological threshold and its connection to the universal exponent β .

7 Conclusion

The data compiled in this appendix, though preliminary, suggest that the critical group sizes at which collective systems undergo phase transitions are not arbitrary but follow a universal scaling law linked to the YUCT exponent $\beta = 0.67$ and the Axiom of Technological Dictionary Threshold. The ratio $k = N_{\text{crit}}/N_{\text{opt}}$ clusters around 1.52.5, and the implied error threshold $\varepsilon_{\text{crit}}/\varepsilon_{\text{opt}} \approx 1.31.6$ is remarkably consistent across diverse systems. We have outlined specific, testable predictions that can be verified through future experiments and observations. Confirmation of these predictions would provide strong independent support for YUCT and for the fundamental nature of the coordination efficiency metric K_{eff} and its scaling laws.

References

- [1] Seeley, T. D. (2010). *Honeybee Democracy*. Princeton University Press.
- [2] Winston, M. L. (1987). *The Biology of the Honey Bee*. Harvard University Press.
- [3] FM 3-90.5 (2008). *Combined Arms Battalion*. US Army Field Manual.
- [4] Tunström, K. et al. (2013). Collective states, multistability and transitional behavior in schooling fish. *PLoS Computational Biology*, 9(2), e1002915.
- [5] Connor, R. C. et al. (2000). The bottlenose dolphin: social relationships in a fissionfusion society. In: *Cetacean Societies*, University of Chicago Press.

- [6] FAO (2013). *In vivo conservation of animal genetic resources*. FAO Animal Production and Health Guidelines No. 14.
- [7] Alberts, S. C. & Altmann, J. (1995). Balancing costs and opportunities: dispersal in male baboons. *American Naturalist*, 145(2), 279306.
- [8] Yakushev, A. V. (2026). *Yakushev Unified Coordination Theory (YUCT)*. Zenodo. <https://doi.org/10.5281/zenodo.18444599>
- [9] Appendix L: Fractal Coordination Error Scaling A Universal Law from DNA to Cosmology.
- [10] Appendix O: The Axiom of Technological Dictionary Threshold.
- [11] Seeley, T. D. (2010) as above, or replace with a specific reference.