# Sample Assembly Procedure

Table of contents

5 General ..... 4

6 Assembly ..... 5

6.1 Preparation ..... 5

6.2 Chassis ..... 6

7 Final test ..... 9

Revision history

01 First issue

02 Figures updated

## 5 General

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

# 6 Assembly

## 6.1 Preparation

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

### 6.1.1 Tools

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

## 6.2 Chassis

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Supply voltage:

6.3 V

### 6.2.1 Mount the base plate

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

6.2.2

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.



## 6.3 Cover

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Torque:

4.7

## 7 Final test

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.

Make sure the unit is switched off and the work area is clean before you start. Check every connector visually and follow the torque values given in the table.