One app, built around the B3 workspace

Home, New build, Builds, naming and build actions, data states, design system and adaptive layouts. The talent tree is the frozen B3 component, embedded unchanged. Pages 02–03 hold the binding rules; everything after them illustrates those rules.

FROZEN · B3 behaviour

- Tapping a node only selects it. Tapping empty canvas deselects. Drag pans; pinch zooms.
- Spend and refund only through visible – / + controls. Show goes one hop at a time. The tier gate uses a meter.
- Portrait: compact bottom inspector. Landscape: side inspector. Undo / redo and x / 51 always visible.

ADAPT 1 · Title shows the build

- Conflict: B3's header had no place for a build name or save state.
- Resolution: the same 44 dp row now shows a two-line title (name / "Warrior · Forever"). For drafts the second line reads "Draft · tap to name"; the draft is already stored.
- Tapping the title opens Name build (for a draft) or build actions. Undo, redo and 18 / 51 are unchanged.

ADAPT 2 · ⋯ build actions

- Conflict: Reset, Rename and Duplicate need a home inside the workspace.
- Resolution: one ⋯ icon at the end of the header, which opens a bottom sheet. It is the only new header control.
- Nothing is added to the canvas, the spec row or the inspector.

ADAPT 3 · Data-state layer

- A dismissible notice floats over the top of the canvas for builds on older data.
- AFFECTED_BY_PATCH: an amber diamond at the node's corner, layered on its state (it never replaces it).
- Tablet: the side inspector stays open permanently and shows an empty prompt until you select something.

Specification v1 · binding rules

1 · Navigation stack

- Root: Home. No persistent navigation; native system back everywhere.
- Home → New build → pick class: the tree REPLACES New build. Back from a new draft → Home.
- Home → Continue / Recent → tree (push). Back → Home.
- Home → Builds → tree (push). Back → Builds.
- Sheets, dialogs and snackbars are not stack entries; Back closes them first.

2 · Build lifecycle

- Every change is stored locally at once. There is no Save action and no discard prompt.
- Draft = unnamed, not unsaved. Default name “Warrior Build” (auto-numbered). Title line: “Draft · tap to name”. Library badge: Draft (dashed).
- Name build assigns the permanent name and clears Draft. Rename changes an existing name.
- Leaving a draft with points keeps it: snackbar “Draft kept on this device” + Name. A 0-point draft is discarded on exit.

3 · Game version

- One selectable version: Forever shown as non-interactive context. No Change, no sheet.
- 2+ selectable versions: the row gains “Change ▾” and opens a sheet of selectable versions only.
- Planned or unavailable versions never appear in New build.

Specification v1 · continued

4 · Action severity

- Delete build · danger: confirmation dialog naming the build (“removed from this device”), filled danger button, medium haptic on confirm. Not undoable.
- Reset talents · recoverable (warning colour): behind ⋯, no confirmation. Clears points immediately; snackbar “Talents reset · N points cleared” + Undo; header Undo also restores.
- Duplicate: no dialog. The copy appears on top with a snackbar offering Rename.

5 · Talent tree · B3 (frozen)

- Tap node = select; tap empty = deselect; drag = pan (7 dp slop cancels a node tap); pinch = zoom.
- Spend / refund only via visible – / +; Max in the expanded sheet; Show goes one hop; the tier gate uses a meter.
- Header: back · name / meta · undo · redo · x / 51 · ⋯. Spec row with per-spec totals.
- Portrait: 64 dp compact inspector (grows at large text); expanded sheet prefers 448 dp, is capped by the screen and scrolls internally. Landscape: 300 dp side panel. Tablet: persistent 380 dp inspector.

6 · System

- Tokens, type, spacing, radius, motion and haptics: section G, unchanged.
- Colour semantics: danger = irreversible only; warning = recoverable or needs attention; sc-camel-accent-class = invested talent points only; focus = neutral white.
- Targets ≥ 44 dp (48 dp primary). Phone nodes: 48 dp visual, 56 dp target. Long names truncate with an ellipsis; nothing essential clips at large text.

Gestures and application map

Gesture arbitration

```
pointer down on node + movement < 7 dp → select node
pointer down on node + movement ≥ 7 dp → cancel tap → pan canvas
second pointer → pinch around midpoint
```

Implementation clarifications


- Shape: the circle for abilities vs rounded square for passives is provisional. Every node must read correctly as a rounded square, and state is never carried by shape.
- Expanded sheet: 448 dp is the preferred height. It is capped at the available height minus 96 dp so the selection stays visible, and scrolls internally at large text sizes, with actions pinned at the bottom.
- Compact inspector: 64 dp nominal. At large text sizes it grows to two lines (up to about 96 dp) instead of clipping the name or reason.

Application map

- Launch → Home (root). The first run prepares talent data once.
- Home → New build → pick class: the tree replaces New build, so Back from a new draft goes to Home.
- Home → Continue / Recent → tree (push), Back → Home. Home → Builds → tree (push), Back → Builds.
- Tree overlays: Name / Rename sheet, ⋯ build actions, snackbars. No persistent navigation bar.


B · Home · Answers “what do I want to edit right now?”

B.1 Returning user




Continue is the strongest element: the most recently edited build, with its distribution and one full-width action. Three recent builds follow, then New build pinned in the thumb zone.

B.2 New user




No placeholder cards and no illustration. One sentence, one primary action, and the data status. Home collapses to what is useful.

B.3 Data update available



The update appears as a single row above Continue. It never blocks and never auto-applies.

B.4 First launch · preparing data



Happens once. A determinate bar, a skeleton of the Continue card, and New build disabled until ready. No spinner.


Hierarchy · Continue editing (primary) → Recent (3) → All builds · 6 → New build (secondary, pinned).

Recent vs all · Home shows at most 3 recent builds. The full library is one tap away, so Home stays scannable at any library size.

Brand · Temporary mark (outlined diamond with an accent core) + the TalentForge wordmark at 17 sp, 650 weight. Home is the only screen that shows it.


C · New build · One screen: version + class → tree

C.1 Version + class




Forever is the only selectable version, so it is shown as plain context with no Change control. Picking a class replaces this screen with the tree; there is no Continue step. Tap Warrior.

C.2 Future: 2+ selectable versions




Only once a second version is selectable does the row gain “Change” and open this sheet. It lists selectable versions only; planned versions are never shown.

C.3 Future: many classes



Retail selected: the same grid holds 13 classes in 5 rows of 3 without changing the layout.

C.4 Arrives in B3 as a draft



The tree replaces New build. The title reads “Warrior Build” with “Draft · tap to name”. The build is stored locally from the first point; Back goes to Home and keeps it.


Why one screen · Version and class are both one tap, and the version almost never changes. A wizard would add a screen and a Next button for nothing.

Version vs class · The version is plain context text (or a row with Change once a choice exists); the class is a grid of marks. Different shapes separate the two without extra labels or colour.

Iconography · Monogram marks in class hue with the name always visible. They look finished without any licensed art and are ready to swap for original icons.


D · Builds library · List, actions and scale

D.1 Library




Rows, not cards: name, class · version · recency, and a spec split bar with counts. Data-state badges sit inline. ⋯ is the only per-row control.

D.2 Overflow menu




A bottom sheet with the build's identity at the top so you can't act on the wrong one. Delete sits last, separated and in danger colour.

D.3 Rename



Field focused and prefilled, with clear (×). Rename is disabled while the field is empty.


D.4 Duplicate



No dialog. The copy appears at the top with a brief highlight, and the snackbar offers Rename.


D · Builds library · continued

D.5 Delete confirmation




Names the build, says where it goes ("from this device"), and uses a filled destructive button.

D.6 Empty



One line, one hint, one action.

D.7 30+ builds



Past 12 builds, search and class chips appear above the list, with counts. Below that threshold they stay hidden.

Scale

0: empty state. 1–12: plain list sorted by last edited. 13+: search field. 2+ classes and 13+ builds: class chips.

Sort


Always last edited first, which matches how builds are revisited. A sort menu is deferred until there is a need for one.

Compare-ready

Rows keep a consistent split column, so a future “Compare” mode can add a checkbox column without changing the layout.


E · Naming and build actions inside B3 · Overlays only; the workspace stays intact

E.1 Name a draft



The draft is already stored; this only assigns a permanent name. Default “Warrior Build” is prefilled (auto-numbered), chips suggest names. Name build clears the Draft state.

E.2 Build actions (···)




Name build (draft) or Rename, then Duplicate, then Reset talents: separated and in warning colour, because it is recoverable.

E.3 Reset · immediate + Undo



No confirmation: Reset is already behind ··· and fully undoable. Points clear at once; the snackbar offers Undo, and header Undo works too.

E.4 Reading a local build



Nothing is shown under 150 ms. Past that, node skeletons appear in the exact B3 positions, so nothing shifts when data lands.


Autosave · Every change is stored locally at once, for drafts and named builds alike. There is no Save action and no Save / Don’t save prompt. Leaving a draft with points keeps it (snackbar: “Draft kept on this device” + Name). A draft with 0 points is discarded on exit.

Draft = unnamed · A draft is a stored build with a default name and a Draft badge. “Name build” only assigns the permanent name; it never decides whether work is kept.

Reset vs Delete · Reset talents: warning colour, no dialog, immediate, undoable, build kept. Delete build: danger colour, confirmation naming the build, removes it from the device, not undoable.

F · Data update and patch states

F.1 Build on older data



Dismissible notice over the canvas; affected talents get an amber diamond layered on their state.

✓ Up to date

Version row, settings. Normally implied, not shown on cards.

◐ Updating 40%

The same row, with a determinate bar.

○ Older data

Build row: created on an earlier patch, nothing affected.

× Talent removed

Build row. Points held until reviewed.

↓ Update available

Single Home row. Never blocks.

✓ Updated to 1.60.2

Snackbar once, then gone.

Δ 1 talent changed

Build row + node diamond. Review later.

· Draft

Build not named yet, still autosaved.

Old-build notice hierarchy: the plain statement, the exact source version in mono, what changed as a count, then later actions (Review changes · Keep copy · Update build). The build is never modified silently.

G · Design system · colour, accents, haptics

Colour tokens

background `oklch(0.16 0.008 260)`	**surface** `oklch(0.195 0.009 260)`	**surfaceElevated** `oklch(0.225 0.011 260)`	**surfaceInteractive** `oklch(0.26 0.011 260)`
borderDefault `oklch(0.28 0.01 260)`	**borderStrong** `oklch(0.4 0.01 260)`	**textPrimary** `oklch(0.95 0.005 260)`	**textSecondary** `oklch(0.74 0.01 260)`
textMuted `oklch(0.58 0.01 260)`	**accentClass** `oklch(0.68 0.15 32)`	**focus** `oklch(0.97 0.01 90)`	**positive** `oklch(0.8 0.13 150)`
warning `oklch(0.84 0.12 75)`	**danger** `oklch(0.6 0.19 22)`	**disabled** `oklch(0.42 0.01 260)`	**scrim** `rgba(5,6,10,0.55)`

Danger = irreversible only (Delete). Warning = recoverable or needs attention (Reset talents, Draft, patch changes). sc-camel-accent-class = invested talent points only. The primary button is neutral light.

Class accent system

WA Warrior	PA Paladin	HU Hunter
RO Rogue	PR Priest	SH Shaman
MA Mage	WL Warlock	DR Druid

One hue per class, derived at a shared lightness and chroma. Marks always show the monogram and name.

Radius · spacing

Radius: small 6 (chips, badges, rank chip) · medium 12 (buttons, fields, nodes, rows) · large 16 (cards, dialogs, class cards) · sheet 20 (bottom sheets (top only))

Spacing (4 dp base): 4 hairline · 8 inline · 12 row gap · 16 screen x · 20 sheet x · 24 group · 32 section · 48 tablet x

Haptics · provisional

Successful spend	`light tick`	Every + and every Max step.
Successful refund	`lighter tick`	Softer than spend, so the two feel different.
Max rank reached	`medium`	Once, when the chip turns light.
Blocked action	`soft double`	Refund blocked, locked +, no points left. Always paired with a reason.
Destructive confirm	`medium`	On Delete confirm only. Reset uses the refund tick.

G · Design system · type and motion


Typography · Geist + Geist Mono


ScreenTitle	Plan your first build	24 / 30 · 600
SectionTitle	CONTINUE	12 / 16 · 500 · caps
ComponentTitle	PvP Arms	15.5 / 20 · 600
Body	Builds are stored on this device.	15 / 22 · 400
BodySecondary	Create a build to start planning talents.	13.5 / 20 · 400
Label	Name	12 / 16 · 500
Meta	Warrior · Forever · 2 h ago	12.5 / 16 · 400
Numeric	18 / 51	Mono 17 · 600 · tabular
TalentRank	2/5	Mono 10.5 · 600


Motion

Tap / state response	100-160 ms	Colour, border and opacity. Ease-out. Pressed states are instant.
Talent purchase	260 · 180 ms	Accent glow 260 ms; rank chip pops to 1.2× (180 ms spring); the connection lights up.
Small layout	180-240 ms	Inspector compact ↔ hidden, FIT button, row highlight.
Sheet / dialog	280 in · 220 out	cubic-bezier(.2,.8,.2,1). The scrim fades in parallel. Interruptible.
Show pan + pulse	300 · 900 ms	From B3. Pans only when the target is not visible.
Navigation	platform	Native push/pop. New build → tree is a replace; Home or Builds → tree is a push.
Reduced motion	0-80 ms	Cross-fades only; no glow or pop. Haptics are unaffected.

H · Adaptive layouts · phone landscape







Compact phone · 360 dp

- Reference for every screen above. Single column, 16 dp margins.
- Primary actions sit in the bottom third (New build pinned; Continue in the upper card).
- The class grid is always 3 columns.

Large phone · 412+ dp

- Same structure, with extra space used for breathing room: margins grow to 20 dp and Home shows 4 recent builds instead of 3.
- The class grid stays at 3 columns, with taller cards (96 dp). Components are not scaled up.
- B3: nodes stay 48 dp; the canvas simply has more headroom.


Phone landscape

- Home and New build use two columns instead of a stretched single column.
- B3 keeps its side inspector. The shell adds only the title and ⋯.
- Sheets are capped at 420 dp wide and centred; dialogs are unchanged.

Tablet · 840+ dp


- Home becomes a list | detail view: a library pane (420 dp) plus a build preview showing per-spec totals and key talents. The preview lets you check a build without opening the editor.
- No navigation rail: with only two destinations it would be empty chrome.
- The tree runs full-screen with a persistent 380 dp inspector that shows an empty prompt when nothing is selected. Nodes are 56 dp with 68 dp targets.

H · Tablet · talent tree with persistent inspector



I · Final flow

I Flow start



Home for a returning user; the flow starts here.

01 Home
A returning user with 5 builds. Tap + New build (pinned at the bottom).

02 New build
Forever is shown as context (the only version). Tap Warrior; the tree replaces New build.

03 B3 · draft
The coachmark appears. Select talents and spend with +. Every change is stored immediately.

04 Name
Tap the title (“Draft · tap to name”) or ··· → Name build. Pick “PvP Arms”, then Name build.

05 Back to Home
Back goes to Home, because New build was replaced. PvP Arms is now the Continue card. Leaving an unnamed draft also keeps it.

06 Builds
All builds: PvP Arms is at the top. Try ··· → Duplicate or Rename.

07 Reopen
Tap PvP Arms. B3 opens with the same ranks; Back returns to Builds.

08 Reset (optional)
··· → Reset talents clears points at once. Undo in the snackbar or header restores them.

J · Open design questions, answered

Q1 · Does TalentForge need persistent bottom navigation?

No.

There are three destinations, and only one of them (the tree) is where time is spent. A tab bar would take about 64 dp from B3 on every visit to serve navigation used a few times per session. A Home root with a shallow native stack and system back covers everything.

Q2 · Home: show Saved Builds directly or only recent?

Continue + 3 recent, then All builds.

Home answers “what do I edit now”. Recency predicts that far better than the full list does. The library is one tap away and scales on its own. With 4 or fewer builds, Home already shows everything.

Q3 · Autosave a new build or keep it unsaved until named?

Autosave immediately; Draft means unnamed.

Work is never at risk and exploring never requires a name. “Name build” only assigns a name. Leaving a draft with points keeps it; empty drafts (0 points) are discarded on exit, so casual peeks don’t pollute the library.

Q4 · Shortest sensible New Build flow?

Home → one screen → tree (2 taps).

The only version is shown as context and the class grid acts on tap, replacing New build with the tree. A separate version step or a Create button would add taps without adding any decision.

J · Open design questions, answered · continued

Q5 · Version vs class without visual noise?

Context text vs a choice grid.

While one version is selectable it is plain, non-interactive text; “Change” appears only with 2+ selectable versions, and planned ones are never listed. The class is a grid of marked cards. On builds, the version is meta text and only becomes a badge when the data state matters.

Q6 · When do search / filters become useful?

Search at 13+ builds; class chips at 13+ builds across 2+ classes.

Up to about 12 rows, the list fits in roughly two screens and scanning beats typing. Beyond that, finding one build by name gets slower than searching for it. Chips only make sense when there is more than one class to filter by.

Q7 · Shell changes needed on tablet?

List | detail Home, and a persistent inspector.

Home gains a build preview pane (per-spec totals, key talents, actions). The tree runs full-screen with the inspector always open. No navigation rail, and nothing is redesigned: B3 just stops having to hide the inspector.

Q8 · Which B3 parts become shared primitives?

Tokens, focus ring, sheet, badge, mono numerics.

The focus/selection ring (white, 3 dp gap) is used for pressed class cards, selected rows and fields. The bottom sheet, snackbar, coachmark, dashed “locked / disabled” border and PointCounter numerics are shared too. The spec split bar reuses the accent ramp of the talent states.