
# Costmap Filters High-Level Design

v.1.0

## **ROS2 Overall Structure**



# Costmap Filters Structure

class inheritance

# CostmapLayer

```
CostmapFilter
class CostmapFilter
public:
 virtual initializeFilter(
   const std::string & filter info topic) = 0;
 virtual process (
   Costmap2D & master_grid, int window bounds,
   Pose2D & robot pose) = 0;
 virtual resetFilter() = 0:
protected:
 pose last robot pose;
CostmapFilter::activate() {
 // Creates subscriptions to info and mask topics
 initializeFilter(filter info topic);
CostmapFilter::deactivate() {
 // Reset all subscriptions
 resetFilter(filter info topic);
CostmapFilter::reset() {
  // Reloads filter
 resetFilter();
 initializeFilter(filter_info_topic);
CostmapFilter::updateBounds(robot_pose, bounds) {
 last_robot_pose = robot_pose;
CostmapFilter::updateCosts(
 Costmap2D & master grid, int window bounds) {
 // An algorithm for how to use that map's
  // information. Fills the Costmap2D with
  // calculated data and makes an action based
 // on processed data.
 process(master_grid, window_bounds, last_robot_pose);
```

#### KeepoutFilter

 $\label{loadFilter} \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc loadFilter}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\mbox{\sc load}\sc () - Creates a subscription to}} \ \mbox{\ensuremath{\$ 

process() - Based on loaded map composes Costmap2D with [FREE\_SPACE..LETHAL\_OBSTACLE] cost depending on data value in map mask.

#### SpeedFilter

loadFilter() - Creates a subscription to filter\_info and map\_mask topics. Creates a publisher for max\_speed restriction topic.

process () - Checks whether the robot is entered or leaved marked on map speed restriction area. If entered checks the speed limit and sets max\_speed topic value. If leaved restores back max\_speed topic value to no-limit.

### LanesFilter

Covered by KeepoutFilter (#1522).

# **Filter Topics**

#### KeepoutFilter

#### **Input topics**:

filter\_info: nav2\_msgs/msg/CostmapFilterInfo
map mask: nav msgs/msg/OccupancyGrid

#### SpeedFilter

#### <u>Input topics:</u>

filter\_info: nav2\_msgs/msg/CostmapFilterInfo
map\_mask: nav\_msgs/msg/OccupancyGrid

#### **Output topics:**

max\_speed: nav2\_msgs/msg/MaxSpeed

#### LanesFilter

Covered by KeepoutFilter

# nav2\_msgs/msg/CostmapFilterInfo.msg: std\_msgs/Header header # Type of plugin used (keepout filter, speed limit in m/s, speed limit in percent, etc...) uint8 type # Name of map mask topic string map\_mask\_topic # Multiplier base offset and multiplier coefficient for conversion of OccGrid data > into some other number space: space = data \* multiplier + base float32 base float32 multiplier

#### nav2\_msgs/msg/MaxSpeed.msg:

std\_msgs/Header header

# Setting max speed in percentage if true or in absolute values in false case

#### bool percentage

# Maximum allowed speed (in percent of
maximum robot speed or in m/s
depending on "percentage" value). When
no-limit it is set to 0.0
float64 max\_speed