CATALOGO PARTI DI RICAMBIO
SPARE PARTS CATALOGUE


THAWING 670 LT

Code	Model	Ref.	Page	Brand	Rel	Notes
190176	TC671DEU	o	2,3,4	ELUX	06	THAWING CABINET 670L 1 FULL DOOR EUROPE - KFC
190AOB	TC671DC	d	2,3,4	ELUX	00	1-DOOR THAWING CABINET 670L-OLD WILD WEST
725115	**TC671DUK**	**a5**	**2,3,4**	**ELUX**	**00**	**1-DOOR THAWING CABINET 670L-UK**
725153	**TC671DZXU2**	**a3**	**2,3,4**	**ELUX**	**00**	**THAWING CABINET 670L 208/60Hz-15 POSITIONS-USA**
725154	**TC671DUCB2**	**a4**	**2,3,4**	**ELUX**	**00**	**THAWING CABINET 670L 208/60Hz-10 POSITIONS-USA**
726675	TC671DEU	b	2,3,4	ELUX	12	THAWING CABINET 670L 1 FULL DOOR EU 10p
726676	TC671DUK	a	2,3,4	ELUX	12	THAWING CABINET 670L 1 FULL DOOR UK 15p
727505	TC671DRH	c	2,3,4	ELUX	12	THAWING CABINET 670L 1 FULL DOOR EU 15p
727506	TC671DN	d	2,3,4	ELUX	12	THAWING CABINET 670L 1 FULL DOOR 10p
727507	TC671DA	e	2,3,4	APX	12	THAWING CABINET 670L 1 FULL DOOR EU 10p
727541	TC671DC	r	2,3,4	ELUX	04	THAWING CABINET 670L 10 POS. + WHEELS
727542	TC671DPN	f	2,3,4	ELUX	09	THAWING CABINET 670L 1 FULL DOOR USA 208/60 hZ 15p
727544	TC671D60	l	2,3,4	ELUX	08	THAWING CABINET 670L 1 FULL DOOR 208/60 hZ 10p
727547	TC671DKU	g	2,3,4	ELUX	08	THAWING CABINET 670L 1 FULL DOOR USA 208/60 hZ 10p
727549	TC671DKC	i	2,3,4	ELUX	07	THAWING CABINET 670L 1 FULL DOOR 10p USA
727606	TC671DJ	m	2,3,4	ELUX	07	THAWING CABINET 670L JAPAN 100V 50hz 10p
727615	TC671DFR	d	2,3,4	ELUX	08	THAWING CABINET 670L 1 FULL DOOR 10p France
727620	TC671DC	h	2,3,4	ELUX	06	THAWING CABINET 670L 1 FULL DOOR 10p spa
727655	TC671DZXU	n	2,3,4	ELUX	05	THAWING CABINET 670L 208/60HZ ZaXBY'S USA 15p
727656	TC671DUCB	q	2,3,4	ELUX	02	THAWING CABINET 670L 10p 208/60Hz USA Cracker Barrel
727657	TC671DKU	v	2,3,4	ELUX	03	THAWING CABINET 670L 1 FULL DOOR USA 208/60 hZ 10p
727658	TC671DZXU	w	2,3,4	ELUX	04	THAWING CABINET 670L 208/60HZ ZaXBY'S USA 15p
727659	TC671DUCB	x	2,3,4	ELUX	04	THAWING CABINET 670L 10p 208/60Hz USA Cracker Barrel
727719	TC671DIT	s	2,3,4	ELUX	05	1-DOOR THAWING CABINET 670L
727721	TC671DJ2	p	2,3,4	ELUX	04	THAWING CABINET 670L JAPAN 100V 50/60hz, 10p + FEET
727725	TC671DJS	p	2,3,4	ELUX	04	THAWING CABINET 670L JAPAN 100V 50/60hz 10p Saizeriya + FEET
727764	TC671DD	t	2,3,4	ELUX	03	1-DOOR THAWING CABINET 670L EUROPE-KFC
727779	TC671DAC	u	2,3,4	ELUX	02	THAWING CAB. 670L 15 POSITIONS - KFC SPA
727939	TC671D60M	y	2,3,4	ELUX	00	1-DOOR THAWING CABINET 670L 220/60Hz
727940	TC671DCM	z	2,3,4	ELUX	00	1-DOOR THAWING CABINET 670L Marine
727976	TC671D6ME	j	2,3,4	ELUX	01	1-DOOR THAWING CABINET 670L 220/60Hz
727977	TC671D6M	k	2,3,4	ELUX	02	1-DOOR THAWING CABINET 670L R134a-220/60Hz-MARINE
727978	TC671D5M	a1	2,3,4	ELUX	02	1-DOOR THAWING CABINET 670L-R134a-MARINE
727997	TC671DC	a2	2,3,4	ELUX	00	1-DOOR THAWING CABINET 670L- 50Hz
727998	**TC671DZXU**	**a3**	**2,3,4**	**ELUX**	**01**	**THAWING CABINET 670L 208/60Hz-15 POSITIONS-USA**
727999	**TC671DUCB**	**a4**	**2,3,4**	**ELUX**	**02**	**THAWING CABINET 670L 208/60Hz-10 POSITIONS-USA**
881255	**TWHNDL**		**2**		**00**	**Handle for Thawing Cabinet**
881286	**SUPTH15US**		**2**		**00**	**SHELF SUPPORT FOR THAWING CABINET USA 15 POS (3" PITCH)**
881287	**SUPTH10US**		**2**		**00**	**SHELF SUPPORT FOR THAWING CABINET USA 10 POS (4.5" PITCH)**
881290	**SUPTH15EU**		**2**		**00**	**SHELF SUPPORT FOR THAWING CABINET USA 15 POS (3" PITCH)**
881291	**SUPTW10EU**		**2**		**00**	**SHELF SUPPORT FOR THAWING CABINET USA 10 POS (4.5" PITCH)**
P71334	TC671DUK	a	2,3,4	ELUX	04	THAWING CABINET 670L 1 FULL DOOR UK 15p
P71413	TC671DEU	b	2,3,4	ELUX	01	THAWING CABINET 670L 1 FULL DOOR EU 10p

Pag.	Indice	Index
2	Armadio porta intera	Cabinet with full doors
3-4	Gruppo refrigerante (positivo)	Cooling unit (refrigerated)
5-8	Lista ricambi	Spare parts list

Rev.15

Marchio / Brand: **ELECTROLUX PROFESSIONAL-APX-To brand**
Paese / Country: **all**



* Componenti a richiesta *Components on demand	Grassetto= variato comp. Bolt print = Change	Page: **2**	Ed. 01 of 28/04/2014 Updated 07/2027	**Doc. Nr.: 561000**

Modelo 726675

Tabla 561000 Página 2 Cabinet with full doors


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0001	093254	832R09001						CORNISA/MARCO; HORIZONTAL	
0002	093255	832R09101						CORNISA/MARCO; VERTICAL	
0003	093361	617R07101						HILO DE CALENTAMIENTO; 8,9W	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0003	094540	617R11801						HILO DE CALENTAMIENTO; 208V 60HZ 8,9W	f,g,i,n,q,v,w,x,a3,a4
0004	087110	835739900		S				RUEDA	a,b,c,d,e,f,g,h,i,j,l,n,o,r,s,u,v,w,x,a2,a3,a4,a5
0004	095051	518R07300						CASTOR WITH BRAKE; DIA.100X32	m
0005	087111	835740000		S				RUEDA	a,b,c,d,e,f,g,h,i,j? l ?,n,o,r,s,u,v,w,x,a2,a3,a4,a5
0005	095050	518R07200						CASTOR WITHOUT BRAKE; DIA.100X32	m
0005	095220	518R08300						ADJUSTABLE FOOT; H=84-125	p
0006	093245	217555204		S				TORNILLO; M7X20MM; PLASTIC	
0007	093246	518708601						TORNILLO; M8X20	
0008	094426	518708700			D	+		TORNILLO; M8X25	
0009	093247	502R17400			D			BRIDA	Up to 6441
0010	093248	546R27100						DISTANCIADOR; FOR FOOT	
0030	092175	646R06700		S	A			SONDA; 6X20; AZUL; L=3000MM XP	
0030	092177	646R06700		S	A			SONDA; 6X20; AZUL; L=2000MM	o
0057	094207	833R25803			D			CREMALLERA	a,h,j,u,a2
0057	094247	833R25903			D			CREMALLERA; 10 POS.	b,d,e,l,m,o,p,r,s,t,a5
0057	094250	833R28401			D			CREMALLERA; 15 POS.	c
0058	081883	514702003		S				REJILLA; 530X650MM; AISI 304	For all prod . alwaysFor b up to 6441
0058	095020	514R23702						GRILL; GN2/1 THAWING	For b,o from 6451
0059	090214	546710300		S				GANCHO	
005a	093243	541R05001		S				PIE NIVELADOR	k,y,z,a1
005b	0TTR11	518R04501	09A1G6		D			PATA; H=70MM	k,y,z,a1
0060	083839	546704200		S				TAPON SOP.GUIAS	
0061	094018	501R93900	095425		D			BANDEJA	a,b,c,d,e,f,g,h,i,lup to 6441
0061	095073	503R04602			D			TRAY	m,p
0061	095304	503R19400						DRIP TRAY FOR 670LT WITH BUFFLE; THAWING	k,n,q,t,v,y,z,a1,a3,a4,a5
0061	095406	503R04500						DRIP PAN WITH HOLE; THAWING CABINET	i from 6451
0061	095425	502R91600			D			TRAY FOR 670LT WITHOUT BUFFLE	a,b,c,d,e,f,g,h,j,l,o,r,s,u,a2 from 6451
0062	094419	835R36303			D			PUERTA -CONJUNTO	a,b,c,d,e,h,l,m,o,p,r,s,u,y,z,a5
0062	094420	835R42602			D			PUERTA -CONJUNTO; PANERA USA	f,g,i,n,q
0062	095748	882R51900			D			DOOR ASSEMBLY; THAWING USA	t,v,W,X
0062	096556	835R74702			D			DOOR ASSEMBLY	j,a2
0062	096571	883R27101			D			DOOR ASSEMBLY	k,a1
0062	096665	883R37300			D			DOOR ASSEMBLY; WITH DEFLECTOR AND LOCK	a3,a4

Modelo 726675

Tabla 561000 Página 2 Cabinet with full doors

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0063	000000	835R42701							f,g,i,n,q
0063	000000	835R69301							t,v,w,x
0063	000000	835R74601							j,a2
0063	000000	835R76201							k,a1
0063	000000	835R76901							a3,a4
0063	094421	835R36003			D			PUERTA -CONJUNTO; THAWING CABINET NEW	a,b,c,d,e,h,l,m,p,r,s,u,y,z,a5
0064	081654	544700601		S				CASQUILLO; PARA BISAGRA	
0065	082219	835704001		S				BISAGRA CON RESORTE	
0065	082257	505723802		S				SOPORTE BISAGRA SUP. AP-20; UPPER	
0065	093257	548R06802		S				GUARNICION MAGNETICA; 1552X577	1570x610 mmUp to 47/2019
0065	093271	541R05300						TAPON	
0065	093341	833R21600		S				BRIDA; LOWER	
0065	094152	548R08000		S	A			GUARNICION MAGNETICA; 1565,7X581,60MM	1595x610 mmFrom 48/2019
0065	094152	548R08000		S	A			GUARNICION MAGNETICA; 1565,7X581,60MM	1595x610 mmUp to 47/2019
0065	094422	548R10300		S				MAGNETIC SEAL; 1565,7X581,6	f,g,i,k,n,q,t,v,w,x,a1,a3,a4
0071	081797	544701400			D			CONTRATUERCA	d,e,h,i,j,k,l,m,n,p,q,r,s,u,y,z,a1,a2,a3,a4,a5
0072	085535	545733700		S				TAPON	d,e,h,i,j,k,l,m,n,p,q,r,s,u,y,z,a1,a2,a3,a4,a5
0073	093714	546R26000						PILETA DESAGUE; 1/2"; GREY	d,e,h,i,j,k,l,m,n,p,q,r,s,u,y,z,a1,a2,a3,a4,a5
0079	094542	514R20001			D			REJILLLA PROTECCION	f,g,i,n,q,v,a3,a4
0086	093433	833R21100						CIERRE	j,a2,a3,a4
0087	000000	504R35100							a3,a4
0094	094959	833R35801						AIR CONVEYOR FOR 670LT WITH RACK-RAIL 15	j,n,u,a2,a3
0094	095306	833R35501						AIR CONVEYOR FOR 670LT WITH RACK-RAIL 10	i,kq,t,v,y,z,a1,a4,a5
0095	000000	503R04500							n
0096	095747	503R50500			D			INNER DOOR DEFLECTOR	g,v,w,x,a3,a4 up to2021/11
0096	096664	503R50501			D			INNER DOOR DEFLECTOR	g,v,w,x,a3,a4 from2021/12
0096	0TT0B5	502R94900			D			INNER DOOR DEFLECTOR	i,n,q
009a	095202	546R34400		S		+		STIRRUP; FOR CAP	
057a	094476	833R30302			D			CREMALLERA; THAWING 10 POS	g,i,k,q,v,x,y,z,a1,a4
057a	094541	833R29903			D			CREMALLERA; 15 POS.	f,n,w,a3

COOLING UNIT 561000



* Componenti a richiesta *Components on demand	Grassetto= variato comp. Bolt print = Change	Page: **3**	Ed. 01 of 28/04/2014 Updated 07/2027	**Doc. Nr.: 561000**

Modelo 726675

Tabla 561000 Página 3 Cooling unit (refrigerated)


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0014	093206	684R05300			A			*COMPRESOR; EMT6170Z; 230V 50HZ; R134A	a,b,c,d,e,h,o,r,s,u,z,a1,a2,a5
0014	093457	684R07200						COMPRESOR;200 208 230V 50/60HZ;NEK6160Z	j,k,l,m,p,y
0014	093629	684R07900						COMPRESOR;NEK6170Z;230V 50HZ;208 230V 60	f,g,i,n,q,v,a3.a4
0015	093333	830R04900		S				CONDENSADOR	f,g,i,n,q,v,a3,a4
0015	093431	830R06601						CONDENSADOR	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,A2,a5
0015	093499	830R05800						CONDENSADOR	o
0016	093518	501R36701			D			CONDUCTO DE AIRE	60 HZ
0016	093602	546R24200						CHIMENEA	
0017	094184	682R07700						MOTOR VENTILADOR; 220-240V 50/60HZ 40/10	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0017	094407	856R24300						VENTILADOR; ASSY	f,g,i,n,q,v,a3,a4
0018	082230	511700800		S	A	+		VENTILADOR	j,k,l,m,p,y
0018	089697	511708800		S	A			IMPULSOR	a,b,c,d,e,h,r,s,u,z,a1,a2,a5
0018	093365	511R01000						IMPULSOR	f,g,i,n,o,q,v,a3,a4
0019	089755	546709500		S				REJILLLA PROTECCION VENTILADOR RH14D	a,b,c,d,e,h,o,r,s,u,z,a1,a2,a5
0019	094416	514R20200			D			REJILLLA PROTECCION VENTILADOR; DIA.230M	f,g,i,n,q,v,a3,a4
0019	0A8843	514711501						PROTECCION	j,k,l,m,p,y
0020	093259	515R12701		S				SERPENTIN	
0021	093260	543R09300						HERRAJE/CORCHETE	
0022	093507	858R06400						INTERCAMBIADOR	a,b,c,d,e,h,o,r,s,u,z,a1,a2,a5
0022	093568	858R09200						INTERCAMBIADOR	f,g,i,j,k,l,m,n,p,q,v,y,a3,a4
0023	099949	858R00100		S				FILTRO DESHIDRATADOR; 2VIE GR.15	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0024	0A8171	A02021800		S				VALVULA DE RECARGA	
0025	093430	830R04101						EVAPORADOR	o
0025	094408	830R10000						EVAPORADOR; UL-CSA	f,g,i,n,q,v,a3,a4
0025	094576	830R10600		S				EVAPORADOR; 3R 8T	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0026	093469	546R19201						BANDEJA DE CONDENSADO	
0027	093427	617R06002		S				RESISTENCIA DE DESHIELO; 230V 200W	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0028	093487	514R11601		S				MUELLE	a,b,c,d,e,h,j,k,l,m,o,p,r,s,u,y,z,a1,a2,a5
0029	093508	514R11100						MUELLE	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0035	093261	835R24101			D			TAPA	up to 6181
0035	095201	835R47601			D			CAP; ASSY	from 6191
0036	093245	217555204		S				TORNILLO; M7X20MM; PLASTIC	
0037	093262	1470R003		S				*GUARNICION/JUNTA; BY METER; 8X15	a,b,c,d,e,f,g,h,i,j,l,m,n,o,r,s,t,u,a5
0038	093263	546R19702						PIPE COVER INSULATION	
0039	094411	501R94002			D			SOPORTE	
0040	094412	501R94200			D			HERRAJE/CORCHETE	

Modelo 726675

Tabla 561000 Página 3 Cooling unit (refrigerated)

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0041	094410	856R24601	097470					VENTILADOR; ASSY; USA VERSION; ASSY	Except for m,p
0041	097470	855R08T00		S				CABLED FAN	JAP - m,p
0042	091430	617R02002		S				RESISTENCIA; 230V/750W	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0042	094405	617R11900		S				RESISTENCIA; 208V 650W 60HZ	f,g,i,n,v,a3,a4
0043	094413	501R94300			D			CONDUCTO DE AIRE	
0044	094822	501R94100			D			COVERING	
0045	094011	514R15801			D			REJILLLA PROTECCION	
0047	088567	648727000			A			TERMOSTATO DE SEGURIDAD; +40/-30 C	a,b,c,d,e,h,j,k,l,m,o,p,r,s,u,y,z,a1,a2,a5
0047	094414	856R24400						KLIXON/TERMOSTATO; +40°+30°	f,g,i,n,q,v,a3,a4
0077	094390	501R95201						FILTRO ASPIRACION; THAWING	c,d,e,f,g,i,j,l,n,m,q,r,s,v,a2,a3,a4,a5
0077	095021	502R91700						FILTER; WITH GRID	a,b,d,h,k,o,p,r,s,t,u,y,z,a1,a5

CONTROL PANEL 561000



* Componenti a richiesta *Components on demand	Grassetto= variato comp. Bold print = Change	Page: **4**	Ed. 01 of 28/04/2014 Updated 07/2027	**Doc. Nr.: 561000**

Modelo 726675

Tabla 561000 Página 4 Cooling unit (refrigerated)

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0011	000000	639804901							f,g,i,n,q,v,a3,a4
0013	093610	832R10200						BISAGRA IZQUIERDA	
0031	000000	502R34400							a,b,c,d,e,h,l,m,o,r,sup to 7141
0031	094409	502R55300			D			SOPORTE	f,g,i,n,q,v,a3,a4
0031	0TTMOI	503R14600			D			ELECTRICAL SUPPORT FOR THAWING	a,b,c,d,e,h,j,k,l,m,o,p,r,s,t,u,y,z,a1,a2,a5from 7151
0032	093528	639R09900						REGLETA DE CONEXIONES	f,g,i,n,q,v,w,x,a3,a4
0032	093599	639R10000						REGLETA DE CONEXIONES	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
0033	093180	639R09600			D			CLAVIJA	a
0034	059078	694502400		S				CONDENSADOR	
0048	093264	541R04801						COBERTURA	up to 6441
0048	093976	546R26701			D			CAJA	from 6451
0048	094425	546R26501			D			TAPA	from 6451
0049	094012	833R26101			D			PANEL DE CONTROL	
0050	083881	640708100						MICRO MAGNETICO ESBC20	
0051	094013	646R12400		S	A			TERMOREGULADOR	a,b,c,d,e,h,j,k,l,m,o,p,r,s,u,y,z,a1,a2,a5
0051	094415	646R12502						TERMOREGULADOR; 208V 60HZ 12AMP; UL	f,g,i,n,q,v,w,x,a3,a4
0052	094014	755R07802			D			ETIQUETA ADHESIVA	a,t
0052	094245	755R08802						ETIQUETA ADHESIVA	b,d,h,j,k,l,m,o,p,r,s,t,u,y,z,a1,a2,a5
0052	094246	755R08900						ETIQUETA ADHESIVA	e
0052	094251	755R08102						ETIQUETA ADHESIVA; THAWING CABINET	c
0052	095305	755R10201			D			ADHESIVE MEMBRANE; THAWING NEUTRA 7 PRO	f,g,i,n,q,v,a3,a4
0053	094485	0000000000			D			PROTECCION	
0054	094244	655R01200						BUZZER; 230V	a,b,c,d,e,h,j,k,l,m,o,r,s,t,u,y,z,a1,a2,a5
0054	094417	655R01600						BUZZER; SIRE 91179 D30 48/240VAC	f,g,i,n,q,v,w,x,a3,a4
0055	091981	639R05000						PUERTAFUSIBLE; V1071; 250V-10A	a,b,c,d,e,h,r,s,t,u,z,a1,a5
0055	094427	639R15000						PUERTAFUSIBLE	f,g,i,j,l,v,a3,a4
0056	090094	652703000						FUSIBLE; 5*20T-125 MA-USA	f,g,i,n,q,v,a3,a4
0056	094015	652R00700						FUSIBLE; 125MA 5X20	a,b,c,d,e,h,j,k,l,o,r,s,t,u,y,z,a1,a2,a5
0070	000000	634702901							b,d
0070	000000	634R00900							l,r,y,z
0070	094423	A02060702			D			CABLE DE CONEXION	c,d,e,u
0070	094823	634R02900			D			SUPPLY CABLE; UK VERSION	a,o,a5 with 13A fuse
0076	093976	546R26701			D			CAJA	f,g,i,n,o,q,v,a3,a4
0078	094425	546R26501			D			TAPA	f,g,i,n,o,q,v,a3,a4
0080	000000	502R78101							m,p
0081	000000	502R78401							m,p

Modelo 726675

Tabla 561000 Página 4 Cooling unit (refrigerated)

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0082	000000	502R78502							m,p
0083	095602	835R52301						TRANSFORMER; 100/230V 2500VA; COMPLETE	m,p
0084	000000	502R78301							m,p
0085	089994	A02033100						CLEMA CONEXIONES	m,p
0088	094825	639726500						TERMINAL; GREEN/YELLOW	m,p
0089	083506	639714300						PORTAFUSIBLE	m,p
0090	094719	652R00900						FUSE; 25A; 10,3X38	m,p
0091	094835	652R01000			D			FUSE; 500V 10A; 10,3X38MM	m,p
0092	095797	857R35600						TERMINAL BOARD; THAWING JAPAN	m,p
0093	095034	857R27405						TRANSFORMER;BOX COMPLETE; JAPAN VERSIONS	m,p
0097	092665	639R07000				+		CONECTOR HEMBRA; MSTB; 2.5/5-ST-5,8	
0098	094016	639R03300						CONECTOR; 6VIE	
0098	095244	639723400						TERMINAL BOARD; MSTB2.5/6-ST 6 VIE P.5.0	
0099	091682	639R04400		S	A			CONECTOR; 4 VIE	
0100	096667	595R42100			D			ADHESIVE THAWING OVERVIEW	a3,a4
032a	095786	856R21501			D			WIRING HARNESS; THAWING CABINET	a,b,c,d,e,h,j,k,l,m,p,r,s,u,y,z,a1,a2,a5
032a	096666	856R24101			D			WIRING HARNESS; THAWING CABINET USA	a3,a4