SPEEDELIGHT

PNC	MODEL	Ref	Description	Note
603869	HSPP2RPRS	a	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-PANERA	208V
603870	HSPP3RPRS	b	FLEX-REMOVABLE PLATE-RIBBED-STANDARD	208V
603871	HSPP1BPRP	c	SHORT TUBE-BAKING PAPER-RIBBED-PANERA	208V
603872	HSPP2BPFM	d	ADJUSTABLE TUBE-BAKING PAPER-FLAT-MELT	208V
603873	HSPP1BPRPM	e	SHORT TUBE-BAKING PAPER-RIBBED-PRET A MANGER	208V
603874	HSPP3RPFS	f	FLEX-REMOVABLE PLATE-FLAT-STANDARD	208V
603875	HSG0BPRSE1	g	LONG TUBE-BAKING PAPER-RIBBED-STANDARD EU	220-230V
603876	HSG1BPRSE1	h	SHORT TUBE-BAKING PAPER-RIBBED-STANDARD EU	220-230V
603877	HSG3RPRSE1	j	FLEX-REMOVABLE PLATE-RIBBED-STANDARD EU	220-230V
603878	HSG2RPRSE1	k	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-STANDARD EU	220-230V
603879	HSG2RPRSK1	i	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-STANDARD UK	220-230V
603880	HSG1BPRP1	l	SHORT TUBE-BAKING PAPER-RIBBED-PRET A MANGER	220-230V
603881	HSG0RPRA1	m	FLEX-REMOVABLE PLATE-RIBBED-AUTOGRILL	220-230V
603882	HSG2RPRE1	n	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-EAT	220-230V
603883	HSG0BPRSE3	o	LONG TUBE-BAKING PAPER-RIBBED-STANDARD EU	380-400V
603884	HSG1BPRSE3	p	SHORT TUBE-BAKING PAPER-RIBBED-STANDARD EU	380-400V
603885	HSG3RPRSE3	q	FLEX-REMOVABLE PLATE-RIBBED-STANDARD EU	380-400V
603886	HSG2RPRSE3	r	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-STANDARD EU	380-400V
603887	HSG2RPRSK3	s	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-STANDARD UK	380-400V
603888	HSG1BPFAJ	a1	ADJUSTABLE TUBE-BAKING PAPER-FLAT UK PRET	220-230V
603889	HSG0RPRA3	t	LONG TUBE-REMOVABLE PLATE-RIBBED-AUTOGRILL	380-400V
603892	HSPP2RPFS	u	ADJUSTABLE TUBE-REMOVABLE PLATE-FLAT-STANDARD	208V
603893	HSG3RPRSK1	v	FLEX-REMOVABLE PLATE-RIBBED-STANDARD UK	220-230V
603894	HSG3RPRSK3	w	FLEX-REMOVABLE PLATE-RIBBED-STANDARD UK	380-400V
603895	HSPP3BPRZ	x	FLEX-REMOVABLE PLATE-RIBBED - ZUPAS-US	208V
603897	HSPP1BPRT	y	SHORT TUBE-BAKING PAPER-RIBBED-PANERA	208V
603899	HSG2RPRSE3	z	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED-RENT IT	380-400V
603900	HSG2RPR64	b1	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED JAP 60	200V
603901	HSG3RPR64	c1	FLEX-REMOVABLE PLATE-RIBBED JAP 60	200V
603902	HSG2RPR54	d1	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED JAP 50	200V
603903	HSG3RPR54	e1	FLEX-REMOVABLE PLATE-RIBBED JAP 50	200V
603904	HSG3RPRU2	f1	FLEX-REMOVABLE PLATE-RIBBED STD AUS	420V
603905	HSG2RPRU2	g1	ADJUSTABLE TUBE-REMOVABLE PLATE-RIBBED STD AUS	420V
603910	HSG3RPRSECE	h1	FLEX-REMOVABLE PLATE-RIBBED-CHEF EXPRESS	400V
603911	HSG2BPRP1	i1	ADJUSTABLE TUBE-BAKING PAPER-RIBBED-PRET A MANGER	230V
603912	HSG3RPFSE1	l1	FLEX-REMOVABLE PLATE-FLAT-STANDARD EU	230V
603913	HSG2RPFSE1	m1	ADJUSTABLE TUBE-REMOVABLE PLATE-FLAT-STANDARD EU	230V
603914	HSG3RPFSE3	n1	FLEX-REMOVABLE PLATE-FLAT-STANDARD EU	400V

SPEEDELIGHT


PNC	MODEL	Ref	Description	Note
603915	HSG2RPFSE3	o1	ADJUSTABLE TUBE-REMOVABLE PLATE-FLAT-STANDARD EU	400V
603921	HSG2BPFP3	p1	ADJUSTABLE TUBE-BAKING PAPER-FLAT UK PRET	400V
603922	HSPP2BPFC	q1	ADJUSTABLE TUBE-BAKING PAPER-FLAT-CHIPOTLE	208V
603923	HSPP3BPRS	r1	FLEX- BAKING PAPER -RIBBED-USA SUBWAY	208V
603928	HSPP3BPRS4	s1	SPEEDELIGHT FLEX, RIBBED,BAKING,240V-US	240V
603937	HSPP3RPRUS	t1	SPEEDELIGHT FLEX, RIBBED RTP,240V-US	240V
603938	HSPP3RPFUS	u1	SPEEDELIGHT FLEX, SMOOTH RTP,240V-US	240V
603940	**HSPP3RPRS**	**b**	**SPEEDELIGHT FLEX, RIBBED RTP,208V-US**	**208V**
603941	**HSPP3RPFS**	**f**	**SPEEDELIGHT FLEX, SMOOTH RTP,208V-US**	**208V**
603942	**HSPP3BPRSY**	**r1**	**SPEEDELIGHT FLEX, RIBBED,BAKING,208V-US**	**208V**
603943	**HSG3RPRA3**	**w1**	**SPEEDELIGHT FLEX, RIBBED RTP, 400V - AUTOGRILL**	**380-400 V**
603944	**HSG3RPRC3**	**x1**	**SPEEDELIGHT FLEX, RIBBED RTP, 400V - CHEF EXPRESS**	**380-400 V**
603945	**HSG3RPRSE3**	**y1**	**SPEEDELIGHT FLEX, RIBBED RTP, 400V**	**380-400V**
603946	**HSG2RPRSE3**	**z1**	**SPEEDELIGHT ADJ-TUBE, RIBBED RTP, 400V**	**380-400V**
603949	**HSG3RPRCK3**	**v1**	**SPEEDELIGHT FLEX, RIBBED RTP,400V**	**400V**

Index **Page**

General components/componenti generali 3-5
Electric components /componenti elettrici 6-7
Spare part list / lista ricambi 8-14

Bold= last change/Grassetto =ultima modifica

Rev. 16



From Ser. Nr. Up to Ser. Nr.	Ed. 2017-02	Page: **3**	**Doc No: 595402C00**

Modelo 603885

Tabla 595402C00 Página 3 General components


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0001	0CA940	0653400900	0CA945			+		TEMPERATURE PROBE; HSPE	
0002	0C8133	0505401201		S		+		ARANDELA; 7X20X2	
0003	0CA939	0506405300		S		+		WASHER; DIA.24MM H.21MM	
0004	0D6777	0514400S00		S		+		MUELLE SUJECCION; HSG	
0005	0CA941	0514400T01		S		+		SPRING; HSPP	
0006	0CA697	0617401G01		S				HEATING ELEMENT; 230V 800W	FOR 230V - 400V
0006	0CA698	0617401H01						HEATING ELEMENT; 208V 800W	
0006	0CB091	0617401J00			A			HEATING ELEMENT; 200V 800W; HSPE	JAP
0007	0D6833	0646400200	0CA707					KLIXON MAGNETRON; HSG	
0008	0CA842	0569400P01	0CB739			+		INSULATOR PANEL; HSPE	
0009	0C8163	0569400500	0CB739			+		PANEL AISLANTE; 207X55X15MM	
0010	0C8162	0569400401	0CB739			+		PANEL AISLANTE; 178X55X15MM	
0011	0C8161	0569400300	0CB739			+		PANEL AISLANTE; 178X178X155	
0012	005256	0167098079		S				*(P.NETO)PASTA SILIC.TERMOCONDUC. GR.100	
0013	0CA807	0830405V04		S				WORKING TOP	
0014	0CA769	0217204185			D			SCREW; M6X20	
0015	0CA501	0691400003		S				EL. HOT PLATE; 230V 800W; RIBBED	FOR 230V - 400V
0015	0CA502	0691400103						EL. HOT PLATE; 208V 800W; RIBBED	
0015	0CA503	0691400203						EL. HOT PLATE; 230V 800W; SMOOTH	FOR 230V - 400V
0015	0CA504	0691400303						EL. HOT PLATE; 208V 800W; SMOOTH	
0016	0CA452	0653400601		S				PT1000 PROBE; SPEEDELIGHT	
0017	0CA505	0504406K00						SPRING; BAKING PAPER SPEEDELIGHT	
0018	0CA445	0800400T01				+		HINGE WITH SPRING; ASSEMBLY	
0019	0CA517	0503403402			D			COVERING; SPEEDELIGHT	
0020	0CA516	0189400000						MICA DISC; SPEEDELIGHT	
0021	0CA513	0515403201						LONG TUBE; L=147MM; FOR UPPER PLATE	
0021	0CA514	0515403302						SHORT TUBE; L=128MM; FOR UPPER PLATE	
0021	0CA515	0830405J00						ADJUSTABLE TUBE; FOR UPPER PLATE	
0022	0CB076	0000000000		S		+		RIVETS; SET 14PCS	a1,b1,c1,d1,e1,f1,g1,h1,i1,l1,m1,n1,o1,p1,q1,r1,w1,x1,y1,z1,v1,a,b,c,d,e,f,g,h,j,k,i,m,n,o,p,q,r,s,t,u,v,w,x,y - Not for s1,t1,u1
0023	0CB786	0850402L01			D			LAUCHING CHAMBER; SPEEDELIGHT	
0024	0CA844	0800401A01	0CB960		D			EXTERNAL COVERING	
0026	0CA845	0500403L02						EXTERNAL COVERING	
0027	0CA680	0541401400			D			COVERING; LEFT; HSPE	
0028	0CA679	0541401300			D			COVERING; RIGHT; HSPE	


Modelo 603885

Tabla 595402C00 Página 3 General components

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0029	0CA809	0514404K00		S				TUBE GASKET; UPPER PLATE; HSPE	
0030	0CB056	0805407D03						COMPLETE SOCKET HOLDER; HSPP	
0031	0CA685	0541401900			D			COVERING; FLEX; HSPE	
0032	0CB418	0000000000							
0033	0C9210	0514401000			D			RODAMIENTO; FOR UPPER PLATE	
0035	0C8510	0800400D02				+		PESTILLO	
0036	0C9483	0514402100				+		DISTANCIADOR	
0038	0CB929	080540GJ01		S				SPIRAL TUBE; KIT	See T.B.PDD2021-11
0039	0CA678	0514404F00						SPRING; FOR HANDLE/LID; HSPE	
0040	0CB196	0855401W06						HANDLE; HSPE	
0041	0C8122	0518400300	0D6799			+		MANDO NEGRO	
0042	0C8121	0518400700	0D6799			+		TORNILLO PER MANDO	
0043	0CA692	0548401M00						GRIP; UPPER; HSPE	
0044	0CA693	0548401N00						GRIP; LOWER; HSPE	
0045	000000	083040CK00							FOR 230V See T.B.PDD2021-11
0045	0CA497	0830407M08			A			EL. HOT PLATE; 208V 800W;LONG TUBE	FOR 208V See T.B.PDD2021-11
0045	0CA498	0830402508	0CB225		A			EL. HOT PLATE;230V 800W;ADJ TUBE;RIBBED	FOR 230V - 400V See T.B.PDD2021-11
0045	0CA500	0830407L07			A			EL. HOT PLATE;208V 800W;ADJ TUBE;RIBBED	FOR 208V See T.B.PDD2021-11
0045	0CA734	0830408B06			A			EL. HOT PLATE; 208V 800W;RIBBED;PANERA	FOR 208V See T.B.PDD2021-11
0045	0CA880	083040B203		S				UPPER PLATE RIBBED; W/RTP-FLEX 230V	h,j,m,q - WITH FLEX 1See T.B.PDD2021-11
0045	0CB098	083040BL00						EL. HOT PLATE; 248V RIBBED +ADJ+RTP; AUS	FOR 248V AUS See T.B.PDD2021-11
0045	0CC030	0830407G09						RIBBED PLATE; 230V ASS.	FOR 230V See T.B.PDD2021-11
0047	0CB051	0147300V00		S				RED SILICON 736; 300 ML CARTRIDGE	
0048	0CB089	0000000000		S		Kit		CHOKE COVER; KIT	a1,l1,n1,p1,j,k,o,p,q,r,t,u - WITH 2 LATERAL BARS AND 2 TRANSVERSAL BARS
0048	0CB410	0000000000			D			4 TRASVERSAL BARS, CHOKE COVER ; KIT	a1,l1,n1,p1,j,k,o,p,q,r,t,u - WITH 4 TRASVERSAL BARS
011a	0CB121	0000000000	0CB739	S		Kit		COOKING CHAMBER INSULATION; KIT	

FLEX





From Ser. Nr. Up to Ser. Nr.	Ed. 2017-02	Page: **4**	**Doc No: 595402C00**


Modelo 603885

Tabla 595402C00 Página 4 General components

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0024	0CA844	0800401A01	0CB960		D			EXTERNAL COVERING	
0025	0CB960	085540H000			D			EXTERNAL COVERING	
0027	0CA680	0541401400			D			COVERING; LEFT; HSPE	
0028	0CA679	0541401300			D			COVERING; RIGHT; HSPE	
0029	0CA809	0514404K00		S				TUBE GASKET; UPPER PLATE; HSPE	
0031	0CA685	0541401900			D			COVERING; FLEX; HSPE	
0033	0C9210	0514401000			D			RODAMIENTO; FOR UPPER PLATE	
0041	0C8122	0518400300	0D6799			+		MANDO NEGRO	
0042	0C8121	0518400700	0D6799			+		TORNILLO PER MANDO	
0043	0CA692	0548401M00						GRIP; UPPER; HSPE	
0044	0CA693	0548401N00						GRIP; LOWER; HSPE	
0046	0CC025	0506405601			D			PLAQUE	
0047	0CB051	0147300V00		S				RED SILICON 736; 300 ML CARTRIDGE	
0049	0CB074	0516400D00						TUBE; FLEX; HSPE	WITH FLEX
0050	0CB120	0800401X01			D			BACK PANEL	WITH FLEX
0051	0CB071	0500404201			D			COVERING; FLEX; HSPE	WITH FLEX
0052	0CBAIN	0830408601		S				WIRING HARNESS	WITH FLEX
0053	0CA720	0805407402		S	A			LINEAR ACTUATOR; 12V 15W; HSPE	WITH FLEX
0054	0CB048	0506404W01			D			FLEX SPRING; HSPE	WITH FLEX
0055	0CBAIP	0504407B01	0CBAIQ		D			GUIDE FOR CATCH HSPE	WITH FLEX
0056	0CBAI0	0501400103							WITH FLEX
0057	0CBAJ6	0835402N06	0CBAWD					KIT FLEX SYSTEM HSPE	WITH FLEX
0058	000000	0000000000							
0059	0CB690	0850401T07	0CBAGN		D			LID; COMPLETE; HSPP 2	EU - Up to 2021/34
0059	0CB937	085540GW02	0CBAOL		D			LID SPEEDELIGHT FLEX NO CHOCK COVER	h1,l1,n1,r1,w1,x1,y1,z1,c,e,g,h,j,m,o,p,q,t,v,w,x,y - All except a,b,d,f,k,i,n,r,s,u,z,a1,b1,c1,d1,e1,f1,g1,i1,m1,o1,p1,q1,r1,s1,t1,u1,v1 from 2022/18
0059	0CBAGN	083040QL00			D			LID WITH CHOKE RTP+FLEX EU	h1,l1,n1,j,q - EU - From 2021/35 Up to 2022/17



From Ser. Nr. Up to Ser. Nr.	Ed. 2017-02	Page: 5	Doc No: 595402C00



From Ser. Nr. Up to Ser. Nr.	Ed. 2017-02	Page: **6**	**Doc No: 595402C00**

Modelo 603885


Tabla 595402C00 Página 6 Electric components

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0060	0CA846	0503403D01			D			RIGHT SIDE PANEL	
0061	0CA847	0503403F01			D			LEFT SIDE PANEL	
0062	0CA682	0541401600			D			FRAME; LEFT; FOR FILTER; HSPE	
0063	0CBAGP	083040LU01		S				USER INTERFACE W/CONTROL PANEL W/NIU	
0063	0CBAGQ	083040LV01						USER INTERFACE BOARD WOUT/ NIU	FOR 200V JAPAN
0064	0C3750	0546814001		S		+		DISTANCIADOR; 6.6	Up to 2019/37
0065	0CK042	0657400103						CONNECTIVITY WI-FI BOARD (NIU-HACL)	
0066	0CA684	0541401800							
0067	0CA683	0541401700							
0068	0CA696	0549400Q00		S				FILTER; 128X53X10MM; HPSE	
0069	0CA687	0541401B00						PLUG; USB; HSPE	
0070	0CA681	0541401500			D			FRAME; RIGHT;FOR FILTER; HSPE	
0071	0CA705	0638404200			D			EXTENSION CABLE; USB HSPE	
0072	0C1885	0652800801		S				FUSIBLE; F 15A 10X38; USA	FOR 208V
0072	0CA704	0638404101						POWER BOARD; ACU HSPE	See T.B.PDD2021-11
0073	0CA961	0640400500		S	A			ON/OFF SWITCH; HSPE	
0074	0CA810	0648400P00		S		+		CONTACTOR; AF16-40-00-13	
0074	0CA863	0652400800		S				FUSE; 8A 10,3X38MM	FOR 400V
0075	0CA811	OH58194500						AUXILIARY CONTACT; CE5-10D0.1	
0076	0CA848	0639F00600				+		FUSE CARRIER	
0077	002820	0652801800		S				FUSIBLE; 160MA FCV/G; SLOW-ACTING HSG XP	
0078	075737	0652603200				+		PORTAFUSIBLE	
0079	0CA875	0652400900		S				FUSE; 12A 10,3X38	FOR 200V 50Hz - 230V
0079	0CB117	0652806400		S				FUSE; 10A 10.3X38MM	FOR 200V 60Hz
0081	0CA722	0830408300		S				DIODE CARD; HSPE	
0082	0CA808	0694400G00		S				CAPACITOR; 0.75 MF 2500VAC REF CH85 - HS	FOR 200V - 208V - 420V
0082	0CA876	0694400F00		S				CAPACITOR; 0,90MF 2500VAC REF CH85	FOR 230V - 400V
0083	0CA849	0546400P00						RUBBER BUMPER	
0084	0CA719	0805407000	0CBCEO	S				HANDLE LOCKING MECHANISM; HSPE	
0085	0CA712	0654400000						REED SWITCH; CELDUC PSA 60010; HSPE	
0086	0CA713	0654400100						REED SWITCH; CELDUC PLA 10101U; HSPE	
0087	0C8150	0514400R00				+		CIERRE DE CONTACTO	
0088	0CA831	0805406Z01		S				MAGNETRON; ASSY	
0089	0CA707	0646400800		S				KLIXON; 100°C; 12V; HSPE	
0090	0CA717	0682400400		S	D			FAN; 92X38MM; HSPE	
0091	0CA690	0544401100			D			EXHAUST PIPE; SHORT; HSPE	

Modelo 603885

Tabla 595402C00 Página 6 Electric components

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0092	0CA689	0544401000			D			FIXING; LEFT/RIGHT; HSPE	
0093	0CA691	0544401200							
0094	0CA699	0830407Y01						TRANSFORMER;230V 2500V 50HZ 3,5KVA;HSPE	FOR 230V / FOR 230V
0094	0CA700	0830407X02		S				TRANSFORMER;208V 2500V 60HZ 3,5KVA;HSPE	FOR 208V / FOR 208V
0094	0CA701	0830407W01		S	A			TRANSFORMER;400V 2500V 50HZ 3,5KWA;HSPE	FOR 400V / FOR 400V
0094	0CB092	083040BB00			A			TRANSFORMER; 200V 50HZ JAP TRASF.HV;HSPE	FOR 200V / FOR 200V JAP 50Hz
0094	0CB095	083040BC00			A			TRANSFORMER; 200V 60HZ JAP TRASF.HV;HSPE	FOR 200V / FOR 200V JAP 60Hz
0094	0CB097	083040BD00			A			TRANSFORMER; 420V; HSPE AUSTRALIA	FOR 420V / FOR 420V AUS
0094	0CB812	083040NT00						TRANSFORMER; 3,5KVA 208/240V-2500V/3V 60	FOR 240V / FOR 240V
0096	0CA716	0682400300		S	D			FAN; 92X25MM; HSPE	
0098	092931	0514R01701			D			GOMA	
0099	0CA677	0506404L00						SPRING; FOR LID; HSPE	
0100	0CA714	0654400200						REED SWITCH; CELDUC PLC 12430U; HSPE	
0101	0CA695	0549400P00						MAGNET; CELDUC P6250000; HSPE	
0102	0C8218	0544400K00				+		RODAMIENTO	
0103	049436	0218306125						TUERCA; M20X1,5	
0104	0CA852	0547400300						BUSHING	
0105	0CB102	0800401W01			D			BACK PANEL; HSPE	
0106	0C0068	0544802300				+		*PRENSACABLE XP	FOR 208V - 400V
0106	0CA987	0544401900			D			FIXING CABLE	FOR 230V
0108	0C8496	0694400600	0CB731					FILTRO ANTIDISTURBIOS; 115/250VAC 30A	FOR 208V - 230V - Up to 2019/37
0108	0CA862	0694400D00		S	D			3-P RIF FILTER; EMC 400V,3N,50HZ,DEM	FOR 400V - Up to 2019/37
0108	0CB731	0694401400						RIF FILTER; 115/250VAC H&L 30S4-1B474103	FOR 208V - 230V - From 2019/38 See TB PDD2020-03
0109	0C8105	0548400S00	0D6791			+		PIE NIVELADOR	40 MM - JAP
0109	0C8267	0548401A00	0D7082			+		PATA; L=26MM	26 MM
0111	0CA688	0543401L00	0CB378					SEALING RING; DIA. 17,17- S 1,78	Up to 8231
0111	0CB378	0543402V00						O-RING; DIA.19.7x16x3SP	From 8241
0112	0CB053	0514404500						SPRING FIXING SHAFT; HSPE	
0113	0CB052	0835402F04						LID HINGE; SHAFT; HSPE	
0114	0CB023	0650400000			D			SENSING BOARD FOR MAG. CURRENT; HSPE V2	Up to 2019/37
0118	0CB536	0514408201						SPACER; L=170MM	170mm
0119	0BC118	0805407B02							
0120	0CB107	0634400U00			D			WIRING HARNESS J2 UNLOCKING MECHANISM	
0121	0CA703	0634400T00			D			WIRING HARNESS; UI-ACU HSPE	
0129	0CBAGS	083040QT0O						KIT SPACER; 120 MM	120mm
097a	0C3435	0652608D00						PANEL DE CONTROL; ASSY	From 2021/30



From Ser. Nr. Up to Ser. Nr.	Ed. 2017-02	Page: **7**	**Doc No: 595402C00**

Modelo 603885

Tabla 595402C00 Página 7 Electric components

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0122	0CB473	0634400S03			D			WIRING HARNESS; MAGNETRON HSPE	Up to 2019/37
0122	0CB733	0634402600						WIRING HARNESS	From 2019/38
0123	0CB063	0634401G			D			WIRING HARNESS; SENSING TA HSPE	Up to 2019/37
0124	0CA702	0634400M						WIRING HARNESS; HSPE	
0125	0CB084	0634400N04						WIRING HARNESS; HSPE	Up to 2019/37
0125	0CB734	0634402700			D			WIRING HARNESS; NO SENSING HSPE	From 2019/38
0126	0CB273	0634400R02			D			SWITCH WIRING HARNESS; HSPE	
0127	0CB309	0634400P00			D			WIRING HARNESS; HSPE	
0128	0CB274	0634400Q00			D			WIRING HARNESS; HSPE	

Pos	Code	Factory code	Descrizione	Description	Ref/notes
200	0CB419	----------	KIT MANUTENZIONE 1° ANNO	1st YEAR MAINTENANCE KIT	For all products pos. 48+68
201	0CB420	----------	KIT MANUTENZIONE 2° ANNO (STANDARD)	2nd YEAR MAINTENANCE KIT (STANDARD)	For all NO FLEX prod-ucts pos. 2+29+48+68
202	0CB421	----------	KIT MANUTENZIONE 2° ANNO (FLEX)	2nd YEAR MAINTENANCE KIT (FLEX)	For all FLEX products pos. 2+29+48+68+55+56
	0CBAEW		SPEEDELIGHT TRAY 1st YEAR MAINTE-NANCE; KIT	SPEEDELIGHT TRAY 1st YEAR MAINTE-NANCE; KIT	For all products pos. 68
	0CBAEX		SPEEDELIGHT TRAY 2nd YEAR MAINTE-NANCE; KIT	SPEEDELIGHT TRAY 2nd YEAR MAIN-TENANCE; KIT	For all NO FLEX prod-ucts pos. 2+29+68
	0CBAEY		SPEEDELIGHT TRAY FLEX 2nd YEAR MAINTENANCE; KIT	SPEEDELIGHT TRAY FLEX 2nd YEAR MAINTENANCE; KIT	For all FLEX products pos. 2+29+68+55+56