Electrolux


SPARE PARTS CATALOGUE
CATALOGO PARTI DI RICAMBIO

FRY TOP GAS E700XP
GAS GRIDDLES E700XP

PNC	Model	Ref	Pag.	Brand	Version	Notes
371029	E7FTGDSS00	a	2-4	ELX	GAS	SMOOTH PLATE 400 MM
371030	E7FTGDSR00	b	2-4	ELX	GAS	RIBBED PLATE 400 MM
371031	E7FTGHSS00	d	2-4	ELX	GAS	SMOOTH PLATE 800 MM
371032	E7FTGHSP00	e	2-4	ELX	GAS	SMOOTH+RIBBED PLATE 800 MM
371037	E7FTGDCS00	c	2-4	ELX	GAS	SMOOTH CHROME PLATE 400 MM
371038	E7FTGHCS00	f	2-4	ELX	GAS	SMOOTH CHROME PLATE 800 MM
371041	E7FTGHCP00	g	2-4	ELX	GAS	SMOOTH+RIBBED CHR.PLATE 800MM
372029	Z7FTGDHS00	h	2-4	ZAN	GAS	SMOOTH PLATE 400 MM
372030	Z7FTGDSR00	i	2-4	ZAN	GAS	RIBBED PLATE 400 MM
372031	Z7FTGHHS00	l	2-4	ZAN	GAS	SMOOTH PLATE 800 MM
372032	Z7FTGHSP00	m	2-4	ZAN	GAS	SMOOTH+RIBBED PLATE 800 MM
372037	Z7FTGDCS00	n	2-4	ZAN	GAS	SMOOTH CHROME PLATE 400 MM
372038	Z7FTGHCS00	o	2-4	ZAN	GAS	SMOOTH CHROME PLATE 800 MM
372041	Z7FTGHCP00	p	2-4	ZAN	GAS	SMOOTH+RIBBED CHR.PLATE 800MM
372158	Z7FTGDSS0H	q	2-4	ZAN	GAS	SMOOTH PLATE 400 MM-HAKVOORT
373029	A7FTGDHS00	r	2-4	OEM	GAS	SMOOTH PLATE 400 MM
373030	A7FTGDSR00	s	2-4	OEM	GAS	RIBBED PLATE 400 MM
373031	A7FTGHHS00	t	2-4	OEM	GAS	SMOOTH PLATE 800 MM
373032	A7FTGHSP00	u	2-4	OEM	GAS	SMOOTH+RIBBED PLATE 800 MM
373037	A7FTGDCS00	v	2-4	OEM	GAS	SMOOTH CHROME PLATE 400 MM
373038	A7FTGHCS00	w	2-4	OEM	GAS	SMOOTH CHROME PLATE 800 MM
373041	A7FTGHCP00	z	2-4	OEM	GAS	SMOOTH+RIBBED CHR.PLATE 800MM
373224	A7FTGDSS0K	A1	2-4	KIP	GAS	SMOOTH PLATE 400 MM
373225	A7FTGDSR0K	B1	2-4	KIP	GAS	RIBBED PLATE 400 MM
373226	A7FTGHSS0K	C1	2-4	KIP	GAS	SMOOTH PLATE 800 MM
373227	A7FTGHSP0K	D1	2-4	KIP	GAS	SMOOTH+RIBBED PLATE 800MM

Pag	Index	Indice	Note
2	General components	Componenti struttura	Nozzles update
3,4	Gas components	Componenti Gas	
5,6,7	Spare parts list	Lista ricambi	

Brand/Marchio: All
Factory code: 9PDX


17
19
20 = 17+18+19
Assieme / Assembly
18
28
16
30
11
12
31
33
32
50
22
13
5
7
34
21
26
24
25
27
1
2
26
23
24
25

Modelo 371037

Tabla 59785DW00 Página 2 Armazón y componentes


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0001	000000	5038A2C00							
0001	000000	5038A2D00							
0002	000000								
0005	0C7268	85089FA01			D			PANEL DE REVESTIMIENTO	ZAN, OEM
0005	0C7536	85089F802			D			PANEL DE REVESTIMIENTO	ELX
0005	0C8464	85089FB01			D			PANEL DE REVESTIMIENTO	ZAN, OEM
0005	0C8544	85089F701						COBERTURA	ELX
0007	000000								
0011	0C7873	87589AG00						*PLACA CROMO FRY-TOP 371037	c - untill ser. 209
0011	0C8581	87589CJ00						ESTANTE; SMOOTH CHROME	c - from ser. 210
0012	0C6237	806860101						TUBO DESCARGA GRASA FRY TOP N700	
0013	0C7663	85589B803						*PANEL DE CONTROL	ELX
0013	0C7664	85589C702						PANEL DE CONTROL	ELX - CHROME
0013	0C7670	87089JM03						PANEL DE CONTROL	ZAN - CHROME
0013	0C7671	87089JQ03						PANEL DE CONTROL	ZAN
0013	0C7672	87089JR03						PANEL DE CONTROL	ELX
0013	0C7681	87089K402						PANEL DE CONTROL	ZAN - CHROME
0013	0C7688	87089LW04						PANEL DE CONTROL	OEM
0013	0C7689	87089LX03						PANEL DE CONTROL	OEM - CHROME
0013	0C7690	87089LY03						PANEL DE CONTROL	OEM - CHROME
0013	0C7870	85589B903						PANEL DE CONTROL	ELX - CHROME
0013	0C8572	87089MU03						PANEL DE CONTROL	ZAN
0013	0C8573	87089MV04						PANEL DE CONTROL	OEM
0016	0C2964	532806904	0CA420					*MARCO ANTISALPICADURAS PR/ G1FL	Up to ser 524
0016	0C2965	532807104			D			*MARCO ANTISALPICADURAS PR/ G1FL	Up to ser 524
0017	0CA412	50089B000			D			SPLASH GUARD; REAR; 400	400 mm
0017	0CA413	50089B100			D			SPLASH GUARD; REAR; 800	800 mm
0018	0CA414	50089B200			D			SPLASH GUARD; LEFT SIDE	From ser 525
0019	0CA415	50089B300			D			SPLASH GUARD; RIGHT SIDE	From ser 525
0020	0CA420	85089NA00						SPLASH GUARD; ASSY; TOP 400 N7E-N9E	400 mm
0020	0CA421	85089NB00			D			SPLASH GUARD; ASSY; 800 FRY TOP N7E-N9E	800 mm - from ser 525
0021	059251	835829600	0C9240				02005	ENCENDEDOR R700, NT02005	
0022	006514	638883500	002544		A			CABLE ENCENDIDO R700	
0023	0C6171	541813800	0C6172			+		ARANDELA; SILICONA	
0024	0C7332	548876T00		S				GUIA	ELX
0024	0C7571	548879N00						GUIA	ZAN, OEM

Modelo 371037

Tabla 59785DW00 Página 2 Armazón y componentes

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0024	0C7637	548877R00						GUIA	ELX - CHROME
0024	0C7661	54887A000						GUIA	ZAN, OEM - CHROME
0025	0C1007	548865600		S				MANDO; ØE=55,5MM; PIN=Ø8MM	OEM
0025	0C1380	548865700		S				MANDO XP	OEM - CHROME
0025	0C6670	511850G01	0C8700			+		*MANDO PARRILLA 1690.. AGG..	ELX
0025	0C6670	511850G01	0C8700			+		*MANDO PARRILLA 1690.. AGG..	ELX - CHROME
0025	0C6746	548876W00						MANDO; DIA.8	KIP, A1,B1,C1,D1
0025	0C7180	548878001		S				MANDO; DIA.10MM EVO	ZAN - CHROME
0025	0C7425	548878101		S				MANDO; DIA.8MM EVO	ZAN
0026	069567	218912211	0C6288					ANILLO FIJACION XP	
0027	0C7662	85089CY00						CAJON RECOGEGRASA FRYTOP 800	
0027	0C7868	85089CW00						CAJON	
0028	0C7333	50389LP00		S				REJILLA DE CHIMENEA; L=400MM	
0030	0C0137	516860702	0C9655			+		PLACA FIJ.TRASERA XP	
0031	055995	805848202	0CC064	S				RASCADOR; PARA PLACA LISA	
0031	056940	f164257	0CB172					RASCADOR PLACA RANURADA XP	
0032	056347	506887401	0C6241			+		CUCHILLA PARA RASQUETA	
0033	055995	f164255	0CC064	S				RASCADOR; PARA PLACA LISA	
0033	056940	830851300	0CB172					RASCADOR PLACA RANURADA XP	
0034	000000	50489UG00							800 mm
0034	000000	50489UH00							400 mm
0050	000000	50289D300							
0050	0CB125	50289D400			D			COMBUSTION CHAMBER; FRY TOP 1/2M	

mild steel plate - piastra ferro



A - Ugello bruciatore / Burner nozzle			
Spare Code	**Ref. / Notes**		
0A2102	ø2	2H/2E+	G20 20mbar
0A2077	ø1.85	2H	G20 25mbar
0A2083	ø2.20	2ELL	G25 20mbar
058335	**Ø2.05**	2L	G25 25mbar
059418	**ø2.15**	2S	G25.1 25mbar
0A2533	ø1.35	3+3B/P	G30 30mbar
002393	ø1.30	3B/P	G30 36mbar
0A2650	ø1.20	3B/P	G30 50mbar
0A2083	**ø2.20**	**No CE**	**G20 10mbar**

B - Ugello pilota / Pilot nozzle			
Spare Code	**Ref./ Notes**		
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H	G20 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2S	G25.1 25mbar
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 36mbar
059216	n°14	3B/P	G30 50mbar
059215	**n°27**	**No CE**	**G20 10mbar**

C - Vite di minimo / Min screw			
Spare Code	**Ref./ Notes**		
002994	n°145	2H/2E+	G20 20mbar
002994	n°145	2H	G20 25mbar
002994	n°145	2ELL	G25 20mbar
002994	n°145	2L	G25 25mbar
002994	n°145	2S	G25.1 25mbar
004595	n°100	3+3B/P	G30 30mbar
004595	n°100	3B/P	G30 36mbar
002926	n°90	3B/P	G30 50mbar
002994	**n°145**	**No CE**	**G20 10mbar**

Modelo 371037

Tabla 59785DW00 Página 3 Componentes gas


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0000	002393			S		+		INYECTOR QUEMADOR D.1,30 MT/G	
0000	002926					+		INYECTOR D.0,90 GLP PR700	
0000	002994							TORNILLO REG.MINIMO D.1,45	
0000	004595							INYECTOR MIN.GRIFO PR/G700	
0000	058335							INYECTOR D.2,05 MM	
0000	059215			S				INYECTOR PILOTO; N.27 GN	
0000	059216			S		+		INYECTOR PILOTO; N.14 G.L.P.	
0000	059418					+		INYECTOR D.2,15 HPN/G1810	
0000	0A2077			S		+		INYECTOR QUEMADOR G.P.L.	
0000	0A2083			S				INYECTOR; N°220; GAS NATURAL	
0000	0A2102			S				INYECTOR D.2,00 G.N. FCV/10	
0000	0A2533			S		+		INYECTOR D.1,35 GLP FCV/G6	
0000	0A2650			S		+		INYECTOR QUEMADOR; N°120; GPL 30-37MBAR	
0050	000000	50289D300							
0050	0CB125	50289D400			D			COMBUSTION CHAMBER; FRY TOP 1/2M	
0051	000000	533826703							
0051	000000	533826803							
0052	000000	528853402							
0053	000000	528856300							
0054	0C3067	856801501						RAMPA DE ALIMENTACION	from ser 525
0054	0C3068	856801602						RAMPA DE ALIMENTACION	
0054	0C3069	856801702						RAMPA DE ALIMENTACION	Chrome plate
0054	0C3070	856801802						RAMPA DE ALIMENTACION	Chrome plate
0055	0C6971	543844000						GUARNICION/JUNTA	
0057	0C0205	835857202		S	A			GRIFO GAS; 21S	Mild steel plate
0060	005503	830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0062	059380	830863300		S				ELECTRODO; DIAM.6X44 MM	
0063	057960	214164101		S				RACORD; ELECTRODO	
0064	004591	830883404		S				QUEMADOR RR/G1F2	
0065	052062	215088100		S				CASQUILLO REG AIRE XP	
0066	051119	830853101		S				TERMOPAR; M8X1 L=150 CM	Mild steel plate
0066	0C3162	831818901		S	A			TERMOPAR C/CABLEADO; ORKLY 16400-353	Chrome plate
0068	059375	511805801		S				PORTAINYECTOR FCV/G XP	
0069	020997	214105101		S		+		TUERCA	
0070	0C5159	806846801						CONDUCTO VALVULA-QUEMADOR; FRY TOP DX	
0070	0C5160	806846001						CONDUCTO VALVULA-QUEMADOR	

Modelo 371037

Tabla 59785DW00 Página 3 Componentes gas

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0071	0C5161	806846102						CONDUCTO VALVULA A QUEMADOR; IZQUIERDA	400 mm
0071	0C5162	806846202						*CODO CONDUCCION	400 mm
0071	0C5163	806846901						CONDUCTO VALVULA-QUEMADOR; SX FRY TOP	800 mm
0072	000000	517896200							
0072	0C5046	517896102						CONDUCTO VALVULA-QUEMADOR	
0073	0C5071	517896502						TUBO DE QUEMADOR; LEFT	
0074	052125	214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0075	052127	215199700		S		+		BICONO GRIFO; DIAM.4MM	
0076	059161	517808700		S				BICONO PILOTO; DIAM.4MM	
0077	0A2125	514829301						TUERCA FIJ.TUBO; M16X1,5	
053a	000000	528856200							

chrome plate - piastra cromo



A - Ugello bruciatore / Burner nozzle			
Spare Code	**Ref. / Notes**		
0A2102	ø2	2H/2E+	G20 20mbar
0A2077	ø1.85	2H	G20 25mbar
0A2083	ø2.20	2ELL	G25 20mbar
058335	**ø2.05**	2L	G25 25mbar
059418	**ø2.15**	2S	G25.1 25mbar
0A2533	ø1.35	3+3B/P	G30 30mbar
002393	ø1.30	3B/P	G30 36mbar
0A2650	ø1.20	3B/P	G30 50mbar
0A2081	ø2.30	No CE	G20 10mbar

B - Ugello pilota / Pilot nozzle			
Spare Code	**Ref./ Notes**		
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H	G20 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2S	G25.1 25mbar
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 36mbar
059216	n°14	3B/P	G30 50mbar
059215	n°27	No CE	G20 10mbar

C - Vite di minimo / Min screw			
Spare Code	**Ref./ Notes**		
0A5422	n°160	2H/2E+	G20 20mbar
003159	n°140	2H	G20 25mbar
0A5422	n°160	2ELL	G25 20mbar
0A5422	n°160	2L	G25 25mbar
0A5422	n°160	2S	G25.1 25mbar
003321	n°110	3+3B/P	G30 30mbar
004602	n°100	3B/P	G30 36mbar
0C2987	n°90	3B/P	G30 50mbar
004599	**n°150**	No CE	G20 10mbar

Modelo 371037

Tabla 59785DW00 Página 4 Componentes gas

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0000	002393			S		+		INYECTOR QUEMADOR D.1,30 MT/G	
0000	003159							TORNILLO MIN.VALV.1,40MCF/G (VER NT-20006	
0000	003321							TORNILLO MIN VALV.1,40 CCF/G	
0000	004599					+		INYECTOR DE MINIMOS D.1,50 GN	
0000	004602							TORNILLO DE MINIMO	
0000	058335							INYECTOR D.2,05 MM	
0000	059215			S				INYECTOR PILOTO; N.27 GN	
0000	059216			S		+		INYECTOR PILOTO; N.14 G.L.P.	
0000	059418					+		INYECTOR D.2,15 HPN/G1810	
0000	0A2077			S		+		INYECTOR QUEMADOR G.P.L.	
0000	0A2081					+		INYECTOR; DIA 2,30	
0000	0A2083			S				INYECTOR; N°220; GAS NATURAL	
0000	0A2102			S				INYECTOR D.2,00 G.N. FCV/10	
0000	0A2533			S		+		INYECTOR D.1,35 GLP FCV/G6	
0000	0A2650			S		+		INYECTOR QUEMADOR; N°120; GPL 30-37MBAR	
0000	0A5422							TORNILLO DE MINIMO	
0000	0C2987					+		VITE DI MINIMO; DIA 0,90	
0050	000000	50289D300							
0050	0CB125	50289D400			D			COMBUSTION CHAMBER; FRY TOP 1/2M	
0051	000000	533826703							
0051	000000	533826803							
0052	000000	528853402							
0053	000000	528856300							
0054	0C3067	856801501						RAMPA DE ALIMENTACION	from ser 525
0054	0C3068	856801602						RAMPA DE ALIMENTACION	
0054	0C3069	856801702						RAMPA DE ALIMENTACION	Chrome plate
0054	0C3070	856801802						RAMPA DE ALIMENTACION	Chrome plate
0060	005503	830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0062	059380	830863300		S				ELECTRODO; DIAM.6X44 MM	
0063	057960	214164101		S				RACORD; ELECTRODO	
0064	004591	830883404		S				QUEMADOR RR/G1F2	
0065	052062	215088100		S				CASQUILLO REG AIRE XP	
0066	051119	830853101		S				TERMOPAR; M8X1 L=150 CM	Mild steel plate
0066	0C3162	831818901		S	A			TERMOPAR C/CABLEADO; ORKLY 16400-353	Chrome plate
0068	059375	511805801		S				PORTAINYECTOR FCV/G XP	
0069	020997	214105101		S		+		TUERCA	

Modelo 371037

Tabla 59785DW00 Página 4 Componentes gas

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0070	0C5159	806846801						CONDUCTO VALVULA-QUEMADOR; FRY TOP DX	
0070	0C5160	806846001						CONDUCTO VALVULA-QUEMADOR	
0071	0C5161	806846102						CONDUCTO VALVULA A QUEMADOR; IZQUIERDA	400 mm
0071	0C5162	806846202						*CODO CONDUCCION	400 mm
0071	0C5163	806846901						CONDUCTO VALVULA-QUEMADOR; SX FRY TOP	800 mm
0072	000000	517896200							
0072	0C5046	517896102						CONDUCTO VALVULA-QUEMADOR	
0073	0C5071	517896502						TUBO DE QUEMADOR; LEFT	
0074	052125	214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0076	059161	517808700		S				BICONO PILOTO; DIAM.4MM	
0077	0A2125	514829301						TUERCA FIJ.TUBO; M16X1,5	
0079	0C6235	835873700		S	A	+		VALVULA GAS; EUROSIT; 320°C	Chrome plate
0080	056009	835819400		S				TAPON; 3/8"; PARA VALVULA GAS	Chrome plate
0081	004600	646808600		S				TERMOSTATO SEGURIDAD; 360°C	Chrome plate
0082	004491	548848401	0C8571					EXTENSION; POR VALVULA DE GAS	Chrome plate
053a	000000	528856200							