
Electrolux

SPARE PARTS CATALOGUE
CATALOGO PARTI DI RICAMBIO
FRYTOP GAS E900XP
GAS FRYTOP E900XP

PNC	Model	Ref	Pag.	Brand	Version	Notes
391048	E9FTGDHS00	a	2-4	ELX	GAS	SMOOTH HORIZONTAL PLATE 400MM
391049	E9FTGDSR00	c	2-4	ELX	GAS	RIBBED SLOPED PLATE 400 MM
391050	E9FTGHHS00	b	2-4	ELX	GAS	SMOOTH HORIZONTAL PLATE 800MM
391051	E9FTGHSP00	d	2-4	ELX	GAS	SMOOTH+RIBB.SLOPED PL.800 MM
391053	E9FTGDCS00	e	2-4	ELX	GAS	CHR.SMOOTH SLOPED PLATE 400MM
391054	E9FTGHCS00	f	2-4	ELX	GAS	CHR.SMOOTH SLOPED PLATE 800MM
391055	E9FTGHCP00	g	2-4	ELX	GAS	CHR.SMOOTH+RIBB.SLOPED 800 MM
391052	E9FTGHSPG0	h	2-4	ELX	GAS	SMOOTH+RIBB.SLOPED+OVEN 800MM
391303	E9FTGHSP0W	z	2-4	ELX	GAS	SMOOTH+RIBB.SLOPED PL.800 MM
392048	Z9FTGDHS00	i	2-4	ZAN	GAS	SMOOTH HORIZONTAL PLATE 400MM
392049	Z9FTGDSR00	j	2-4	ZAN	GAS	RIBBED SLOPED PLATE 400 MM
392050	Z9FTGHHS00	k	2-4	ZAN	GAS	SMOOTH HORIZONTAL PLATE 800MM
392051	Z9FTGHSP00	l	2-4	ZAN	GAS	SMOOTH+RIBB.SLOPED PL.800 MM
392053	Z9FTGDCS00	m	2-4	ZAN	GAS	CHR.SMOOTH SLOPED PLATE 400MM
392054	Z9FTGHCS00	n	2-4	ZAN	GAS	CHR.SMOOTH SLOPED PLATE 800MM
392055	Z9FTGHCP00	o	2-4	ZAN	GAS	CHR.SMOOTH+RIBB.SLOPED 800 MM
392052	Z9FTGHSPG0	p	2-4	ZAN	GAS	SMOOTH+RIBB.SLOPED+OVEN 800MM
393048	A9FTGDHS00	q	2-4	OEM	GAS	SMOOTH HORIZONTAL PLATE 400MM
393049	A9FTGDSR00	r	2-4	OEM	GAS	RIBBED SLOPED PLATE 400 MM
393050	A9FTGHHS00	s	2-4	OEM	GAS	SMOOTH HORIZONTAL PLATE 800MM
393051	A9FTGHSP00	t	2-4	OEM	GAS	SMOOTH+RIBB.SLOPED PL.800 MM
393052	A9FTGHSPG0	y	2-4	OEM	GAS	SMOOTH+RIBB.SLOPED+OVEN 800MM
393053	A9FTGDCS00	u	2-4	OEM	GAS	CHR.SMOOTH SLOPED PLATE 400MM
393054	A9FTGHCS00	v	2-4	OEM	GAS	CHR.SMOOTH SLOPED PLATE 800MM
393055	A9FTGHCP00	x	2-4	OEM	GAS	CHR.SMOOTH+RIBB.SLOPED 800 MM

Pag	Index	Indice	Note
2	General componets	Componenti struttura	
3	General componets	Componenti struttura	
4	Gas components	Componenti Gas	
5	Nozzle	Ugelli	
6-8	Spare parts list	Lista ricambi	

Brand/Marchio: All
Factory code: 9PDX



From sr. Nr/ Da Ser. Nr.: 016 Page: 2 Ed. 2019 07	Doc. Nr.: **059785FV00**

Modelo 391050

Tabla 59785FV00 Página 2 Componenti struttura

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0001	000000	530800006							
0001	000000	530800106							
0002	026806	315252601		S				PIE CON TORNILLO M6; Ø=18MM	
0003	000000	85089DR01							ELX
0003	000000	85089DU01							ZAN, OEM
0003	000000	85089DV01							ELX
0003	000000	85089DZ01							FREESTANDING
0003	000000	85089F401							ELX FREESTANDING
0003	0C9625	85089DS02			D			PANEL DE REVESTIMIENTO	ELX
0004	0C0156	527850500						REFUERZO FIJ.LATERAL XP	ZAN, OEM
0005	0C7223	875899Q00						*PLACA LISA CROMADA	ELX
0005	0C7437	87089DX00						PLACA LISA; COMPLETE	ZAN, OEM
0005	0C7438	87089DY00						PLACA RANURADA; COMPLETE	ZAN, OEM
0005	0C7440	87089F000						ESTANTE; WITH PLATE	ZAN, OEM
0005	0C7441	87089F100						PLACA RANURADA; 1/3 RIBBED	ZAN, OEM
0005	0C7442	87089F200						PLACA LISA CROMADA; COMPLETE	ZAN, OEM
0005	0C7443	87089F300						ESTANTE; WITH SMOOTH CHROME PLATE	ZAN, OEM
0005	0C7444	87089F400						ESTANTE; WITH CHROME PLATE;1/3 RIBBED	ZAN, OEM
0005	0C7468	875899F00						PLACA LISA; ASSY; GAS	ELX
0005	0C7470	875899L00						PLACA DE COCCION; 1/3 RIBBED; GAS	ELX
0005	0C7472	875899N00						PLACA RANURADA; GAS	ELX
0005	0C7475	875899S00						PLACA LISA; GAS	ELX
0005	0C7477	875899U01						PLACA LISA CROMADA	ELX
0005	0C7479	875899W00						PLACA LISA CROMADA; 1/3 RIBBED; GAS	ELX
0006	000000	206250401							
0007	0C9887	530887904			D			CAMARA DE COMBUSTION	
0007	0CA380	538860604			D			COMBUSTION CHAMBER;FRY TOP 800 GAS N900	
0008	000000	528885301							
0008	0CA381	538860701			D			FRONT PANEL; FRY TOP GAS 800 N900	
0009	000000	528885201							
0009	0CA382	528884400			D			FRONT PANEL; LEFT	
0009	0CA383	528885100			D			FRONT PANEL; RIGHT	
0010	057400	275290025	0C5340			+		CRISTAL MIRILLA FCF TH (VER KIT 0C5340)	
0011	057382	206260400		S		+		MARCO VISOR PILOTO PS/G XP	
0012	057402	282217401		S		+		JUNTA; PARA VIDRIO DE INSPECCION	
0013	0C6384	511833100						TAPON XP	

Modelo 391050


Tabla 59785FV00 Página 2 Componenti struttura

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0014	0C6254	806875200						TUBO RECOGEGRASA	
0015	0C7333	50389LP00		S				REJILLA DE CHIMENEA; L=400MM	
0016	0C6385	530899801						ANTISALPICADURAS; FRY TOP 800 N900	Up to ser 524
0016	0C6386	530899901	0CA420					ANTISALPICADURAS; FRY TOP 400 N900	Up to ser 524
0017	0C7211	85589A804						PANEL DE CONTROL	ELX
0017	0C7431	85589A905						PANEL DE CONTROL	ELX
0017	0C7432	85589AA03						PANEL DE CONTROL	ELX
0017	0C7436	87089DW02						PANEL DE CONTROL	ZAN
0017	0C7439	87089DZ03						PANEL DE CONTROL	ZAN
0017	0C7445	87089F502						PANEL DE CONTROL	ZAN
0017	0C7460	87089HA04						PANEL DE CONTROL	OEM
0017	0C7461	87089HB04						PANEL DE CONTROL	OEM
0017	0C7462	87089HG04						PANEL DE CONTROL	OEM
0018	0C7205	85089CV00						CAJON	
0018	0C7303	85089CX00						CAJON	
0019	0C5252	548872700						MANDO; TERMOST.VALV.	OEM
0019	0C7179	548877Z01		S				MANDO TERMOSTATO VALVULA MERTIK EVO	ZAN
0019	0C7330	511850D02	0C8645					MANDO ELECTROLUX XP	ELX up to 224
0019	0C8715	511851100		S		+		MANDO	ELX from 225
0020	0C0190	548856603		S				MANDO; PARA ENCENDED.MERTIK; ØE=32MM	OEM
0020	0C2021	548863303		S				MANDO; ENCENDIDOR MERTIK; AZUL	ELX
0020	0C7181	548878303		S				MANDO ENCENDIDO VALVULA GAS EVO	ZAN
0022	053816	543821000		S				GUARNICION; ØI=4,5MM; ØE=14MM; H=3MM	
0023	0C7241	548879700						GUIA	ZAN, OEM
0023	0C7329	548876Q01		S				GUIA	ELX
0023	0C7342	548877401						GUIA	ELX
0023	0C7429	548879900						CARATULA DE MANDOS ZANUSSI	ZAN, OEM
0024	0C6171	541813800	0C6172			+		ARANDELA; SILICONA	
0025	0C6288	218912211		S				ANILLO FIJACION EMBELLECEDOR (10 PCS) XP	
0027	0C0137	516860702	0C9655			+		PLACA FIJ.TRASERA XP	
0028	055995	805848202	0CC064	S				RASCADOR; PARA PLACA LISA	
0029	056347	506887401	0C6241			+		CUCHILLA PARA RASQUETA	
0030	056940	830851300	0CB172					RASCADOR PLACA RANURADA XP	
016a	0CA412	50089B000			D			SPLASH GUARD; REAR; 400	400 mm from 525
016a	0CA413	50089B100			D			SPLASH GUARD; REAR; 800	800 mm from 525
016b	0CA414	50089B200			D			SPLASH GUARD; LEFT SIDE	From ser 525

Modelo 391050

Tabla 59785FV00 Página 2 Componenti struttura

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
016c	0CA415	50089B300			D			SPLASH GUARD; RIGHT SIDE	From ser 525
016d	0CA420	85089NA00						SPLASH GUARD; ASSY; TOP 400 N7E-N9E	400 mm from 525
016d	0CA421	85089NB00						SPLASH GUARD; ASSY; 800 FRY TOP N7E-N9E	800 mm from 525




From sr. Nr/ Da Ser. Nr.: 016 Page: 3 Ed. 2019 07	Doc. Nr.: **059785FV00**

Modelo 391050

Tabla 59785FV00 Página 3 Componenti struttura

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0002	026806	315252601		S				PIE CON TORNILLO M6; Ø=18MM	
0003	000000	85089DR01							ELX
0003	000000	85089DU01							ZAN, OEM
0003	000000	85089DV01							ELX
0003	000000	85089DZ01							FREESTANDING
0003	000000	85089F401							ELX FREESTANDING
0003	0C9625	85089DS02			D			PANEL DE REVESTIMIENTO	ELX
0004	0C0156	527850500						REFUERZO FIJ.LATERAL XP	ZAN, OEM
0026	0C6445	538831100						PROTECCION BULBO	
002a	000000	50589CD00							WITH OVEN
0031	0C7272	50389G501						PUERTA DE HORNO	
0032	0C7273	50389G600						CONTRAPUERTA	
0033	0C0197	560839601						ISOLAMENTO	
0034	0C0195	560839400						ISOLAMENTO	
0035	0C0196	560839502						ISOLAMENTO	
0036	0C7226	51589A601						TIRADOR	ZAN
0036	0C7274	51589A500						TIRADOR	ELX
0036	0C7946	83089FY00						TIRADOR HORNO	OEM
0037	0C6891	530R01701						SOPORTE MANILLA	ELX
0038	0C6823	530R01801	0C6901			+		TAPON	ELX
0038	0C7271	85589A300						PUERTA DE HORNO; ASSY	ELX
0038	0C7276	85589CH01						PUERTA DE HORNO	ZAN
0038	0C7278	85589CQ00						PUERTA DE HORNO	OEM
0039	0C0203	835848100		S	A			CONJ.BISAGRA PUERTA HORNO	
0040	052725	205075423		S				TAPA BISAGRA XP	
0041	0C7335	51489AH00						GUIA DE BANDEJA	
0042	025020	330260843						REJILLA CROMADA; 650X530MM	
0043	0C0123	510818901						*SUELO HORNO KCF/G2 XP	
0044	0C0198	800833100						TAPA VISOR PILOTO XP	
0045	0C0218	870838210						FACCIATA	WITH OVEN
0046	0C0173	529836403						CHIMENEA	
0047	0C0174	529836503						CHIMENEA	
0048	0C0167	529835705						PANEL POSTERIOR	WITH OVEN
0049	0C0166	529835509						ENVOLVENTE	WITH OVEN
0050	000000	5038A1Z02							FREESTANDING



From sr. Nr/ Da Ser. Nr.: 016 Page: 4 Ed. 2019 07	Doc. Nr.: **059785FV00**

Modelo 391050

Tabla 59785FV00 Página 4 Componentes gas

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0100	0C6257	806877800						RAMPA DE ALIMENTACION; ASSY	
0100	0C6258	806877900						RAMPA DE ALIMENTACION; ASSY	
0101	051717	210360300						*TUERCA CIERRE RIBALTA XP	
0102	000000	528830702							
0103	0C1545	528815000						SOPORTE; RH.PILOTO HD900 N900	
0103	0C1546	528815100						SOPORTE; LH.	800 mm
0104	000000	528884500							
0105	0C0598	517878801		S				CONDUCTO XP	400 mm
0105	0C0598	517878801		S				CONDUCTO XP	800 mm DX
0105	0C0598	517878801		S				CONDUCTO XP	800 mm with - oven DX
0105	0C6252	513808300		S				CONDUCTO VALVULA-QUEMADOR; IZQUIERDO	800 mm SX
0105	0C6387	513809500						CONDUCTO; FOR PILOT BURNER; LEFT	800 mm with - oven SX
0106	0CA086	80589CF00						CONDUCTO; LEFT	800 mm SX
0106	0CA087	80589CC00						CONDUCTO; RIGHT	800 mm DX
0106	0CA090	80589CH00						CONDUCTO	400 mm
0107	0C6347	806879501						CONDUCTO	800 mm with - oven SX
0107	0CA088	80589CD00		S				CONDUCTO VALVULA-QUEMADOR; RIGHT	800 mm DX
0107	0CA089	80589CG00		S				CONDUCTO VALVULA-QUEMADOR; LEFT	800 mm SX
0107	0CA091	80589CJ00						CONDUCTO	400 mm - 800 mm with - oven DX
0108	0C5246	835853003		S	A			VALVULA GAS; GV30T-C3A7A2K0012; FRY TOP	
0110	052125	214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0111	052127	215199700		S		+		BICONO GRIFO; DIAM.4MM	
0112	006650	835853700		S				CONJ.QUEMADOR; 10KW	
0113	059375	511805801		S				PORTAINYECTOR FCV/G XP	
0114	052062	215088100		S				CASQUILLO REG AIRE XP	
0115	020997	214105101		S		+		TUERCA	
0116	004269	646808102		S				TERMOSTAT SEGURIDAD; 360°C	CHROME
0117	005503	830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0118	057960	214164101		S				RACORD; ELECTRODO	
0119	0C0121	214162000		S				RACORD FIJ.TERMOPAR XP	
0120	059161	517808700		S				BICONO PILOTO; DIAM.4MM	
0121	059380	830863300		S				ELECTRODO; DIAM.6X44 MM	
0122	025031	830852201		S				TERMOPAR; M9X1 L=60 CM	NOT CHROME
0122	0C3162	831818901		S	A			TERMOPAR C/CABLEADO; ORKLY 16400-353	CHROME
0123	0C0168	529835902						CHIMENEA	
0124	0C0169	529836000						CHIUSURA	

Modelo 391050

Tabla 59785FV00 Página 4 Componentes gas

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0125	0C0170	529836101						CHIUSURA	
0126	059250	511805401		S				PORTAINYECTOR XP	
0127	020997	214105101		S		+		TUERCA	
0128	054085	830827102						DOSIFICADOR RCF XP	
0129	020094	830852501		S				TERMOPAR; M9X1 L=120 CM	
0130	0C0171	529836201						*SOP. PILOTO ENCENDIDO XP	
0131	0C0172	529836300						*PROTECCION PILOTO ENC. XP	
0132	0C0175	529836602						PARALLAMAS QUEM.HORNO. XP	
0133	0A2125	514829301		S				TUERCA FIJ.TUBO; M16X1,5	
0134	060325	215073101		S				BICONO; ØE=12MM; ØI=10 MM; L=7,5MM	
0135	0C6389	513808901						CONDUCTO QUEMADOR-PILOTO	
0136	059221	830860902		S				QUEMADOR HORNO; 8,5KW	
0137	054029	506833401		S				GUARNICION INYECTOR GAS TH XP	
0138	0C0121	214162000		S				RACORD FIJ.TERMOPAR XP	
0139	059380	830863300		S				ELECTRODO; DIAM.6X44 MM	
0140	057960	214164101		S				RACORD; ELECTRODO	
0141	005503	830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0142	052125	214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0143	059161	517808700		S				BICONO PILOTO; DIAM.4MM	

A - Ugello bruciatore / Burner nozzle			
Spare part Code	Ref. / Notes		
0A2089	ø1.60	3+3B/P	G30 30mbar
059384	ø1.50	3B/P	G30 37mbar
0A2082	ø1.40	3B/P	G30 50mbar
0A2104	ø2.40	2H/2E+	G20 20mbar
0A2475	ø2.25	2H	G20 25mbar
059382	ø2.50	2L	G25 25mbar
0A2104	ø2.40	2K	G25.3 25mbar
0A2174	ø2.65	2ELL	G25 20mbar
059382	ø2.50	2S	G25,1 25mbar
0A2106	ø5.00	No CE	G110 8mbar

B - Ugello pilota / Pilot nozzle			
Spare part Code	Ref./ Notes		
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 37mbar
059216	n°14	3B/P	G30 50mbar
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H	G20 25mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2K	G25.3 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2S	G25,1 25mbar
059356	n°50	No CE	G110 8mbar

C - Vite minimo / Minimum screw			
Spare part Code	Ref./ Notes		
006652	ø1.25	3+3B/P	G30 30mbar
006651	ø1.10	3B/P	G30 37mbar
006651	ø1.10	3B/P	G30 50mbar
006653	ø1.90	2H/2E+	G20 20mbar
0C4156	ø1.75	2H	G20 25mbar
006653	ø1.90	2L	G25 25mbar
006653	ø1.90	2K	G25.3 25mbar
006654	ø2.00	2ELL	G25 20mbar
0C4156	ø1.75	2S	G25,1 25mbar
-	ADJ	No CE	G110 8mbar

D - Ugello bruciatore FORNO / Burner nozzle OVEN			
Spare part Code	Ref. / Notes		
002862	ø1.50	3+3B/P	G30 30mbar
004488	ø1.40	3B/P	G30 37mbar
059364	ø1.30	3B/P	G30 50mbar
056471	ø2.25	2H/2E+	G20 20mbar
056147	ø2.10	2H/2E+	G20 25mbar
004727	ø2.35	2L	G25 25mbar
056471	ø2.25	2K	G25.3 25mbar
002267	ø2.45	2ELL	G25 20mbar
004727	ø2.35	2S	G25.1 25mbar
059365	ø5.50	1a	G110 8mbar
0C0136	ø4.90	1b	G120 8mbar

E - Ugello pilota FORNO / Pilot nozzle OVEN			
Spare part Code	Ref./ Notes		
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 37mbar
059216	n°14	3B/P	G30 50mbar
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H/2E+	G20 25mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2K	G25.3 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2S	G25.1 25mbar
059356	n°50	1a	G110 8mbar
059356	n°50	1b	G120 8mbar

Modelo 391050

Tabla 59785FV00 Página 5 Ugelli

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0000	002267							INYECTOR QUEM HORNO D.2,25 MCF	
0000	002862			S		+		INYECTOR QUEMADOR D.1,5 FCF/G	
0000	004488					+		INYECTOR	
0000	004727							INYECTOR D.2,35 MM	
0000	006651					+		INYECTOR DE MINIMO D.1,10 MM	
0000	006652			S				INYECTOR MINIMO D.1,25	
0000	006653			S				INYECTOR DE MINIMO	
0000	006654							TORNILLO REG.MINIMO D.2,00 MM	
0000	056147							INYECTOR 2,10 MM.GPL FCV/G	
0000	056471			S				INYECTOR 2,25MM GN. FCV/G-6	
0000	059215			S				INYECTOR PILOTO; N.27 GN	
0000	059216			S		+		INYECTOR PILOTO; N.14 G.L.P.	
0000	059356			S				INYECTOR PILOTO; N°50; 8 MBAR; GAS CIUD.	
0000	059364					+		INYECTOR D.1,30 MCF/G1095	
0000	059365							INYECTOR; DIA.5,50	
0000	059382							INYECTOR D.2,50	
0000	059384			S				INYECTOR 1,5MM GLP N900 QUEMADOR 10KW	
0000	0A2082					+		INYECTOR	
0000	0A2089			S		+		INYECTOR GAS; N°160; GN	
0000	0A2104							INYECTOR GN D.2,4	
0000	0A2106							INYECTOR	
0000	0A2174					+		INYECTOR D.2,65	
0000	0A2475							INYECTOR PARA QUEMADOR DIAMET 122 MM G.N	
0000	0C0136							INYECTOR	
0000	0C4156							TORNILLO DE REGULACION; D 1,75	