
Electrolux

SPARE PARTS CATALOGUE
CATALOGO PARTI DI RICAMBIO
**FRYTOP GAS E900XP**
**GAS FRYTOP E900XP**

| PNC | Model | Ref | Pag. | Brand | Version | Notes |
|---|---|---|---|---|---|---|
| 391048 | E9FTGDHS00 | a | 2-4 | ELX | GAS | SMOOTH HORIZONTAL PLATE 400MM |
| 391049 | E9FTGDSR00 | c | 2-4 | ELX | GAS | RIBBED SLOPED PLATE 400 MM |
| 391050 | E9FTGHHS00 | b | 2-4 | ELX | GAS | SMOOTH HORIZONTAL PLATE 800MM |
| 391051 | E9FTGHSP00 | d | 2-4 | ELX | GAS | SMOOTH+RIBB.SLOPED PL.800 MM |
| 391053 | E9FTGDCS00 | e | 2-4 | ELX | GAS | CHR.SMOOTH SLOPED PLATE 400MM |
| 391054 | E9FTGHCS00 | f | 2-4 | ELX | GAS | CHR.SMOOTH SLOPED PLATE 800MM |
| 391055 | E9FTGHCP00 | g | 2-4 | ELX | GAS | CHR.SMOOTH+RIBB.SLOPED 800 MM |
| 391052 | E9FTGHSPG0 | h | 2-4 | ELX | GAS | SMOOTH+RIBB.SLOPED+OVEN 800MM |
| 391303 | E9FTGHSP0W | z | 2-4 | ELX | GAS | SMOOTH+RIBB.SLOPED PL.800 MM |
| 392048 | Z9FTGDHS00 | i | 2-4 | ZAN | GAS | SMOOTH HORIZONTAL PLATE 400MM |
| 392049 | Z9FTGDSR00 | j | 2-4 | ZAN | GAS | RIBBED SLOPED PLATE 400 MM |
| 392050 | Z9FTGHHS00 | k | 2-4 | ZAN | GAS | SMOOTH HORIZONTAL PLATE 800MM |
| 392051 | Z9FTGHSP00 | l | 2-4 | ZAN | GAS | SMOOTH+RIBB.SLOPED PL.800 MM |
| 392053 | Z9FTGDCS00 | m | 2-4 | ZAN | GAS | CHR.SMOOTH SLOPED PLATE 400MM |
| 392054 | Z9FTGHCS00 | n | 2-4 | ZAN | GAS | CHR.SMOOTH SLOPED PLATE 800MM |
| 392055 | Z9FTGHCP00 | o | 2-4 | ZAN | GAS | CHR.SMOOTH+RIBB.SLOPED 800 MM |
| 392052 | Z9FTGHSPG0 | p | 2-4 | ZAN | GAS | SMOOTH+RIBB.SLOPED+OVEN 800MM |
| 393048 | A9FTGDHS00 | q | 2-4 | OEM | GAS | SMOOTH HORIZONTAL PLATE 400MM |
| 393049 | A9FTGDSR00 | r | 2-4 | OEM | GAS | RIBBED SLOPED PLATE 400 MM |
| 393050 | A9FTGHHS00 | s | 2-4 | OEM | GAS | SMOOTH HORIZONTAL PLATE 800MM |
| 393051 | A9FTGHSP00 | t | 2-4 | OEM | GAS | SMOOTH+RIBB.SLOPED PL.800 MM |
| 393052 | A9FTGHSPG0 | y | 2-4 | OEM | GAS | SMOOTH+RIBB.SLOPED+OVEN 800MM |
| 393053 | A9FTGDCS00 | u | 2-4 | OEM | GAS | CHR.SMOOTH SLOPED PLATE 400MM |
| 393054 | A9FTGHCS00 | v | 2-4 | OEM | GAS | CHR.SMOOTH SLOPED PLATE 800MM |
| 393055 | A9FTGHCP00 | x | 2-4 | OEM | GAS | CHR.SMOOTH+RIBB.SLOPED 800 MM |


| Pag | Index | Indice | Note |
|---|---|---|---|
| 2 | General componets | Componenti struttura | |
| 3 | General componets | Componenti struttura | |
| 4 | Gas components | Componenti Gas | |
| 5 | Nozzle | Ugelli | |
| 6-8 | Spare parts list | Lista ricambi | |


Brand/Marchio: All
Factory code: 9PDX




| From sr. Nr/ Da Ser. Nr.: 016<br>Page: 2 Ed. 2019 07 | Doc. Nr.: **059785FV00** |
|---|---|

Modelo 391354

Tabla 59785FV00 Página 2 Componenti struttura

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0001 | 000000 | 530800006 | | | | | | | |
| 0001 | 000000 | 530800106 | | | | | | | |
| 0002 | 026806 | 315252601 | | S | | | | PIE CON TORNILLO M6; Ø=18MM | |
| 0003 | 000000 | 85089DR01 | | | | | | | ELX |
| 0003 | 000000 | 85089DU01 | | | | | | | ZAN, OEM |
| 0003 | 000000 | 85089DV01 | | | | | | | ELX |
| 0003 | 000000 | 85089DZ01 | | | | | | | FREESTANDING |
| 0003 | 000000 | 85089F401 | | | | | | | ELX FREESTANDING |
| 0003 | 0C9625 | 85089DS02 | | | D | | | PANEL DE REVESTIMIENTO | ELX |
| 0004 | 0C0156 | 527850500 | | | | | | REFUERZO FIJ.LATERAL XP | ZAN, OEM |
| 0005 | 0C7223 | 875899Q00 | | | | | | *PLACA LISA CROMADA | ELX |
| 0005 | 0C7437 | 87089DX00 | | | | | | PLACA LISA; COMPLETE | ZAN, OEM |
| 0005 | 0C7438 | 87089DY00 | | | | | | PLACA RANURADA; COMPLETE | ZAN, OEM |
| 0005 | 0C7440 | 87089F000 | | | | | | ESTANTE; WITH PLATE | ZAN, OEM |
| 0005 | 0C7441 | 87089F100 | | | | | | PLACA RANURADA; 1/3 RIBBED | ZAN, OEM |
| 0005 | 0C7442 | 87089F200 | | | | | | PLACA LISA CROMADA; COMPLETE | ZAN, OEM |
| 0005 | 0C7443 | 87089F300 | | | | | | ESTANTE; WITH SMOOTH CHROME PLATE | ZAN, OEM |
| 0005 | 0C7444 | 87089F400 | | | | | | ESTANTE; WITH CHROME PLATE;1/3 RIBBED | ZAN, OEM |
| 0005 | 0C7468 | 875899F00 | | | | | | PLACA LISA; ASSY; GAS | ELX |
| 0005 | 0C7470 | 875899L00 | | | | | | PLACA DE COCCION; 1/3 RIBBED; GAS | ELX |
| 0005 | 0C7472 | 875899N00 | | | | | | PLACA RANURADA; GAS | ELX |
| 0005 | 0C7475 | 875899S00 | | | | | | PLACA LISA; GAS | ELX |
| 0005 | 0C7477 | 875899U01 | | | | | | PLACA LISA CROMADA | ELX |
| 0005 | 0C7479 | 875899W00 | | | | | | PLACA LISA CROMADA; 1/3 RIBBED; GAS | ELX |
| 0006 | 000000 | 206250401 | | | | | | | |
| 0007 | 0C9887 | 530887904 | | | D | | | CAMARA DE COMBUSTION | |
| 0007 | 0CA380 | 538860604 | | | D | | | COMBUSTION CHAMBER;FRY TOP 800 GAS N900 | |
| 0008 | 000000 | 528885301 | | | | | | | |
| 0008 | 0CA381 | 538860701 | | | D | | | FRONT PANEL; FRY TOP GAS 800 N900 | |
| 0009 | 000000 | 528885201 | | | | | | | |
| 0009 | 0CA382 | 528884400 | | | D | | | FRONT PANEL; LEFT | |
| 0009 | 0CA383 | 528885100 | | | D | | | FRONT PANEL; RIGHT | |
| 0010 | 057400 | 275290025 | 0C5340 | | | + | | CRISTAL MIRILLA FCF TH (VER KIT 0C5340) | |
| 0011 | 057382 | 206260400 | | S | | + | | MARCO VISOR PILOTO PS/G XP | |
| 0012 | 057402 | 282217401 | | S | | + | | JUNTA; PARA VIDRIO DE INSPECCION | |
| 0013 | 0C6384 | 511833100 | | | | | | TAPON XP | |

Modelo 391354


Tabla 59785FV00 Página 2 Componenti struttura


| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0014 | 0C6254 | 806875200 | | | | | | TUBO RECOGEGRASA | |
| 0015 | 0C7333 | 50389LP00 | | S | | | | REJILLA DE CHIMENEA; L=400MM | |
| 0016 | 0C6385 | 530899801 | | | | | | ANTISALPICADURAS; FRY TOP 800 N900 | Up to ser 524 |
| 0016 | 0C6386 | 530899901 | 0CA420 | | | | | ANTISALPICADURAS; FRY TOP 400 N900 | Up to ser 524 |
| 0017 | 0C7211 | 85589A804 | | | | | | PANEL DE CONTROL | ELX |
| 0017 | 0C7431 | 85589A905 | | | | | | PANEL DE CONTROL | ELX |
| 0017 | 0C7432 | 85589AA03 | | | | | | PANEL DE CONTROL | ELX |
| 0017 | 0C7436 | 87089DW02 | | | | | | PANEL DE CONTROL | ZAN |
| 0017 | 0C7439 | 87089DZ03 | | | | | | PANEL DE CONTROL | ZAN |
| 0017 | 0C7445 | 87089F502 | | | | | | PANEL DE CONTROL | ZAN |
| 0017 | 0C7460 | 87089HA04 | | | | | | PANEL DE CONTROL | OEM |
| 0017 | 0C7461 | 87089HB04 | | | | | | PANEL DE CONTROL | OEM |
| 0017 | 0C7462 | 87089HG04 | | | | | | PANEL DE CONTROL | OEM |
| 0018 | 0C7205 | 85089CV00 | | | | | | CAJON | |
| 0018 | 0C7303 | 85089CX00 | | | | | | CAJON | |
| 0019 | 0C5252 | 548872700 | | S | | | | MANDO; TERMOST.VALV. | OEM |
| 0019 | 0C7179 | 548877Z01 | | S | | | | MANDO TERMOSTATO VALVULA MERTIK EVO | ZAN |
| 0019 | 0C7330 | 511850D02 | 0C8645 | | | | | MANDO ELECTROLUX XP | ELX up to 224 |
| 0019 | 0C8715 | 511851100 | | S | | + | | MANDO | ELX from 225 |
| 0020 | 0C0190 | 548856603 | | S | | | | MANDO; PARA ENCENDED.MERTIK; ØE=32MM | OEM |
| 0020 | 0C2021 | 548863303 | | S | | | | MANDO; ENCENDIDOR MERTIK; AZUL | ELX |
| 0020 | 0C7181 | 548878303 | | S | | | | MANDO ENCENDIDO VALVULA GAS EVO | ZAN |
| 0022 | 053816 | 543821000 | | S | | | | GUARNICION; ØI=4,5MM; ØE=14MM; H=3MM | |
| 0023 | 0C7241 | 548879700 | | | | | | GUIA | ZAN, OEM |
| 0023 | 0C7329 | 548876Q01 | | S | | | | GUIA | ELX |
| 0023 | 0C7342 | 548877401 | | S | | | | GUIA | ELX |
| 0023 | 0C7429 | 548879900 | | | | | | CARATULA DE MANDOS ZANUSSI | ZAN, OEM |
| 0024 | 0C6171 | 541813800 | 0C6172 | | | + | | ARANDELA; SILICONA | |
| 0025 | 0C6288 | 218912211 | | S | | | | ANILLO FIJACION EMBELLECEDOR (10 PCS) XP | |
| 0027 | 0C0137 | 516860702 | 0C9655 | | | + | | PLACA FIJ.TRASERA XP | |
| 0028 | 055995 | 805848202 | 0CC064 | S | | | | RASCADOR; PARA PLACA LISA | |
| 0029 | 056347 | 506887401 | 0C6241 | | | + | | CUCHILLA PARA RASQUETA | |
| 0030 | 056940 | 830851300 | 0CB172 | | | | | RASCADOR PLACA RANURADA XP | |
| 016a | 0CA412 | 50089B000 | | | D | | | SPLASH GUARD; REAR; 400 | 400 mm from 525 |
| 016a | 0CA413 | 50089B100 | | | D | | | SPLASH GUARD; REAR; 800 | 800 mm from 525 |
| 016b | 0CA414 | 50089B200 | | | D | | | SPLASH GUARD; LEFT SIDE | From ser 525 |

Modelo 391354

Tabla 59785FV00 Página 2 Componenti struttura

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 016c | 0CA415 | 50089B300 | | | D | | | SPLASH GUARD; RIGHT SIDE | From ser 525 |
| 016d | 0CA420 | 85089NA00 | | | | | | SPLASH GUARD; ASSY; TOP 400 N7E-N9E | 400 mm from 525 |
| 016d | 0CA421 | 85089NB00 | | | D | | | SPLASH GUARD; ASSY; 800 FRY TOP N7E-N9E | 800 mm from 525 |








| From sr. Nr/ Da Ser. Nr.: 016<br>Page: 3 Ed. 2019 07 | Doc. Nr.: **059785FV00** |
|---|---|

Modelo 391354

Tabla 59785FV00 Página 3 Componenti struttura

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0002 | 026806 | 315252601 | | S | | | | PIE CON TORNILLO M6; Ø=18MM | |
| 0003 | 000000 | 85089DR01 | | | | | | | ELX |
| 0003 | 000000 | 85089DU01 | | | | | | | ZAN, OEM |
| 0003 | 000000 | 85089DV01 | | | | | | | ELX |
| 0003 | 000000 | 85089DZ01 | | | | | | | FREESTANDING |
| 0003 | 000000 | 85089F401 | | | | | | | ELX FREESTANDING |
| 0003 | 0C9625 | 85089DS02 | | | D | | | PANEL DE REVESTIMIENTO | ELX |
| 0004 | 0C0156 | 527850500 | | | | | | REFUERZO FIJ.LATERAL XP | ZAN, OEM |
| 0026 | 0C6445 | 538831100 | | | | | | PROTECCION BULBO | |
| 002a | 000000 | 50589CD00 | | | | | | | WITH OVEN |
| 0031 | 0C7272 | 50389G501 | | | | | | PUERTA DE HORNO | |
| 0032 | 0C7273 | 50389G600 | | | | | | CONTRAPUERTA | |
| 0033 | 0C0197 | 560839601 | | | | | | ISOLAMENTO | |
| 0034 | 0C0195 | 560839400 | | | | | | ISOLAMENTO | |
| 0035 | 0C0196 | 560839502 | | | | | | ISOLAMENTO | |
| 0036 | 0C7226 | 51589A601 | | | | | | TIRADOR | ZAN |
| 0036 | 0C7274 | 51589A500 | | | | | | TIRADOR | ELX |
| 0036 | 0C7946 | 83089FY00 | | | | | | TIRADOR HORNO | OEM |
| 0037 | 0C6891 | 530R01701 | | S | | | | SOPORTE MANILLA | ELX |
| 0038 | 0C6823 | 530R01801 | 0C6901 | | | + | | TAPON | ELX |
| 0038 | 0C7271 | 85589A300 | | | | | | PUERTA DE HORNO; ASSY | ELX |
| 0038 | 0C7276 | 85589CH01 | | | | | | PUERTA DE HORNO | ZAN |
| 0038 | 0C7278 | 85589CQ00 | | | | | | PUERTA DE HORNO | OEM |
| 0039 | 0C0203 | 835848100 | | S | A | | | CONJ.BISAGRA PUERTA HORNO | |
| 0040 | 052725 | 205075423 | | S | | | | TAPA BISAGRA XP | |
| 0041 | 0C7335 | 51489AH00 | | | D | | | GUIA DE BANDEJA | |
| 0042 | 025020 | 330260843 | | S | | | | REJILLA CROMADA; 650X530MM | |
| 0043 | 0C0123 | 510818901 | | | | | | *SUELO HORNO KCF/G2 XP | |
| 0044 | 0C0198 | 800833100 | | | D | | | TAPA VISOR PILOTO XP | |
| 0045 | 0C0218 | 870838210 | | | | | | FACCIATA | WITH OVEN |
| 0046 | 0C0173 | 529836403 | | | | | | CHIMENEA | |
| 0047 | 0C0174 | 529836503 | | | | | | CHIMENEA | |
| 0048 | 0C0167 | 529835705 | | | | | | PANEL POSTERIOR | WITH OVEN |
| 0049 | 0C0166 | 529835509 | | | | | | ENVOLVENTE | WITH OVEN |
| 0050 | 000000 | 5038A1Z02 | | | | | | | FREESTANDING |


101
113
112
115
A
114
106
100
104
103
C
107
116
109
108
117
B
119
120
102
110
122
110
111
121
118
105
INLET
133
134
109
135
142
143
108
132
124
123
136
125
128
139
E
143
142
127
D
137
133
134
129
131
126
140
138
141
135
130
141

Modelo 391354

Tabla 59785FV00 Página 4 Componentes gas

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0100 | 0C6257 | 806877800 | | | | | | RAMPA DE ALIMENTACION; ASSY | |
| 0100 | 0C6258 | 806877900 | | | | | | RAMPA DE ALIMENTACION; ASSY | |
| 0101 | 051717 | 210360300 | | | | | | *TUERCA CIERRE RIBALTA XP | |
| 0102 | 000000 | 528830702 | | | | | | | |
| 0103 | 0C1545 | 528815000 | | | D | | | SOPORTE; RH.PILOTO HD900 N900 | |
| 0103 | 0C1546 | 528815100 | | | D | | | SOPORTE; LH. | 800 mm |
| 0104 | 000000 | 528884500 | | | | | | | |
| 0105 | 0C0598 | 517878801 | | S | | | | CONDUCTO XP | 400 mm |
| 0105 | 0C0598 | 517878801 | | S | | | | CONDUCTO XP | 800 mm DX |
| 0105 | 0C0598 | 517878801 | | S | | | | CONDUCTO XP | 800 mm with - oven DX |
| 0105 | 0C6252 | 513808300 | | S | | | | CONDUCTO VALVULA-QUEMADOR; IZQUIERDO | 800 mm SX |
| 0105 | 0C6387 | 513809500 | | | | | | CONDUCTO; FOR PILOT BURNER; LEFT | 800 mm with - oven SX |
| 0106 | 0CA086 | 80589CF00 | | | | | | CONDUCTO; LEFT | 800 mm SX |
| 0106 | 0CA087 | 80589CC00 | | | | | | CONDUCTO; RIGHT | 800 mm DX |
| 0106 | 0CA090 | 80589CH00 | | | | | | CONDUCTO | 400 mm |
| 0107 | 0C6347 | 806879501 | | | | | | CONDUCTO | 800 mm with - oven SX |
| 0107 | 0CA088 | 80589CD00 | | | | | | CONDUCTO VALVULA-QUEMADOR; RIGHT | 800 mm DX |
| 0107 | 0CA089 | 80589CG00 | | | | | | CONDUCTO VALVULA-QUEMADOR; LEFT | 800 mm SX |
| 0107 | 0CA091 | 80589CJ00 | | | | | | CONDUCTO | 400 mm - 800 mm with - oven DX |
| 0108 | 0C5246 | 835853003 | | S | A | | | VALVULA GAS; GV30T-C3A7A2K0012; FRY TOP | |
| 0109 | 026783 | 214191001 | | S | | | | RACORD XP | h,p,y,z - up to 5411 |
| 0110 | 052125 | 214164400 | | S | | + | | RACORD; M10X1; DIAM.ORIFICIO=4MM. | |
| 0111 | 052127 | 215199700 | | S | | + | | BICONO GRIFO; DIAM.4MM | |
| 0112 | 006650 | 835853700 | | S | | | | CONJ.QUEMADOR; 10KW | |
| 0113 | 059375 | 511805801 | | S | | | | PORTAINYECTOR FCV/G XP | |
| 0114 | 052062 | 215088100 | | S | | | | CASQUILLO REG AIRE XP | |
| 0115 | 020997 | 214105101 | | S | | + | | TUERCA | |
| 0116 | 004269 | 646808102 | | S | | | | TERMOSTAT SEGURIDAD; 360°C | CHROME |
| 0117 | 005503 | 830884101 | 0C7102 | | | | | PILOTO QUEMADOR HORNO TH NT-20015 XP | |
| 0118 | 057960 | 214164101 | | S | | | | RACORD; ELECTRODO | |
| 0119 | 0C0121 | 214162000 | | S | | | | RACORD FIJ.TERMOPAR XP | |
| 0120 | 059161 | 517808700 | | S | | | | BICONO PILOTO; DIAM.4MM | |
| 0121 | 059380 | 830863300 | | S | | | | ELECTRODO; DIAM.6X44 MM | |
| 0122 | 025031 | 830852201 | | S | | | | TERMOPAR; M9X1 L=60 CM | NOT CHROME |
| 0122 | 0C3162 | 831818901 | | S | A | | | TERMOPAR C/CABLEADO; ORKLY 16400-353 | CHROME |
| 0123 | 0C0168 | 529835902 | | | | | | CHIMENEA | |

Modelo 391354

Tabla 59785FV00 Página 4 Componentes gas

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0124 | 0C0169 | 529836000 | | | | | | CHIUSURA | |
| 0125 | 0C0170 | 529836101 | | | | | | CHIUSURA | |
| 0126 | 059250 | 511805401 | | | | | | PORTAINYECTOR XP | |
| 0127 | 020997 | 214105101 | | S | | + | | TUERCA | |
| 0128 | 054085 | 830827102 | | | | | | DOSIFICADOR RCF XP | |
| 0129 | 020094 | 830852501 | | S | | | | TERMOPAR; M9X1 L=120 CM | |
| 0130 | 0C0171 | 529836201 | | | | | | *SOP. PILOTO ENCENDIDO XP | |
| 0131 | 0C0172 | 529836300 | | | | | | *PROTECCION PILOTO ENC. XP | |
| 0132 | 0C0175 | 529836602 | | | | | | PARALLAMAS QUEM.HORNO. XP | |
| 0133 | 0A2125 | 514829301 | | | | | | TUERCA FIJ.TUBO; M16X1,5 | |
| 0134 | 060325 | 215073101 | | S | | | | BICONO; ØE=12MM; ØI=10 MM; L=7,5MM | |
| 0135 | 0C6389 | 513808901 | | | | | | CONDUCTO QUEMADOR-PILOTO | |
| 0136 | 059221 | 830860902 | | S | | | | QUEMADOR HORNO; 8,5KW | |
| 0137 | 054029 | 506833401 | | S | | | | GUARNICION INYECTOR GAS TH XP | |
| 0138 | 0C0121 | 214162000 | | S | | | | RACORD FIJ.TERMOPAR XP | |
| 0139 | 059380 | 830863300 | | S | | | | ELECTRODO; DIAM.6X44 MM | |
| 0140 | 057960 | 214164101 | | S | | | | RACORD; ELECTRODO | |
| 0141 | 005503 | 830884101 | 0C7102 | | | | | PILOTO QUEMADOR HORNO TH NT-20015 XP | |
| 0142 | 052125 | 214164400 | | S | | + | | RACORD; M10X1; DIAM.ORIFICIO=4MM. | |
| 0143 | 059161 | 517808700 | | S | | | | BICONO PILOTO; DIAM.4MM | |

| A - Ugello bruciatore / Burner nozzle | | | |
|---|---|---|---|
| Spare part Code | Ref. / Notes | | |
| 0A2089 | ø1.60 | 3+3B/P | G30 30mbar |
| 059384 | ø1.50 | 3B/P | G30 37mbar |
| 0A2082 | ø1.40 | 3B/P | G30 50mbar |
| 0A2104 | ø2.40 | 2H/2E+ | G20 20mbar |
| 0A2475 | ø2.25 | 2H | G20 25mbar |
| 059382 | ø2.50 | 2L | G25 25mbar |
| 0A2104 | ø2.40 | 2K | G25.3 25mbar |
| 0A2174 | ø2.65 | 2ELL | G25 20mbar |
| 059382 | ø2.50 | 2S | G25,1 25mbar |
| 0A2106 | ø5.00 | No CE | G110 8mbar |

| B - Ugello pilota / Pilot nozzle | | | |
|---|---|---|---|
| Spare part Code | Ref./ Notes | | |
| 059216 | n°14 | 3+3B/P | G30 30mbar |
| 059216 | n°14 | 3B/P | G30 37mbar |
| 059216 | n°14 | 3B/P | G30 50mbar |
| 059215 | n°27 | 2H/2E+ | G20 20mbar |
| 059215 | n°27 | 2H | G20 25mbar |
| 059215 | n°27 | 2L | G25 25mbar |
| 059215 | n°27 | 2K | G25.3 25mbar |
| 059215 | n°27 | 2ELL | G25 20mbar |
| 059215 | n°27 | 2S | G25,1 25mbar |
| 059356 | n°50 | No CE | G110 8mbar |

| C - Vite minimo / Minimum screw | | | |
|---|---|---|---|
| Spare part Code | Ref./ Notes | | |
| 006652 | ø1.25 | 3+3B/P | G30 30mbar |
| 006651 | ø1.10 | 3B/P | G30 37mbar |
| 006651 | ø1.10 | 3B/P | G30 50mbar |
| 006653 | ø1.90 | 2H/2E+ | G20 20mbar |
| 0C4156 | ø1.75 | 2H | G20 25mbar |
| 006653 | ø1.90 | 2L | G25 25mbar |
| 006653 | ø1.90 | 2K | G25.3 25mbar |
| 006654 | ø2.00 | 2ELL | G25 20mbar |
| 0C4156 | ø1.75 | 2S | G25,1 25mbar |
| - | ADJ | No CE | G110 8mbar |

| D - Ugello bruciatore FORNO / Burner nozzle OVEN | | | |
|---|---|---|---|
| Spare part Code | Ref. / Notes | | |
| 002862 | ø1.50 | 3+3B/P | G30 30mbar |
| 004488 | ø1.40 | 3B/P | G30 37mbar |
| 059364 | ø1.30 | 3B/P | G30 50mbar |
| 056471 | ø2.25 | 2H/2E+ | G20 20mbar |
| 056147 | ø2.10 | 2H/2E+ | G20 25mbar |
| 004727 | ø2.35 | 2L | G25 25mbar |
| 056471 | ø2.25 | 2K | G25.3 25mbar |
| 002267 | ø2.45 | 2ELL | G25 20mbar |
| 004727 | ø2.35 | 2S | G25.1 25mbar |
| 059365 | ø5.50 | 1a | G110 8mbar |
| 0C0136 | ø4.90 | 1b | G120 8mbar |

| E - Ugello pilota FORNO / Pilot nozzle OVEN | | | |
|---|---|---|---|
| Spare part Code | Ref./ Notes | | |
| 059216 | n°14 | 3+3B/P | G30 30mbar |
| 059216 | n°14 | 3B/P | G30 37mbar |
| 059216 | n°14 | 3B/P | G30 50mbar |
| 059215 | n°27 | 2H/2E+ | G20 20mbar |
| 059215 | n°27 | 2H/2E+ | G20 25mbar |
| 059215 | n°27 | 2L | G25 25mbar |
| 059215 | n°27 | 2K | G25.3 25mbar |
| 059215 | n°27 | 2ELL | G25 20mbar |
| 059215 | n°27 | 2S | G25.1 25mbar |
| 059356 | n°50 | 1a | G110 8mbar |
| 059356 | n°50 | 1b | G120 8mbar |

Modelo 391354

Tabla 59785FV00 Página 5 Ugelli

| Pos. | Cód Rec | Cód Alias | Sust. por | S | Info | Kit | Nota técnica | Descripción | Notas |
|---|---|---|---|---|---|---|---|---|---|
| 0000 | 002267 | | | | | | | INYECTOR QUEM HORNO D.2,25 MCF | |
| 0000 | 002862 | | | S | | + | | INYECTOR QUEMADOR D.1,5 FCF/G | |
| 0000 | 004488 | | | S | | + | | INYECTOR | |
| 0000 | 004727 | | | | | | | INYECTOR D.2,35 MM | |
| 0000 | 006651 | | | S | | + | | INYECTOR DE MINIMO D.1,10 MM | |
| 0000 | 006652 | | | S | | | | INYECTOR MINIMO D.1,25 | |
| 0000 | 006653 | | | S | | | | INYECTOR DE MINIMO | |
| 0000 | 006654 | | | | | | | TORNILLO REG.MINIMO D.2,00 MM | |
| 0000 | 056147 | | | | | | | INYECTOR 2,10 MM.GPL FCV/G | |
| 0000 | 056471 | | | | | | | INYECTOR 2,25MM GN. FCV/G-6 | |
| 0000 | 059215 | | | S | | | | INYECTOR PILOTO; N.27 GN | |
| 0000 | 059216 | | | S | | + | | INYECTOR PILOTO; N.14 G.L.P. | |
| 0000 | 059356 | | | S | | | | INYECTOR PILOTO; N°50; 8 MBAR; GAS CIUD. | |
| 0000 | 059364 | | | | | + | | INYECTOR D.1,30 MCF/G1095 | |
| 0000 | 059365 | | | | | | | INYECTOR; DIA.5,50 | |
| 0000 | 059382 | | | S | | | | INYECTOR D.2,50 | |
| 0000 | 059384 | | | S | | | | INYECTOR 1,5MM GLP N900 QUEMADOR 10KW | |
| 0000 | 0A2082 | | | | | + | | INYECTOR | |
| 0000 | 0A2089 | | | S | | + | | INYECTOR GAS; N°160; GN | |
| 0000 | 0A2104 | | | | | | | INYECTOR GN D.2,4 | |
| 0000 | 0A2106 | | | | | | | INYECTOR | |
| 0000 | 0A2174 | | | | | + | | INYECTOR D.2,65 | |
| 0000 | 0A2475 | | | S | | | | INYECTOR PARA QUEMADOR DIAMET 122 MM G.N | |
| 0000 | 0C0136 | | | | | | | INYECTOR | |
| 0000 | 0C4156 | | | | | | | TORNILLO DE REGULACION; D 1,75 | |