Electrolux
ELECTROLUX PROFESSIONAL
Modular Platform
Viale Treviso, 15
33170 Pordenone - Italy
Fax: +39 0434-380577

SPARE PARTS CATALOGUE
CATALOGO PARTI DI RICAMBIO

FRY TOP GAS N700
GAS GRIDDLES N700

PNC	Model	Ref.	Page	Notes
178 645	TR/G1FL	a	1-5	Gas Fry Top smooth plate 400MM
178 646	TR/G1FR	b	1-5	Gas Fry Top Ribbed plate 400MM
178 647	TR/G1CL	c	1-5	Gas Fry Top smooth Crh Plate 400MM
178 648	TR/G2FL	d	1-5	Gas Fry Top smooth plate 800MM
178 649	TR/G2FM	e	1-5	Gas Fry Top smooth+Ribbed Plate 800MM
178 650	TR/G2CL	f	1-5	Gas Fry Top smooth Crh Plate 800MM
178 657	TR/G2CM	g	1-5	Gas Fry Top smooth+Ribbed Chr.Plate 800MM

Index


Pag. 1 Frame
Pag. 2 Functional components mild steel plate
Pag. 3 Functional components chrome plate
Pag. 4 Spare parts list frame
Pag. 5 Spare parts list functional

Indice

Mobile
Componenti funzionali piastra ferro
Componenti funzionali piastra cromo
Lista ricambi mobile
Lista ricambi funzionali

Brand / Marchio : Electrolux
Factory code: 9PDX

From ser. nr. / Da Ser. Nr.: 726..... | **Ed. 2008 03** | Doc. Nr.: **2 - 05 645**




Fry Top Gas N700
Gas FryTop N700

From ser. nr. / Da Ser. Nr.: 726.....	Page: **1**	**Ed. 2008 03**	Doc. Nr.: **2 - 05 645**

Modelo 178648

Tabla 2-05645 Página 2 telaio

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0001	000000	0533826200							d,e,f,g - till s/n 802
0001	0TT575	0530865300			D			FONDO	d,e,f,g - since s/n 802
0002	000000								
0005	000000	0532837000							d,e,f,g - till s/n 802
0005	0C5186	0530866900						PANEL DE REVESTIMIENTO	d,e,f,g - since s/n 802
0007	000000								
0011	0C4518	0873890300						ESTANTE; ASSY	d
0012	0C5859	0806860100						*TUBO DESCARGA; FRY TOP N700	
0013	0C5175	0856820102						PANEL DE CONTROL; ASSY	d,e
0014	0TTY78	0518816900							
0016	0C2965	0532807101	0CA421					*MARCO ANTISALPICADURAS PR/ G1FL	d,g
0021	002605	0835834900	0C9240					ENCEND PIEZOELECTRC (C/ CABLES 0C5353) XP	
0022	006514	0638883500	002544		A			CABLE ENCENDIDO R700	
0023	053342	0518801801		S				MUELLE; PARA MARCA	
0024	0C2008	0548858100		S				*GUIA EMBELLECEDOR MANDO TRAS. ELCO	a,b,d,e
0025	0C2009	0548859700		S				MANDO; ØE=60MM; Ø PIVOTE=8MM	a,b,d,e
0026	069567	0218912211	0C6288					ANILLO FIJACION XP	
0028	0C4671	0510824700						PARRILLA CHIMENEA L399MM (N#PDX2009_05)	
0030	0C0137	0516860700	0C9655			+		PLACA FIJ.TRASERA XP	
0031	056940	f164257	0CB172					RASCADOR PLACA RANURADA XP	
0032	056347	0506887400	0C6241			+		CUCHILLA PARA RASQUETA	
0033	055995	f164255	0CC064	S				RASCADOR; PARA PLACA LISA	
021a	000000	0538809300							



A - Ugello bruciatore / Burner nozzle			
6DGT Code	Ref. / Notes		
0A2102	ø2	2H/2E+	G20 20mbar
0A2077	ø1.85	2H	G20 25mbar
0A2083	ø2.20	2ELL	G25 20mbar
058335	ø1.45	2L	G25 25mbar
059418	ø2.05	2S	G25.1 25mbar
0A2533	ø1.35	3+3B/P	G30 30mbar
002393	ø1.30	3B/P	G30 36mbar
0A2650	ø1.20	3B/P	G30 50mbar
0A2083	ø2.20	No CE	G20 10mbar
0A2306	ø4	No CE	G110 8mbar

B - Ugello pilota / Pilot nozzle			
6DGT Code	Ref./ Notes		
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H	G20 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2S	G25.1 25mbar
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 36mbar
059216	n°14	3B/P	G30 50mbar
059215	n°27	No CE	G20 10mbar
059356	n°50	No CE	G110 8mbar

C - Vite di minimo / Min screw			
6DGT Code	Ref./ Notes		
002994	n°145	2H/2E+	G20 20mbar
002994	n°145	2H	G20 25mbar
002994	n°145	2ELL	G25 20mbar
002994	n°145	2L	G25 25mbar
002994	n°145	2S	G25.1 25mbar
004595	n°100	3+3B/P	G30 30mbar
004595	n°100	3B/P	G30 36mbar
002926	n°90	3B/P	G30 50mbar
002994	n°145	No CE	G20 10mbar
-	adjust	No CE	G110 8mbar

Fry Top Gas mild steel plate N700
Gas FryTop piastra ferro N700

Modelo 178648

Tabla 2-05645 Página 3 Componenti funzionali piastra ferro


Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0000	002393			S		+		INYECTOR QUEMADOR D.1,30 MT/G	
0000	002926					+		INYECTOR D.0,90 GLP PR700	
0000	002994							TORNILLO REG.MINIMO D.1,45	
0000	004595							INYECTOR MIN.GRIFO PR/G700	
0000	058335							INYECTOR D.2,05 MM	
0000	059215			S				INYECTOR PILOTO; N.27 GN	
0000	059216			S		+		INYECTOR PILOTO; N.14 G.L.P.	
0000	059356			S				INYECTOR PILOTO; N°50; 8 MBAR; GAS CIUD.	
0000	059418					+		INYECTOR D.2,15 HPN/G1810	
0000	0A2077			S		+		INYECTOR QUEMADOR G.P.L.	
0000	0A2083			S				INYECTOR; N°220; GAS NATURAL	
0000	0A2102			S				INYECTOR D.2,00 G.N. FCV/10	
0000	0A2306							INYECTOR D.4 MM	
0000	0A2533			S		+		INYECTOR D.1,35 GLP FCV/G6	
0000	0A2650			S		+		INYECTOR QUEMADOR; N°120; GPL 30-37MBAR	
0050	000000	0533826602							d,e,f
0051	000000	0533826802							d,e,f
0052	000000	0528853401							
0053	000000	0528856300							
0054	0C3068	0856801600						RAMPA DE ALIMENTACION	d,e
0057	0C0205	0835857201		S	A			GRIFO GAS; 21S	a,b,d,e
0060	005503	0830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0062	059380	0830863300		S				ELECTRODO; DIAM.6X44 MM	
0063	057960	0214164101		S				RACORD; ELECTRODO	
0064	004591	0830883403		S				QUEMADOR RR/G1F2	
0065	052062	0215088100		S				CASQUILLO REG AIRE XP	
0066	051119	0830853101		S				TERMOPAR; M8X1 L=150 CM	a,b,d,e
0068	059375	0511805801		S				PORTAINYECTOR FCV/G XP	
0069	020997	0214105101		S		+		TUERCA	
0070	0C5159	0806846801						CONDUCTO VALVULA-QUEMADOR; FRY TOP DX	d,e
0071	0C5163	0806846901						CONDUCTO VALVULA-QUEMADOR; SX FRY TOP	d,e
0072	0C5070	0517896401						TUBO DE QUEMADOR; RIGHT	d,e
0073	0C5071	0517896501						TUBO DE QUEMADOR; LEFT	d,e
0074	052125	0214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0075	052127	0215199700		S		+		BICONO GRIFO; DIAM.4MM	
0076	059161	0517808700		S				BICONO PILOTO; DIAM.4MM	

Modelo 178648

Tabla 2-05645 Página 3 Componenti funzionali piastra ferro

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0077	041155	0214108111		S				TUERCA FIJ.TUBO XP	
0077	0A2125	0514829301		S				TUERCA FIJ.TUBO; M16X1,5	
053a	000000	0528856200							

Fry Top Gas mild chrome plate N700
Gas FryTop piastra cromo N700



A - Ugello bruciatore / Burner nozzle			
6DGT Code	Ref. / Notes		
0A2102	ø2	2H/2E+	G20 20mbar
0A2077	ø1.85	2H	G20 25mbar
0A2083	ø2.20	2ELL	G25 20mbar
058335	ø1.45	2L	G25 25mbar
059418	ø2.05	2S	G25.1 25mbar
0A2533	ø1.35	3+3B/P	G30 30mbar
002393	ø1.30	3B/P	G30 36mbar
0A2650	ø1.20	3B/P	G30 50mbar
0A2081	ø2.30	No CE	G20 10mbar
002979	ø4	No CE	G110 8mbar

B - Ugello pilota / Pilot nozzle			
6DGT Code	Ref./ Notes		
059215	n°27	2H/2E+	G20 20mbar
059215	n°27	2H	G20 25mbar
059215	n°27	2ELL	G25 20mbar
059215	n°27	2L	G25 25mbar
059215	n°27	2S	G25.1 25mbar
059216	n°14	3+3B/P	G30 30mbar
059216	n°14	3B/P	G30 36mbar
059216	n°14	3B/P	G30 50mbar
059215	n°27	No CE	G20 10mbar
059356	n°50	No CE	G110 8mbar

C - Vite di minimo Crh/ Min screw Crh			
6DGT Code	Ref./ Notes		
0A5422	n°160	2H/2E+	G20 20mbar
003159	n°140	2H	G20 25mbar
0A5422	n°160	2ELL	G25 20mbar
0A5422	n°160	2L	G25 25mbar
0A5422	n°160	2S	G25.1 25mbar
003321	n°110	3+3B/P	G30 30mbar
004602	n°100	3B/P	G30 36mbar
0C2987	n°90	3B/P	G30 50mbar
004599	n°150	No CE	G20 10mbar
-	adjust	No CE	G110 8mbar

Modelo 178648

Tabla 2-05645 Página 4 Componenti funzionali piastra cromo

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0000	002979							INYECTOR 3,80 G.N.	
0000	003159							TORNILLO MIN.VALV.1,40MCF/G (VER NT-20006	
0000	003321							TORNILLO MIN VALV.1,40 CCF/G	
0000	004599					+		INYECTOR DE MINIMOS D.1,50 GN	
0000	004602							TORNILLO DE MINIMO	
0000	058335							INYECTOR D.2,05 MM	
0000	059215			S				INYECTOR PILOTO; N.27 GN	
0000	059216			S		+		INYECTOR PILOTO; N.14 G.L.P.	
0000	059356			S				INYECTOR PILOTO; N°50; 8 MBAR; GAS CIUD.	
0000	059418					+		INYECTOR D.2,15 HPN/G1810	
0000	0A2077			S		+		INYECTOR QUEMADOR G.P.L.	
0000	0A2081					+		INYECTOR; DIA 2,30	
0000	0A2083			S				INYECTOR; N°220; GAS NATURAL	
0000	0A2102			S				INYECTOR D.2,00 G.N. FCV/10	
0000	0A2393								
0000	0A2533			S		+		INYECTOR D.1,35 GLP FCV/G6	
0000	0A2650			S		+		INYECTOR QUEMADOR; N°120; GPL 30-37MBAR	
0000	0A5422							TORNILLO DE MINIMO	
0000	0C2987					+		VITE DI MINIMO; DIA 0,90	
0050	000000	0533826602							d,e,f
0051	000000	0533826802							d,e,f
0052	000000	0528853401							
0053	000000	0528856300							
0054	0C3068	0856801600						RAMPA DE ALIMENTACION	d,e
0060	005503	0830884101	0C7102					PILOTO QUEMADOR HORNO TH NT-20015 XP	
0062	059380	0830863300		S				ELECTRODO; DIAM.6X44 MM	
0063	057960	0214164101		S				RACORD; ELECTRODO	
0064	004591	0830883403		S				QUEMADOR RR/G1F2	
0065	052062	0215088100		S				CASQUILLO REG AIRE XP	
0066	051119	0830853101		S				TERMOPAR; M8X1 L=150 CM	a,b,d,e
0068	059375	0511805801		S				PORTAINYECTOR FCV/G XP	
0069	020997	0214105101		S		+		TUERCA	
0070	0C5159	0806846801						CONDUCTO VALVULA-QUEMADOR; FRY TOP DX	d,e
0071	0C5163	0806846901						CONDUCTO VALVULA-QUEMADOR; SX FRY TOP	d,e
0072	0C5070	0517896401						TUBO DE QUEMADOR; RIGHT	d,e
0073	0C5071	0517896501						TUBO DE QUEMADOR; LEFT	d,e

Modelo 178648

Tabla 2-05645 Página 4 Componenti funzionali piastra cromo

Pos.	Cód Rec	Cód Alias	Sust. por	S	Info	Kit	Nota técnica	Descripción	Notas
0074	052125	0214164400		S		+		RACORD; M10X1; DIAM.ORIFICIO=4MM.	
0076	059161	0517808700		S				BICONO PILOTO; DIAM.4MM	
0077	041155	0214108111		S				TUERCA FIJ.TUBO XP	
0077	0A2125	0514829301		S				TUERCA FIJ.TUBO; M16X1,5	
053a	000000	0528856200							