Con lo visto en clase, con la terminal generar los siguiente.

1.- Listar los archivos y directorios

```
MINGW64:/c/Users/Amaritos                                    —    □    ×

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~
$ ls
'3D Objects'/
 AppData/
'Configuración local'@
 Contacts/
 Cookies@
'Datos de programa'@
 Desktop/
 Documents/
 Downloads/
'Entorno de red'@
 Evernote/
 Favorites/
 Impresoras@
 Links/
'Menú Inicio'@
 MicrosoftEdgeBackups/
'Mis documentos'@
 Music/
 NTUSER.DAT
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 NTUSER.DAT{eaa0679b-0621-11eb-b75a-0c9d9214b5c6}.TM.blf
 NTUSER.DAT{eaa0679b-0621-11eb-b75a-0c9d9214b5c6}.TMContainer00000000000000000000
1.regtrans-ms
 NTUSER.DAT{eaa0679b-0621-11eb-b75a-0c9d9214b5c6}.TMContainer00000000000000000000
2.regtrans-ms
 ntuser.ini
 OneDrive/
 Pictures/
 Plantillas@
 Reciente@
'Saved Games'/
 Searches/
 SendTo@
 Videos/

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~
$
```

2.- Crear 2 carpetas con los nombres que gustes

```
MINGW64:/c/Users/Amaritos/desktop                                    —   □   ✕

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ mkdir carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ mkdir carpeta2

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ ls
'~$.Intro_EjerciciosLP01.docx'                                    desktop.ini
'~$quina de turin.docx'                                           Git-2.28.0-64-bit.exe*
 acuse_integra_316218045_2020-11-05.pdf                           Horario.png
 Alexis_Amaro_1559/                                              'Imagenes solo para ella'/
'Among Us V.2020.9.9'/                                           'League Displays.lnk'*
 AnyDesk.exe*                                                    'Maquina de turin.docx'
'Apunte del día martes 27 de octubre de 2020 de estadística descriptiva.xlsx'  'osu!.lnk'*
 carpeta1/                                                        perfil.jpg
 carpeta2/                                                        Playas/
'Cedula_AARM001004HDFMMRA5 (1).pdf'                              'Roblox Studio.lnk'*
 CLAVE.jpg                                                       'Tareas entregadas'/
'Comprobante 2021.pdf'                                            TLauncher.lnk*

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ |
```

3.- Acceder a su la carpeta 1

```
MINGW64:/c/Users/Amaritos/desktop/carpeta1                    —   □   ×

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ cd carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ |
```

4.- Crear un programa (HolaMundo."lenguaje que gusten")

```
MINGW64:/c/Users/Amaritos/desktop/carpeta1                                    —    □    ×

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ |
```

5.- Ver su contenido

```
MINGW64:/c/Users/Amaritos/desktop/carpeta1                          —    □    ✕

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ nano HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cat HolaMundo.java
public class HolaMundo {

        public static void main(String[] args) {
                System.out.println("Hola Mundo");
        }

}

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ |
```

6.- Poner la ruta absoluta donde se encuentran

```
MINGW64:/c/Users/Amaritos/desktop/carpeta1                        —    □    ✕

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ nano HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cat HolaMundo.java
public class HolaMundo {

        public static void main(String[] args) {
                System.out.println("Hola Mundo");
        }

}

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ pwd
/c/Users/Amaritos/desktop/carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ |
```

7.- Acceder a su capeta 2

```
Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ nano HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cat HolaMundo.java
public class HolaMundo {

        public static void main(String[] args) {
                System.out.println("Hola Mundo");
        }

}

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ pwd
/c/Users/Amaritos/desktop/carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cd ..

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ cd carpeta2

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ |
```

8.- Crear un archivo con extensión .txt

```
MINGW64:/c/Users/Amaritos/desktop/carpeta2                              —    □    ✕

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ nano HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cat HolaMundo.java
public class HolaMundo {

        public static void main(String[] args) {
                System.out.println("Hola Mundo");
        }

}

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ pwd
/c/Users/Amaritos/desktop/carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cd ..

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ cd carpeta2

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ touch Hola.txt

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ ls
Hola.txt

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$
```

9.- Eliminar el archivo

```
MINGW64:/c/Users/Amaritos/desktop/carpeta2

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ touch HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ ls
HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ nano HolaMundo.java

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cat HolaMundo.java
public class HolaMundo {

        public static void main(String[] args) {
                System.out.println("Hola Mundo");
        }

}

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ pwd
/c/Users/Amaritos/desktop/carpeta1

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta1
$ cd ..

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop
$ cd carpeta2

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ touch Hola.txt

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ ls
Hola.txt

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ rm Hola.txt

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$ ls

Amaritos@DESKTOP-QFU1NE3 MINGW64 ~/desktop/carpeta2
$
```