1 Plain

You can cite, in order:

- article: An article from a journal or magazine[4]
- book : A book with an explicit publisher[6]
- booklet: A work that is printed and bound, but without a named publisher or sponsoring institution[2]
- conference: The same as inproceedings[13]
- inBook : A part of a book, usually untitled. May be a chapter (or section, etc.) and/or a range of pages[12]
- inCollection: A part of a book having its own title[5]
- inProceedings: An article in a conference proceedings[11]
- manual : Technical documentation[1]
- mastersthesis : A Master's thesis[7]
- phdthesis : A PhD thesis[10]
- proceedings: The proceedings of a conference[3]
- techreport : A report published by a school or other institution, usually numbered within a series[9]
- unpublished: A document having an author and title, but not formally published[8]

Références

- [1] Hierarchical semantic processing architecture for smart sensors in surveillance networks.
- [2] Scenarios for ambient intelligence in 2010.
- [3] MavHome: an agent-based smart home, 2003.
- [4] Dana Angluin. Queries and concept learning. Machine Learning, 2(4):319–342, 1988.
- [5] Les E. Atlas, David A. Cohn, and Richard E. Ladner. Training connectionist networks with queries and selective sampling. In D.S. Touretzky, editor, Advances in Neural Information Processing Systems 2, pages 566–573. Morgan-Kaufmann, 1990.
- [6] Richard Bellman. An Introduction to Artificial Intelligence: Can Computers Think? Boyd & Fraser, 1978.
- [7] David Blachon. Master's thesis title. Master's thesis, Laboratoire d'Informatique de Grenoble, 2015.
- [8] Djallel Bouneffouf, Romain Laroche, Tanguy Urvoy, Raphael Féraud, and Robin Allesiardo. Contextual bandit for active learning: Active thompson sampling. 21st International Conference on Neural Information Processing.
- [9] Pedro Chahuara, Anthony Fleury, François Portet, and Michel Vacher. On-line human activity recognition from audio and home automation sensors: comparison of sequential and non-sequential models in realistic smart homes. Technical report, LIG, Accepted Paper.

- [10] Pedro Chahuara Quispe. Intelligent control of home automation from inaccurate uncertain multi source temporal data. PhD thesis, Université de Grenoble, 2013.
- [11] Heng-Tze Cheng, Feng-Tso Sun, Martin Griss, Paul Davis, Jianguo Li, and Di You. Nuactiv: Recognizing unseen new activities using semantic attribute-based learning. In *Proceeding of the 11th annual international conference on Mobile systems, applications, and services*, pages 361–374. ACM, 2013.
- [12] Sajal K. Das and Diane J. Cook. Designing Smart Environments: A Paradigm Based on Learning and Prediction, chapter 12, page 430. JOHN WILEY & SONS, INC., 2006.
- [13] S. P. Rao and D. J. Cook. Improving the performance of action prediction through identification of abstract tasks. In *FLAIRS Conference*, 2003.

Références

- [1] Hierarchical semantic processing architecture for smart sensors in surveillance networks.
- [2] Scenarios for ambient intelligence in 2010.
- [3] MavHome: an agent-based smart home, 2003.
- [4] Dana Angluin. Queries and concept learning. *Machine Learning*, 2(4):319–342, 1988.
- [5] Les E. Atlas, David A. Cohn, and Richard E. Ladner. Training connectionist networks with queries and selective sampling. In D.S. Touretzky, editor, *Advances in Neural Information Processing Systems 2*, pages 566–573. Morgan-Kaufmann, 1990.
- [6] Richard Bellman. An Introduction to Artificial Intelligence: Can Computers Think? Boyd & Fraser, 1978.
- [7] David Blachon. Master's thesis title. Master's thesis, Laboratoire d'Informatique de Grenoble, 2015.
- [8] Djallel Bouneffouf, Romain Laroche, Tanguy Urvoy, Raphael Féraud, and Robin Allesiardo. Contextual bandit for active learning: Active thompson sampling. 21st International Conference on Neural Information Processing.
- [9] Pedro Chahuara, Anthony Fleury, François Portet, and Michel Vacher. On-line human activity recognition from audio and home automation sensors: comparison of sequential and non-sequential models in realistic smart homes. Technical report, LIG, Accepted Paper.
- [10] Pedro Chahuara Quispe. Intelligent control of home automation from inaccurate uncertain multi source temporal data. PhD thesis, Université de Grenoble, 2013.
- [11] Heng-Tze Cheng, Feng-Tso Sun, Martin Griss, Paul Davis, Jianguo Li, and Di You. Nuactiv: Recognizing unseen new activities using semantic attribute-based learning. In Proceeding of the 11th annual international conference on Mobile systems, applications, and services, pages 361–374. ACM, 2013.

- [12] Sajal K. Das and Diane J. Cook. *Designing Smart Environments : A Paradigm Based on Learning and Prediction*, chapter 12, page 430. JOHN WILEY & SONS, INC., 2006.
- [13] S. P. Rao and D. J. Cook. Improving the performance of action prediction through identification of abstract tasks. In *FLAIRS Conference*, 2003.