

CS8803 – Special Topics | Mobile Apps & Services


Peer programming

Alexis Durocher – MSCS Georgia Tech & Vanessa Servais – MSECE Georgia Tech

In this third assignment, the goal is to build, from scratch, a complete mobile APP. This project includes a front end part (Android in our case) and a backend part (NodeJS & MySQL embedded in a REST API).

1. General Overview - YourFav

YourFav is an Android mobile application that allows any users to connect and see a list of pictures from an external API (pixabay) with a tag predefined (here, we displayed pictures of puppies). The user can scroll among the list of pictures and choose some favorites which will be saved in his profile (our app's database). A **pseudo-code** version of our app's main workflow:



There is an interaction between our NodeJS server and the Pixabay API before storing information from this external API in our own DataBase.

This app is not deployed yet, it works locally on a Localhost:3000.

Requirement & set up:

- MySQL DataBase | *the credentials to connect to the database are set in the file `src/dbconnection.js`*
- NodeJS with npm | ***npm install & npm start** in the root folder to launch the server locally.*
- An Android emulator to run the front-end app.

2. Backend

Our Backend runs locally and includes a webserver base on NodeJS and a MYSQL database.

a. *Webserver*

We chose NodeJS to build our backend because NodeJS provides many libraries to make an easy set up (express-generator for instance) of a complete running server. From this, we could scale up our server and fit it to our needs.

- **./public** : Every files that can be publicly accessed. Here, only the report.pdf and our postman collection (API docs) are available. But this folder only makes sense during the deployment phase and can, then, be ignored here.
- **./node_modules** : All NodeJS dependencies linked with npm and managed via the package.json file.
- **./bin** : All executable files.
- **./sources**: Our different routers (where we define the actions resulting from calls to certain endpoints of our API).
- **./src** : Contains the model of our data. The SQL command to be executed from the NodeJS server to the database. The DataBase connection's parameters. Some .sql files to build and keep our database consistent on our different computers.
- **./views** : Can be ignored.

The main app is defined on **app.js**.

b. REST API

Our REST API doc can be automatically generated with our Postman collection. All our features are not used in the app.

Feature 1

POST a new User | *when a new user sign up in the app*

POST http://localhost:3000/User/

http://localhost:3000/User/

Post a user with name and surname

HEADERS

Content-Type application/json; charset=UTF-8

BODY

```
{
  "name": "Mark",
  "surname": "Sanders"
}
```

Sample Request

http://localhost:3000/User/

```
curl --request POST \
  --url http://localhost:3000/User/ \
  --header 'Content-Type: application/json; charset=UTF-8' \
  --data '{
    "name": "Mark",
    "surname": "Sanders"
  }'
```

Feature 2

POST a new Favorite picture | *When the user (here id = 2) click on 'like' button, the picture is then stored as a new user's favorite in the Database.*

POST http://localhost:3000/Content

http://localhost:3000/Content

Post a new favorite to the current user

HEADERS

Content-Type application/json; charset=UTF-8

BODY

```
{
  "id" : "1903313",
  "url" : "https://cdn.pixabay.com/photo/2016/12/13/05/15/puppy-1903313_15",
  "user" : 2
}
```

Sample Request

http://localhost:3000/Content

```
curl --request POST \
  --url http://localhost:3000/Content \
  --header 'Content-Type: application/json; charset=UTF-8' \
  --data '{
    "id" : "1903313",
    "url": "https://cdn.pixabay.com/photo/2016/12/13/05/15/puppy-1903313_15",
    "user": 2
  }'
```

Feature 3 & 4

GET all contents if no id is provided OR user's list of favorites if its id is provided | *Depending on which tab the user click, he will see either the complete list from pixabay API, or his own favorites.*

GET http://localhost:3000/Content

http://localhost:3000/Content

GET all contents from pixabay API

HEADERS

Content-Type application/x-www-form-urlencoded

GET http://localhost:3000/Content/1

http://localhost:3000/Content/1

GET all favorites of user 1

Sample Request

http://localhost:3000/Content

```
curl --request GET \
  --url http://localhost:3000/Content \
  --header 'Content-Type: application/x-www-form-urlencoded'
```


Sample Request

http://localhost:3000/Content/1

```
curl --request GET \
  --url http://localhost:3000/Content/1
```

3. [Front-end: Android application & Design.](#)

Our Android application has a very simple design. When you open it, it displays you a list of all the pictures on pixabay with a special tag (it is set to “puppy”). Next to each picture, there is a ‘like’ button, so that you can add this picture to your favorites’ list.



When we the user clicks on one of the buttons, the picture is added in his list in the database. We tried to implement a design with tabs, so that you can choose between the first tab with all the pictures and the second tab only with your favorites. This code can be found on the branch `androidTabs`, however we haven't yet got this part working.

On the master branch, we have the working app. Therefore, we first implemented a `RecyclerView` (with its `ViewHolder` and `Adapter`) to view the pictures dynamically. Then, we added the `GET` request (via `volley`) to get the content via our REST API. The information retrieved is stored in a list of pictures that will be displayed in the `ListView`. (As it takes some time to retrieve all the data, it will not display the pictures. So, we cheated a bit and added a few pictures of cities whose url does not have to be retrieved via the REST API.) We do not store the pictures themselves, but rather their url and each time it should be displayed, we download it via `Picasso`. When the like button is hit, the app makes a `POST` request with the picture id, its url and the user id, to add it in the database.

4. Git History

git repository: <https://github.com/AlexisDrch/CS8803-YourFav>

Branch: master ▼

Commits on Jan 30, 2018

add report



Alexis Durocher committed 7 days ago

last modif report



Alexis Durocher committed 7 days ago

Commits on Jan 29, 2018

ass report in ./public



Alexis Durocher committed 8 days ago

Commits on Jan 28, 2018

add bin/



Alexis Durocher committed 9 days ago

Branch: androidWithCit... ▼

Commits on Feb 6, 2018

Android working but without tab and report added



VanessaSrvs committed 6 minutes ago



e022bf2



post request is working too



VanessaSrvs committed 2 hours ago



b88841e



post request is not working



VanessaSrvs committed 13 hours ago



b8322fb



added post request, need to give url and object



VanessaSrvs committed 14 hours ago



2aa1314



displaying pictures work and button clickable



VanessaSrvs committed 14 hours ago



c82f4f5



is working as long as it has local inputdata



VanessaSrvs committed 15 hours ago



a98d251



Commits on Feb 5, 2018

5. References

Here are the tutorials and references we used to build our app.

REST API tutorial for NodeJS and Mysql :

<https://medium.com/@avanthikameenakshi/building-restful-api-with-nodejs-and-mysql-in-10-min-ff740043d4be>

<https://jinalshahblog.wordpress.com/2016/10/06/rest-api-using-node-js-and-mysql/>

Android tutorials:

- recyclerview: <http://tutos-android-france.com/material-design-recyclerview-et-cardview/>
- click item in listview: <http://androidforbeginners.blogspot.fr/2010/03/clicking-buttons-in-listview-row.html>
- POST request: <https://stackoverflow.com/questions/33573803/how-to-send-a-post-request-using-volley-with-string-body/33578202>
- viewpager: <http://www.gadgetsaint.com/android/create-viewpager-tabs-android/#.Wnm-DKjibIU>