

ab


Table Of Contents

1. 'Picture' section	2
Main Subject Area / Display1	3
Table(s) of "TCNTL" Picture Object	4
Column(s) of "TCNTL" Table	4
Index(s) of "TCNTL" Table	4
Child Relationship(s) of "TCNTL" Table	4
Parent Table(s) of "" Child Relationship	4
Parent Table(s) of "" Child Relationship	4
Table(s) of "TEXPITEM" Picture Object	5
Column(s) of "TEXPITEM" Table	5
Index(s) of "TEXPITEM" Table	5
Child Relationship(s) of "TEXPITEM" Table	5
Parent Table(s) of "" Child Relationship	5
Parent Table(s) of "" Child Relationship	6
Table(s) of "TPATT" Picture Object	7
Column(s) of "TPATT" Table	7
Index(s) of "TPATT" Table	7
Child Relationship(s) of "TPATT" Table	7
Parent Table(s) of "" Child Relationship	7
Parent Table(s) of "" Child Relationship	8
Table(s) of "TPROG" Picture Object	9
Column(s) of "TPROG" Table	9
Index(s) of "TPROG" Table	9
Child Relationship(s) of "TPROG" Table	9
Parent Table(s) of "" Child Relationship	10
Parent Table(s) of "" Child Relationship	10
Table(s) of "TPROGITM" Picture Object	11
Column(s) of "TPROGITM" Table	11
Index(s) of "TPROGITM" Table	11
Child Relationship(s) of "TPROGITM" Table	11
Parent Table(s) of "" Child Relationship	11
Parent Table(s) of "" Child Relationship	11
2. 'Schema (ignore triggers)' section	13
Table Table	13
3. 'Definitions' section	16
Table Table	16
Column(s) of "TCNTL" Table	16
Column(s) of "TEXPITEM" Table	16
Column(s) of "TPATT" Table	16
Column(s) of "TPROG" Table	17
Column(s) of "TPROGITM" Table	17
Index	

Main Subject Area / Display1

Web Data Dictionary: Click on Table

See also DB2 AD Database



PST- Mainframe IT Services 000429674:
 meanings for EXP_STATUS_FLAG values
 on 24aug12

Table(s) of "TCNTL" Picture Object	
Owner	AB
Name	TCNTL
Comment	This is a control table in Automatic Billing for the next program, pattern for a store, warehouse and status condition. When table is done for a store, the billing clerk needs to know if the items billed actually got processed before an invoice can be cr

Column(s) of "TCNTL" Table			
Name	Datatype	Null Option	Comment
CNTL_ID	CHAR(8)	NOT NULL	The value AUTOBILL indicates the record belongs to Automatic Billing.
CNTL_NEXT_PROG_NBR	INTEGER	NOT NULL	The next sequential identifier to be assigned to a program identifier which is used throughout the billing cycle.
CNTL_NEXT_PATT_NBR	CHAR(6)	NOT NULL	The next sequential pattern identifier to be assigned for selecting the criteria to be used in determining which stores to bill.
CNTL_OPEN_ORD_STR	SMALLINT	NOT NULL	Not used.
CNTL_OPEN_ORD_WHSE	CHAR(2)	NOT NULL	Not used.
CNTL_OPEN_ORD_FLG	CHAR(1)	NOT NULL	Not used.

Index(s) of "TCNTL" Table
Create Statement

Child Relationship(s) of "TCNTL" Table
Alter Statement

Parent Table(s) of "" Child Relationship
Create Statement
<pre>CREATE TABLE TCNTL (CNTL_ID CHAR(8) NOT NULL WITH DEFAULT, CNTL_NEXT_PROG_NBR INTEGER NOT NULL WITH DEFAULT, CNTL_NEXT_PATT_NBR CHAR(6) NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_STR SMALLINT NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_WHSE CHAR(2) NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_FLG CHAR(1) NOT NULL WITH DEFAULT);</pre>

Parent Table(s) of "" Child Relationship
Create Statement
<pre>CREATE TABLE TCNTL (CNTL_ID CHAR(8) NOT NULL WITH DEFAULT, CNTL_NEXT_PROG_NBR INTEGER NOT NULL WITH DEFAULT, CNTL_NEXT_PATT_NBR CHAR(6) NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_STR SMALLINT NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_WHSE CHAR(2) NOT NULL WITH DEFAULT, CNTL_OPEN_ORD_FLG CHAR(1) NOT NULL WITH DEFAULT);</pre>

Table(s) of "TEXPITEM" Picture Object	
Owner	AB
Name	TEXPITEM
Comment	This table contains all stores to be billed for a particular billing cycle.

Column(s) of "TEXPITEM" Table			
Name	Datatype	Null Option	Comment
EXP_STORE_NBR	SMALLINT	NOT NULL	The store identifier.
EXP_PROG_NBR	INTEGER	NOT NULL	The program identifier.
EXP_ITEM_NBR	INTEGER	NOT NULL	A system-generated MSI identifier used to track all of the items in a single billing.
EXP_PATT_NBR	CHAR(6)	NOT NULL	A sequential system-generated identifier assigned to the criteria pattern that is used to define the stores to be billed.
EXP_QTY_ORDERED	SMALLINT	NOT NULL	The quantity ordered.
EXP_QTY_SHIPPED	SMALLINT	NOT NULL	The quantity shipped.
EXP_RETRIES	SMALLINT	NOT NULL	The quantity of attempts to bill the things found in a single cycle.
EXP_LST_SHIPPED	SMALLINT	NOT NULL	The previous date when any items were shipped during the billing cycle.
EXP_SHIP_DATE	DATE	NULL	The date of the most recent shipment.
EXP_STATUS_FLAG	CHAR(1)	NOT NULL	Indicates the status of the store program item with values blank, C, D and S = .
EXP_STATUS_DATE	DATE	NULL	The date when the status for the store program item was last updated.

Index(s) of "TEXPITEM" Table
Create Statement
<pre> CREATE UNIQUE INDEX EXPITMX1 ON TEXPITEM (EXP_STORE_NBR ASC, EXP_PROG_NBR ASC, EXP_ITEM_NBR ASC) ; </pre>
<pre> CREATE INDEX EXPITMX2 ON TEXPITEM (EXP_PROG_NBR ASC) ; </pre>

Child Relationship(s) of "TEXPITEM" Table
Alter Statement

Parent Table(s) of "" Child Relationship
Create Statement

```

CREATE TABLE TEXTITEM
(
    EXP_STORE_NBR    SMALLINT NOT NULL WITH DEFAULT,
    EXP_PROG_NBR     INTEGER NOT NULL WITH DEFAULT,
    EXP_ITEM_NBR     INTEGER NOT NULL WITH DEFAULT,
    EXP_PATT_NBR     CHAR(6) NOT NULL WITH DEFAULT,
    EXP_QTY_ORDERED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_QTY_SHIPPED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_RETRIES      SMALLINT NOT NULL WITH DEFAULT,
    EXP_LST_SHIPPED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_SHIP_DATE    DATE,
    EXP_STATUS_FLAG  CHAR(1) NOT NULL WITH DEFAULT,
    EXP_STATUS_DATE  DATE
);

CREATE UNIQUE INDEX EXPITMX1 ON TEXTITEM
(
    EXP_STORE_NBR    ASC,
    EXP_PROG_NBR     ASC,
    EXP_ITEM_NBR     ASC
)
;

CREATE INDEX EXPITMX2 ON TEXTITEM
(
    EXP_PROG_NBR     ASC
)
;

```

Parent Table(s) of "" Child Relationship

Create Statement

```

CREATE TABLE TEXTITEM
(
    EXP_STORE_NBR    SMALLINT NOT NULL WITH DEFAULT,
    EXP_PROG_NBR     INTEGER NOT NULL WITH DEFAULT,
    EXP_ITEM_NBR     INTEGER NOT NULL WITH DEFAULT,
    EXP_PATT_NBR     CHAR(6) NOT NULL WITH DEFAULT,
    EXP_QTY_ORDERED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_QTY_SHIPPED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_RETRIES      SMALLINT NOT NULL WITH DEFAULT,
    EXP_LST_SHIPPED  SMALLINT NOT NULL WITH DEFAULT,
    EXP_SHIP_DATE    DATE,
    EXP_STATUS_FLAG  CHAR(1) NOT NULL WITH DEFAULT,
    EXP_STATUS_DATE  DATE
);

CREATE UNIQUE INDEX EXPITMX1 ON TEXTITEM
(
    EXP_STORE_NBR    ASC,
    EXP_PROG_NBR     ASC,
    EXP_ITEM_NBR     ASC
)
;

CREATE INDEX EXPITMX2 ON TEXTITEM
(
    EXP_PROG_NBR     ASC
)
;

```

Table(s) of "TPATT" Picture Object	
Owner	AB
Name	TPATT
Comment	This table contains the customized patterns used to select particular stores for a billing cycle

Column(s) of "TPATT" Table			
Name	Datatype	Null Option	Comment
DIST_PATT_NBR	CHAR(6)	NOT NULL	The pattern identifier assigned by the system.
DIST_PATT_TYPE	CHAR(2)	NOT NULL	The pattern type where WH = Warehouse, SS =Store size, CC= Climate code, SC=State code, SN=Store identifier, PT= Prototype, AD=ADI, EC=End caps, PN=Planogram items, ST= Store Type, ZC=Zip code, SV= Sales volume, OT=Order type, SE=Store entry and PL= Planogram
DIST_PATT_SYMBOL	CHAR(1)	NOT NULL	The selection type where G= Greater than, L =Less than, E= Equal to, X=eXcluding and I= Including.
DIST_PATT_FROM	CHAR(8)	NOT NULL	The store identifier or low limit of range store identifiers.
DIST_PATT_TO	CHAR(8)	NOT NULL	The high limit of range of store identifiers.
DIST_PATT_DATE	DATE	NULL	The date added
DIST_PATT_DESC	CHAR(24)	NOT NULL	The user description

Index(s) of "TPATT" Table	
Create Statement	
<pre> CREATE INDEX PATTX1 ON TPATT (DIST_PATT_NBR ASC, DIST_PATT_TYPE ASC) ; </pre>	

Child Relationship(s) of "TPATT" Table	
Alter Statement	

Parent Table(s) of "" Child Relationship	
Create Statement	
<pre> CREATE TABLE TPATT (DIST_PATT_NBR CHAR(6) NOT NULL WITH DEFAULT, DIST_PATT_TYPE CHAR(2) NOT NULL WITH DEFAULT, DIST_PATT_SYMBOL CHAR(1) NOT NULL WITH DEFAULT, DIST_PATT_FROM CHAR(8) NOT NULL WITH DEFAULT, DIST_PATT_TO CHAR(8) NOT NULL WITH DEFAULT, DIST_PATT_DATE DATE, DIST_PATT_DESC CHAR(24) NOT NULL WITH DEFAULT); CREATE INDEX PATTX1 ON TPATT (DIST_PATT_NBR ASC, DIST_PATT_TYPE ASC) ; </pre>	

--

Parent Table(s) of "" Child Relationship**Create Statement**

```
CREATE TABLE TPATT
(
    DIST_PATT_NBR      CHAR(6) NOT NULL WITH DEFAULT,
    DIST_PATT_TYPE     CHAR(2) NOT NULL WITH DEFAULT,
    DIST_PATT_SYMBOL    CHAR(1) NOT NULL WITH DEFAULT,
    DIST_PATT_FROM      CHAR(8) NOT NULL WITH DEFAULT,
    DIST_PATT_TO        CHAR(8) NOT NULL WITH DEFAULT,
    DIST_PATT_DATE      DATE,
    DIST_PATT_DESC      CHAR(24) NOT NULL WITH DEFAULT
);
```

```
CREATE INDEX PATTX1 ON TPATT
(
    DIST_PATT_NBR      ASC,
    DIST_PATT_TYPE     ASC
)
;
```


Table(s) of "TPROG" Picture Object	
Owner	AB
Name	TPROG
Comment	This table contains the program data used to describe billing criteria.

Column(s) of "TPROG" Table			
Name	Datatype	Null Option	Comment
MAST_PROG_NBR	INTEGER	NOT NULL	The program identifier assigned by the system
MAST_START_DATE	DATE	NULL	The billing start date.
MAST_END_DATE	DATE	NULL	The billing end date.
MAST_PROG_TYPE	CHAR(3)	NOT NULL	The program type assigned by the user for identification.
MAST_BILL_TYPE	CHAR(1)	NOT NULL	The billing type where R=Regular and S=Separate.
MAST_BILL_CYCLE	CHAR(1)	NOT NULL	The billing cycle where R=Regular and I=Immediate
MAST_DIST_PATT	CHAR(6)	NOT NULL	The pattern identifier assigned by the user to retrieve certain stores.
MAST_BKORDR_TRIES	SMALLINT	NOT NULL	The quantity of times to retry billing an order.
MAST_ENTRY_DATE	DATE	NULL	The date entered.
MAST_CHG_DATE	DATE	NULL	The date changed.
MAST_CURR_STATUS	CHAR(2)	NOT NULL	The current status where EN=Entered, RL=Released, XE=eXploded Errors, HD=on Hold, MP=Model Program, PN=explode Planogram items, PH=Partial shipment Held, PC=Partial shipment Canceled, ER=Entered for Release, XS=eXploded Successfully and XC=Changed after eX
MAST_PROG_NAME	CHAR(24)	NOT NULL	The definition of program assigned by user.
MAST_PULL_WHSE	CHAR(2)	NOT NULL	The override warehouse used to bill stores from theLexington distribution center or Express Parts with Values 22 or 91. This option overrides the normal distribution center in which the items are pulled.
MAST_FORCAST_UPD	CHAR(1)	NOT NULL	Not used.
MAST_USERID	CHAR(8)	NOT NULL	The user identification logon id.
MAST_RESERVE_FLAG	CHAR(1)	NOT NULL	Indicates whether or not automatic billing deals with store reserves where Y=yes.
MAST_RESV_STRT_DTE	DATE	NULL	The reserve inventory start date.
MAST_RESV_END_DATE	DATE	NULL	The reserve inventory end date.

Index(s) of "TPROG" Table
Create Statement
<pre>CREATE UNIQUE INDEX PROGXI ON TPROG (MAST_PROG_NBR ASC) ;</pre>

Child Relationship(s) of "TPROG" Table
Alter Statement

Parent Table(s) of "" Child Relationship
Create Statement
<pre> CREATE TABLE TPROG (MAST_PROG_NBR INTEGER NOT NULL WITH DEFAULT, MAST_START_DATE DATE, MAST_END_DATE DATE, MAST_PROG_TYPE CHAR(3) NOT NULL WITH DEFAULT, MAST_BILL_TYPE CHAR(1) NOT NULL WITH DEFAULT, MAST_BILL_CYCLE CHAR(1) NOT NULL WITH DEFAULT, MAST_DIST_PATT CHAR(6) NOT NULL WITH DEFAULT, MAST_BKORDR_TRIES SMALLINT NOT NULL WITH DEFAULT, MAST_ENTRY_DATE DATE, MAST_CHG_DATE DATE, MAST_CURR_STATUS CHAR(2) NOT NULL WITH DEFAULT, MAST_PROG_NAME CHAR(24) NOT NULL WITH DEFAULT, MAST_PULL_WHSE CHAR(2) NOT NULL WITH DEFAULT, MAST_FORCAST_UPD CHAR(1) NOT NULL WITH DEFAULT, MAST_USERID CHAR(8) NOT NULL WITH DEFAULT, MAST_RESERVE_FLAG CHAR(1) NOT NULL WITH DEFAULT, MAST_RESV_STRT_DTE DATE, MAST_RESV_END_DATE DATE); CREATE UNIQUE INDEX PROGXI ON TPROG (MAST_PROG_NBR ASC) ; </pre>

Parent Table(s) of "" Child Relationship
Create Statement
<pre> CREATE TABLE TPROG (MAST_PROG_NBR INTEGER NOT NULL WITH DEFAULT, MAST_START_DATE DATE, MAST_END_DATE DATE, MAST_PROG_TYPE CHAR(3) NOT NULL WITH DEFAULT, MAST_BILL_TYPE CHAR(1) NOT NULL WITH DEFAULT, MAST_BILL_CYCLE CHAR(1) NOT NULL WITH DEFAULT, MAST_DIST_PATT CHAR(6) NOT NULL WITH DEFAULT, MAST_BKORDR_TRIES SMALLINT NOT NULL WITH DEFAULT, MAST_ENTRY_DATE DATE, MAST_CHG_DATE DATE, MAST_CURR_STATUS CHAR(2) NOT NULL WITH DEFAULT, MAST_PROG_NAME CHAR(24) NOT NULL WITH DEFAULT, MAST_PULL_WHSE CHAR(2) NOT NULL WITH DEFAULT, MAST_FORCAST_UPD CHAR(1) NOT NULL WITH DEFAULT, MAST_USERID CHAR(8) NOT NULL WITH DEFAULT, MAST_RESERVE_FLAG CHAR(1) NOT NULL WITH DEFAULT, MAST_RESV_STRT_DTE DATE, MAST_RESV_END_DATE DATE); CREATE UNIQUE INDEX PROGXI ON TPROG (MAST_PROG_NBR ASC) ; </pre>

Table(s) of "TPROGITM" Picture Object	
Owner	AB
Name	TPROGITM
Comment	This table contains all the items to be billed for one or more stores during a billing cycle.


Column(s) of "TPROGITM" Table			
Name	Datatype	Null Option	Comment
ITEM_PROG_NBR	INTEGER	NOT NULL	The program identifier.
ITEM_ITEM_NBR	INTEGER	NOT NULL	The MSI identifier.
ITEM_INITIAL_QTY	SMALLINT	NOT NULL	The quantity to be ordered.

Index(s) of "TPROGITM" Table	
Create Statement	
<pre>CREATE UNIQUE INDEX PRGITMX1 ON TPROGITM (ITEM_PROG_NBR ASC, ITEM_ITEM_NBR ASC) ;</pre>	

Child Relationship(s) of "TPROGITM" Table	
Alter Statement	

Parent Table(s) of "" Child Relationship	
Create Statement	
<pre>CREATE TABLE TPROGITM (ITEM_PROG_NBR INTEGER NOT NULL WITH DEFAULT, ITEM_ITEM_NBR INTEGER NOT NULL WITH DEFAULT, ITEM_INITIAL_QTY SMALLINT NOT NULL WITH DEFAULT); CREATE UNIQUE INDEX PRGITMX1 ON TPROGITM (ITEM_PROG_NBR ASC, ITEM_ITEM_NBR ASC) ;</pre>	

Parent Table(s) of "" Child Relationship	
Create Statement	
<pre>CREATE TABLE TPROGITM (ITEM_PROG_NBR INTEGER NOT NULL WITH DEFAULT, ITEM_ITEM_NBR INTEGER NOT NULL WITH DEFAULT, ITEM_INITIAL_QTY SMALLINT NOT NULL WITH DEFAULT); CREATE UNIQUE INDEX PRGITMX1 ON TPROGITM (ITEM_PROG_NBR ASC, ITEM_ITEM_NBR ASC) ;</pre>	



Schema (ignore triggers)

Table

Create Statement

```
CREATE TABLE TCNTL
(
  CNTL_ID          CHAR(8) NOT NULL WITH DEFAULT,
  CNTL_NEXT_PROG_NBR  INTEGER NOT NULL WITH DEFAULT,
  CNTL_NEXT_PATT_NBR  CHAR(6) NOT NULL WITH DEFAULT,
  CNTL_OPEN_ORD_STR   SMALLINT NOT NULL WITH DEFAULT,
  CNTL_OPEN_ORD_WHSE  CHAR(2) NOT NULL WITH DEFAULT,
  CNTL_OPEN_ORD_FLG   CHAR(1) NOT NULL WITH DEFAULT
);
```

```
CREATE TABLE TEXPITEM
(
  EXP_STORE_NBR      SMALLINT NOT NULL WITH DEFAULT,
  EXP_PROG_NBR       INTEGER NOT NULL WITH DEFAULT,
  EXP_ITEM_NBR       INTEGER NOT NULL WITH DEFAULT,
  EXP_PATT_NBR       CHAR(6) NOT NULL WITH DEFAULT,
  EXP_QTY_ORDERED    SMALLINT NOT NULL WITH DEFAULT,
  EXP_QTY_SHIPPED    SMALLINT NOT NULL WITH DEFAULT,
  EXP_RETRIES        SMALLINT NOT NULL WITH DEFAULT,
  EXP_LST_SHIPPED    SMALLINT NOT NULL WITH DEFAULT,
  EXP_SHIP_DATE      DATE,
  EXP_STATUS_FLAG    CHAR(1) NOT NULL WITH DEFAULT,
  EXP_STATUS_DATE    DATE
);
```

```
CREATE UNIQUE INDEX EXPITMX1 ON TEXPITEM
```

```
(
  EXP_STORE_NBR      ASC,
  EXP_PROG_NBR       ASC,
  EXP_ITEM_NBR       ASC
)
;
```

```
CREATE INDEX EXPITMX2 ON TEXPITEM
```

```
(
  EXP_PROG_NBR       ASC
)
;
```

```

CREATE TABLE TPATT
(
    DIST_PATT_NBR      CHAR(6) NOT NULL WITH DEFAULT,
    DIST_PATT_TYPE     CHAR(2) NOT NULL WITH DEFAULT,
    DIST_PATT_SYMBOL   CHAR(1) NOT NULL WITH DEFAULT,
    DIST_PATT_FROM     CHAR(8) NOT NULL WITH DEFAULT,
    DIST_PATT_TO       CHAR(8) NOT NULL WITH DEFAULT,
    DIST_PATT_DATE     DATE,
    DIST_PATT_DESC     CHAR(24) NOT NULL WITH DEFAULT
);

```

```

CREATE INDEX PATTX1 ON TPATT
(
    DIST_PATT_NBR      ASC,
    DIST_PATT_TYPE     ASC
)
;

```

```

CREATE TABLE TPROG
(
    MAST_PROG_NBR      INTEGER NOT NULL WITH DEFAULT,
    MAST_START_DATE    DATE,
    MAST_END_DATE      DATE,
    MAST_PROG_TYPE     CHAR(3) NOT NULL WITH DEFAULT,
    MAST_BILL_TYPE     CHAR(1) NOT NULL WITH DEFAULT,
    MAST_BILL_CYCLE    CHAR(1) NOT NULL WITH DEFAULT,
    MAST_DIST_PATT     CHAR(6) NOT NULL WITH DEFAULT,
    MAST_BKORDR_TRIES  SMALLINT NOT NULL WITH DEFAULT,
    MAST_ENTRY_DATE    DATE,
    MAST_CHG_DATE      DATE,
    MAST_CURR_STATUS   CHAR(2) NOT NULL WITH DEFAULT,
    MAST_PROG_NAME     CHAR(24) NOT NULL WITH DEFAULT,
    MAST_PULL_WHSE     CHAR(2) NOT NULL WITH DEFAULT,
    MAST_FORCAST_UPD   CHAR(1) NOT NULL WITH DEFAULT,
    MAST_USERID        CHAR(8) NOT NULL WITH DEFAULT,
    MAST_RESERVE_FLAG  CHAR(1) NOT NULL WITH DEFAULT,
    MAST_RESV_STRT_DTE DATE,
    MAST_RESV_END_DATE DATE
);

```

```

CREATE UNIQUE INDEX PROGX1 ON TPROG
(
    MAST_PROG_NBR      ASC
)
;

```

```
CREATE TABLE TPROGITM
(
    ITEM_PROG_NBR    INTEGER NOT NULL WITH DEFAULT,
    ITEM_ITEM_NBR    INTEGER NOT NULL WITH DEFAULT,
    ITEM_INITIAL_QTY SMALLINT NOT NULL WITH DEFAULT
);
```

```
CREATE UNIQUE INDEX PRGITMX1 ON TPROGITM
(
    ITEM_PROG_NBR    ASC,
    ITEM_ITEM_NBR    ASC
)
;
```

Definitions

Table		
Owner	Name	Comment
AB	TCNTL	This is a control table in Automatic Billing for the next program, pattern for a store, warehouse and status condition. When table is done for a store, the billing clerk needs to know if the items billed actually got processed before an invoice can be cr
AB	TEXPITEM	This table contains all stores to be billed for a particular billing cycle.
AB	TPATT	This table contains the customized patterns used to select particular stores for a billing cycle
AB	TPROG	This table contains the program data used to describe billing criteria.
AB	TPROGITM	This table contains all the items to be billed for one or more stores during a billing cycle.

Column(s) of "TCNTL" Table	
Name	Comment
CNTL_ID	The value AUTOBILL indicates the record belongs to Automatic Billing.
CNTL_NEXT_PROG_NBR	The next sequential identifier to be assigned to a program identifier which is used throughout the billing cycle.
CNTL_NEXT_PATT_NBR	The next sequential pattern identifier to be assigned for selecting the criteria to be used in determining which stores to bill.
CNTL_OPEN_ORD_STR	Not used.
CNTL_OPEN_ORD_WHSE	Not used.
CNTL_OPEN_ORD_FLG	Not used.

Column(s) of "TEXPITEM" Table	
Name	Comment
EXP_STORE_NBR	The store identifier.
EXP_PROG_NBR	The program identifier.
EXP_ITEM_NBR	A system-generated MSI identifier used to track all of the items in a single billing.
EXP_PATT_NBR	A sequential system-generated identifier assigned to the criteria pattern that is used to define the stores to be billed.
EXP_QTY_ORDERED	The quantity ordered.
EXP_QTY_SHIPPED	The quantity shipped.
EXP_RETRIES	The quantity of attempts to bill the things found in a single cycle.
EXP_LST_SHIPPED	The previous date when any items were shipped during the billing cycle.
EXP_SHIP_DATE	The date of the most recent shipment.
EXP_STATUS_FLAG	Indicates the status of the store program item with values blank, C, D and S = .
EXP_STATUS_DATE	The date when the status for the store program item was last updated.

Column(s) of "TPATT" Table	
Name	Comment
DIST_PATT_NBR	The pattern identifier assigned by the system.
DIST_PATT_TYPE	The pattern type where WH = Warehouse, SS =Store size, CC= Climate code, SC=State code, SN=Store identifier, PT=Prototype, AD=ADI, EC=End caps, PN=Planogram items, ST=Store Type, ZC=Zip code, SV=Sales volume, OT=Order type, SE=Store entry and PI=Planogram
DIST_PATT_SYMBOL	The selection type where G=Greater than, L =Less than, E=Equal to, X=eXcluding and I=Including.
DIST_PATT_FROM	The store identifier or low limit of range store identifiers.
DIST_PATT_TO	The high limit of range of store identifiers.
DIST_PATT_DATE	The date added
DIST_PATT_DESC	The user description

Column(s) of "TPROG" Table	
Name	Comment
MAST_PROG_NBR	The program identifier assigned by the system
MAST_START_DATE	The billing start date.
MAST_END_DATE	The billing end date.
MAST_PROG_TYPE	The program type assigned by the user for identification.
MAST_BILL_TYPE	The billing type where R= Regular and S=Separate.
MAST_BILL_CYCLE	The billing cycle where R=Regular and I=Immediate
MAST_DIST_PATT	The pattern identifier assigned by the user to retrieve certain stores.
MAST_BKORDR_TRIES	The quantity of times to retry billing an order.
MAST_ENTRY_DATE	The date entered.
MAST_CHG_DATE	The date changed.
MAST_CURR_STATUS	The current status where EN=Entered, RL=Released, XE=eXploded Errors, HD=on Hold, MP=Model Program, PN=explode Planogram items, PH=Partial shipment Held, PC=Partial shipment Canceled, ER=Entered for Release, XS=eXploded Successfully and XC=Changed after eX
MAST_PROG_NAME	The definition of program assigned by user.
MAST_PULL_WHSE	The override warehouse used to bill stores from theLexington distribution center or Express Parts with Values 22 or 91. This option overrides the normal distribution center in which the items are pulled.
MAST_FORCAST_UPD	Not used.
MAST_USERID	The user identification logon id.
MAST_RESERVE_FLAG	Indicates whether or not automatic billing deals with store reserves where Y=yes.
MAST_RESV_STRT_DTE	The reserve inventory start date.
MAST_RESV_END_DATE	The reserve inventory end date.

Column(s) of "TPROGITM" Table	
Name	Comment
ITEM_PROG_NBR	The program identifier.
ITEM_ITEM_NBR	The MSI identifier.
ITEM_INITIAL_QTY	The quantity to be ordered.

Index

C

CNTL_ID 4, 16
CNTL_NEXT_PATT_NBR 4, 16
CNTL_NEXT_PROG_NBR 4, 16
CNTL_OPEN_ORD_FLG 4, 16
CNTL_OPEN_ORD_STR 4, 16
CNTL_OPEN_ORD_WHSE 4, 16

D

DIST_PATT_DATE 7, 16
DIST_PATT_DESC 7, 16
DIST_PATT_FROM 7, 16
DIST_PATT_NBR 7, 16
DIST_PATT_SYMBOL 7, 16
DIST_PATT_TO 7, 16
DIST_PATT_TYPE 7, 16

E

EXP_ITEM_NBR 5, 16
EXP_LST_SHIPPED 5, 16
EXP_PATT_NBR 5, 16
EXP_PROG_NBR 5, 16
EXP_QTY_ORDERED 5, 16
EXP_QTY_SHIPPED 5, 16
EXP_RETRIES 5, 16
EXP_SHIP_DATE 5, 16
EXP_STATUS_DATE 5, 16
EXP_STATUS_FLAG 5, 16
EXP_STORE_NBR 5, 16

I

ITEM_INITIAL_QTY 11, 17
ITEM_ITEM_NBR 11, 17
ITEM_PROG_NBR 11, 17

M

Main Subject Area / Display1 3
MAST_BILL_CYCLE 9, 17
MAST_BILL_TYPE 9, 17
MAST_BKORDR_TRIES 9, 17
MAST_CHG_DATE 9, 17
MAST_CURR_STATUS 9, 17
MAST_DIST_PATT 9, 17
MAST_END_DATE 9, 17
MAST_ENTRY_DATE 9, 17
MAST_FORCAST_UPD 9, 17
MAST_PROG_NAME 9, 17
MAST_PROG_NBR 9, 17
MAST_PROG_TYPE 9, 17
MAST_PULL_WHSE 9, 17
MAST_RESERVE_FLAG 9, 17
MAST_RESV_END_DATE 9, 17
MAST_RESV_STRT_DTE 9, 17
MAST_START_DATE 9, 17
MAST_USERID 9, 17

T

TCNTL 4, 16

TEXPITEM 5, 16

TPATT 7, 16

TPROG 9, 16, 17

TPROGTM 11, 16, 17