New paper template

Author $\mathbf{1}^{1,2,*}$, Author $\mathbf{2}^{1,2}$, Author $\mathbf{3}^3$, Author $\mathbf{4}\mathbf{E}^4$

Table of contents

2	Abstract	1
3	Introduction	1
4	Results	2
5	Equations	2
6	Sourcing code and working with variable	3
	Acknowledgements	
8	Materials and Methods	3
9	Complex grid table example	5
10	References	6

11 Abstract

- This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF,
- and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.
- 14 **text in bold** *italic* underline

15 Introduction

- You can add references either by referring to their id in the .bib file e.g., (Marinković et al., 2019), or by
- switching to the visual editor (Cogwheel in the .Rmd menu -> Use Visual Editor).
- In the visual editor mode, go to 'Insert' -> @ Citation
- 19 You can select a Zotero library, PubMed, CrossRef etc. and insert the citations.
- The easiest way is to use the command line:

¹Heidelberg University, Centre for Organismal Studies (COS), 69120 Heidelberg, Germany

²Affiliation 2

³Affiliation 3

⁴Affiliation 4

^{*}Correspondence: xy@cos.uni-heidelberg.de

curl -LH "Accept: application/x-bibtex" https://doi.org/10.7554/eLife.91258.1 >> reference

- Platynereis dumerilii is a marine annelid... (Ozpolat et al., 2021)
- ²² The references are stored in manuscript/references.bib (need to be defined in the Yaml header). This file
- ²³ will automatically updated when you insert a new reference through the Visual editor > Insert > Citations.
- 24 In this documents, references will be formatted in the style of eLife. This is defined in the Yaml header
- under: csl: elife.csl. The elife.csl file is saved in the /manuscript folder.
- ²⁶ If you would like to use a different citation format, download the respective .csl file (e.g., from the Zotero
- style repository https://www.zotero.org/styles), save it in the /manuscript folder of the project and change
- the Yaml to csl: your favourite journal.csl.

29 Results

- 30 Inserting Figures
- You can add your figures into the rendered document. We saved the figures into /manuscript/figures or
- ³² /manuscript/figure supplements and can insert them from there. We use knitr::include graphics for this.
- The title and legend can also be edited, as will as the width of the output figure.




Figure 1: Figure 1. Title fig 1 (A) legend (B) legend.

34 Equations

Equations can also be inserted, Insert -> Display Math:

$$\bar{X} = \frac{\sum_{i=1}^{n} x_i}{n}$$

Sourcing code and working with variable

- The 'analysis/scripts/statistics_for_paper.R' script is sourced and it runs but the output is not included
- 38 in the knitted output. But we can access the variables defined in the sourced script simply by adding '
- ³⁹ r var_name ' between ' backticks, in this case max_PRC value is 21 (now this number comes from our
- 40 sourced script).
- If we update the data, the script can recalculate the variable we want to refer to in the text and update
- the number.

43 Acknowledgements

- We would like to thank the Jekely lab for the R project template (https://github.com/JekelyLab/new_pap
- er template) we used to write this paper. This work was funded by ...

46 Materials and Methods

- 47 You can insert tables from source data, such as .csv or Excel files and render them in html with the
- 48 tinytable package.
- ⁴⁹ Alternatively, you can use the Markdown grid table format. For more complex tables, you can use the
- tablesgenerator online grid table editor/converter (e.g. converts csv or excel files).
- 51 The output may differ between html and pdf, for most consistent results use the grid table format described
- 52 here.

Key Resources Table

Reagent type (species) or	Designation	Source or reference	Identifiers	Additional information
biological sample (N. vectensis)	larval, juvenile and adult N. vectensis	Specimens obtained form the Marine Invertebrate Culture Unit of the University of Exeter	N/A	NA
biological sample (cDNA)	cDNA obtained from N. vectensis	this study	N/A	RNA extracted with Trizol and cDNA synthesized with cDNA synthesis kit according to manufacturers recommendation
biological sample (peptide extract)	peptide extracts obtained from N. vectensis	this study	N/A	Peptides extracted from N. vectensis according to protocol explained in Material and Methods
genetic reagent (cDNA synthesis)	SuperScript™ III First-Strand Synthesis System	Invitrogen (from ThermoFisher)	18080051	NA
genetic reagent (Polymerase)	Q5® Hot Start High-Fidelity DNA Polymerase	New England Biolabs	M0493L	NA
genetic reagent (DNA assembly)	NEBuilder® HiFi DNA Assembly Master Mix	New England Biolabs	E2621L	NA
genetic reagent (restriction enzyme)	EcoRV restriction enzyme	New England Biolabs	R3195L	NA
genetic reagent (restriction enzyme)	Afl2 restriction enzyme	New England Biolabs	R0520L	NA

Table 1: Grid Table example

Col1	Col2	Col3	Col4	Col5
а	b	С	d	е
d				

Complex grid table example

55 This table was generated by tt() as the output of an r chunk in a Quarto doc.

Table 2: More complex Grid Table example

Reagent type (species) or		Source or		A 1 100
resource	Designation	reference	Identifiers	Additional information
biological sample (N. vecten- sis)	larval, juvenile and adult N. vectensis	Specimens obtained form the Marine Invertebrate Culture Unit of the University of Exeter	N/A	NA
biological sample (cDNA)	cDNA obtained from N. vectensis	this study	N/A	RNA extracted with Trizol and cDNA synthesized with cDNA synthesis kit according to manufacturers recommendation
biological sample (peptide extract)	peptide extracts obtained from N. vectensis	this study	N/A	Peptides extracted from N. vectensis according to protocol explained in Material and Methods
genetic reagent (cDNA synthe- sis)	SuperScript™ III First-Strand Synthesis System	Invitrogen (from ThermoFisher)	18080051	NA

Reagent type				
(species)		_		
or	D : "	Source or	1.1 (16)	Aller Inc.
resource	Designation	reference	Identifiers	Additional information
genetic	Q5® Hot Start	New England	M0493L	NA
reagent	High-Fidelity DNA	Biolabs		
(Poly-	Polymerase			
merase)				
genetic	NEBuilder® HiFi	New England	E2621L	NA
reagent	DNA Assembly	Biolabs		
(DNA as-	Master Mix			
sembly)	FooD\/ rootriction	Now England	R3195L	NA
genetic	EcoRV restriction	New England Biolabs	K3 190L	INA
reagent (restric-	enzyme	DIUIAUS		
tion				
enzyme)				
genetic	Afl2 restriction	New England	R0520L	NA
reagent	enzyme	Biolabs		
(restric-	•			
tion				
enzyme)				

56 References

- Marinković M, Berger J, Jékely G. 2019. Neuronal coordination of motile cilia in locomotion and feeding. *Philosophical Transactions of the Royal Society B: Biological Sciences* **375**:20190165. doi:10.1098/rstb.2019.0165
- Ozpolat BD, Randel N, Williams EA, Bezares-Calderón LA, Andreatta G, Balavoine G, Bertucci PY,
 Ferrier DEK, Gambi MC, Gazave E, Handberg-Thorsager M, Hardege J, Hird C, Hsieh Y-W, Hui
 J, Mutemi KN, Schneider SQ, Simakov O, Vergara HM, Vervoort M, Jékely G, Tessmar-Raible
 K, Raible F, Arendt D. 2021. The Nereid on the rise: Platynereis as a model system. *Zenodo*.
 doi:10.5281/ZENODO.4907400