En este ya pobre con IDEA,3DES, CAST5, BLOWFISH y no me ha dejado ocupar esos se pone la captura de pantalla



```
gpg: can't open 'salida.txt': No such file or directory
gpg: symmetric encryption of 'salida.txt' failed: No such file or directory
axel2@DESKTOP-I6U7L83:~$ gpg -c Simetrico.txt
File 'Simetrico.txt.gpg' exists. Overwrite? (y/N) y
axel2@DESKTOP-I6U7L83:~$ gpg -c Simetrico.txt
File 'Simetrico.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename:
gpg: signal Interrupt caught ... exiting

axel2@DESKTOP-I6U7L83:~$ sudo nano salida.txt
[sudo] password for axel2:
axel2@DESKTOP-I6U7L83:~$ ls -l sa*
-rw-r--r-- 1 root root 126 Nov  5 16:06 salida.txt
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo AES192 salida.txt
axel2@DESKTOP-I6U7L83:~$ cat salida.txt.gpg
�
@gqP��ђ^Ŏ��;�l
              7�D,B��d�1]2��&�~�2�N�l�[�w�t���2��`��F����ɘ1rp('��,��^t7�luj�
                                                                      �U��V����")o�"�ww�}�o��9��R��2�$uЛ_f�������+T$u���Ub7隊
                                                                                                                            Y�p�  �j[O�axel2@DESKTOP-I
6U7L83:~$ gpg -c --cipher-algo IDE salida.txt
gpg: selected cipher algorithm is invalid
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo IDEA salida.txt
gpg: cipher algorithm 'IDEA' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo 3DES salida.txt
gpg: cipher algorithm '3DES' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo ^Calida.txt
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo CAST5 salida.txt
gpg: cipher algorithm 'CAST5' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo BLOWFISH salida.txt
gpg: cipher algorithm 'BLOWFISH' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ 
```

CON AES si funciono



```
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo AES salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidaes.txt
axel2@DESKTOP-I6U7L83:~$ cat salidaes.txt
�

a^�$��ђ�A#58�ZP���ݓ��ypL��       ÁMm8X�O�H�L₠���<!��y��~�;5�{�Ì^�riu���TAn��R
���?�$�NM(H�����斆�=>M����(<�7�����Ʊ������r��4o����Bq`w�C5_�]"����axel2@DESKTOP-I6U7L83:~$ 
```

CON TWOFISH si funciono



```
a^�$��ђ�A#58�ZP���ݓ��ypL��       ÁMm8X�O�H�L₠���<!��y��~�;5�{�Ì^�riu���TAn��R
���?�$�NM(H�����斆�=>M����(<�7�����Ʊ������r��4o����Bq`w�C5_�]"����axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo TWOFISH salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidatwo.txt
axel2@DESKTOP-I6U7L83:~$ cat salidatwo.txt
�

�s#O8��v�ђ�O�.+��=�rƛ6�-�>����N����Z������犎������UO��{(����:m���b!�����t�K[@l�j~U�����1�iP�u�/�%�YC�z[/�A��$R_�0��*�T���$Q&/qDڍw6�f���д��[�4�/u}���V(l�r�
saxel2@DESKTOP-I6U7L83:~$ 
```

CON CAMELLIAA128 si funciono



```
saxel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo CAMELLIA128 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame.txt
�

w����@9��t)�m��q�D+2/�r"|)"�2����ɥ�V�:�f����Jy���]���n��m:�G������� �������0�&�m$9��e����{)��B��>�2��J J����m��v��l ��a`:Pk{y�e
                                                                                                     daxel2@DESKTOP-I6U7L83:~$
```

Con la de CAMELLIA192 si funciono



```
w����@9��t)�m��q�D+2/�r"|)"�2����ɥ�V�:�f����Jy���]���n��m:�G������� �������0�&�m$9��e����{)��B��>�2��J J����m��v��l ��a`:Pk{y�e
                                                                                                     daxel2@DESKTOP-I6U7L83:~$ cat
gpg -c --cipher-algo CAMELLIA192 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame192.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame192.txt
�


�
R�n)�ђ���h�2^:�h��b?���Ly*)A���
                                  �8��Dd�ٲ��A��|0���,9�0��s�R�{.�����.�f��TS���Nf_!I�.#�+)��B�&��,�/�������W2�r�r�a�0�,��б���B1��L[Z����*;axel2@DESKTOP-I6U7L83:
~$
```

Con el de CAMELLIA256 si funciono



```
                                  �8��Dd�ٲ��A��|0���,9�0��s�R�{.�����.�f��TS���Nf_!I�.#�+)��B�&��,�/�������W2�r�r�a�0�,��б���B1��L[Z����*;axel2@DESKTOP-I6U7L83:
~$ gpg -c --cipher-algo CAMELLIA256 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame256.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame256.txt
�
�ym䥃1��@�m&q|����Z�m�,�
                           L^2�.�^���R��9�����U�|Tr
ɟ�r�~�!t�n|�10�
RYoS��t��R)�\x`l�S����7<�4�["�"x�0�C���K�ʌU|�axel2@DESKTOP-I6U7L83:~$
```

Y se agrega toda la pantalla completa de los que ejecute cada uno



```
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo IDEA salida.txt
gpg: cipher algorithm 'IDEA' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo 3DES salida.txt
gpg: cipher algorithm '3DES' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo ^Calida.txt
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo CAST5 salida.txt
gpg: cipher algorithm 'CAST5' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo BLOWFISH salida.txt
gpg: cipher algorithm 'BLOWFISH' may not be used for encryption
gpg: (use option "--allow-old-cipher-algos" to override)
gpg: symmetric encryption of 'salida.txt' failed: Invalid cipher algorithm
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo AES salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidaes.txt
axel2@DESKTOP-I6U7L83:~$ cat salidaes.txt
�

a^�$��ђ�A#58�ZP���ـ��ypL��      ÁMm8X�O�H�Lϕ���<!��y��~�;5�{�Ì^�riu���TAn��R
���?�$�NM(H�����敦�=>M����(<�7�����Ս������r��4o����Bq`w�C5_�]"����axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo TWOFISH salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidatwo.txt
axel2@DESKTOP-I6U7L83:~$ cat salidatwo.txt
�

�s#O8��v�ђ�O�.+��=�rλ6�-�>����N����Z������幇������UO��{(����:m���b!�����t�K[@l�j~U�����1�iP�u�/�%�YC�z[/�A��$R_�0��*�T���$Q&/qDب�w6�f����д��[�4�/u}���V(l�r�
saxel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo CAMELLIA128 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame.txt
�

w����@9��t)�m��q�D+2/�r"|)"�2����ɥ�V�:�f����Jy���]���n��m:�G������� �������0�&�m$9��e����{)��B��>�2��J J����m��v��l ��a`:Pk{y�e
                                                                                                     daxel2@DESKTOP-I6U7L83:~$ cat
gpg -c --cipher-algo CAMELLIA192 salida.txt
```



```
axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo AES salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidaes.txt
axel2@DESKTOP-I6U7L83:~$ cat salidaes.txt
�


a^�$��Ђ�A#58�ZP���ـ��ypL��      ÁMm8X�O�H�Lϱ���<!��y��~�;5�{�Ì^�riu���TAn��R
���?�$�NM(H�����斅�=>M����(<�7�����Ʊ������r��4o�����Bq`w�C5_�]"����axel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo TWOFISH salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidatwo.txt
axel2@DESKTOP-I6U7L83:~$ cat salidatwo.txt
�


�s#O8��v�ѩ�O�.+��=�rƛ6�-�̉>����N����Z������犎������UO��{(����:m���b!�����t�K[@l�j~U�����1�iP�u�/�%�YC�z[/�A��$R_�0��*�T���$Q&/qDبw6�f���д��[�4�/u}���V(l�r�
saxel2@DESKTOP-I6U7L83:~$ gpg -c --cipher-algo CAMELLIA128 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame.txt
�


w����@9��t)�m��q�D+2/�r"|)"�2����ч�V�:�f����Jy���]���n��m:�G������� �������0�&�m$9��e����{)��B��>�2��J J����m��v��ι��a`:Pk{y�e
                                                                                                                              daxel2@DESKTOP-I6U7L83:~$ cat
gpg -c --cipher-algo CAMELLIA192 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame192.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame192.txt
�


�
R�n)�Ђ���h�2^:�h��b?���Ly*)A���
                               �8��Ddӛ̄��A��|0���,9�O��s�R�{.�����.�f��TS���Nf_!I�.#�+)��B�&��,�/�������W2�ŕr�a�0�,��б���B1��L[Z����*;axel2@DESKTOP-I6U7L83:
~$ gpg -c --cipher-algo CAMELLIA256 salida.txt
File 'salida.txt.gpg' exists. Overwrite? (y/N) n
Enter new filename: salidacame256.txt
axel2@DESKTOP-I6U7L83:~$ cat salidacame256.txt
�
�ym㌗1��@�m&q|����Z�m�,�
                        L^2�.�^���R��9�����U�|Tr
ɟ�r�~�!t�n|�1O�
RYoS��t��R)�\x`l�S����7<�4�["�"x�0�C���K�ʌU|�axel2@DESKTOP-I6U7L83:~$ 
```