TRABAJOS EN CLASE

ALEXIS YAHIR ALVAREZ LEON
ENRIQUE BERNANDO RESENDIZ HERNANDEZ
02/10/2025

1


```
ftp:x:50:
lock:x:54:
audio:x:63:
users:x:100:
clock:x:103:
input:x:104:kike
render:x:105:
sgx:x:106:
nobody:x:65534:
tss:x:59:
dbus:x:81:
systemd-journal:x:190:
systemd-oom:x:999:
polkitd:x:114:
printadmin:x:998:
sssd:x:997:
systemd-coredump:x:996:
systemd-timesync:x:995:
sshd:x:74:
systemd-network:x:192:
systemd-resolve:x:193:
avahi:x:70:
passim:x:994:
kike:x:1000:
wsdd:x:993:
geoclue:x:992:
rtkit:x:172:
pipewire:x:991:
usbmuxd:x:113:
unbound:x:990:
sddm:x:989:
firebird:x:988:
flatpak:x:987:
TeamScrum:x:1001:Karla
Carolina:x:1002:
mysql:x:1003:
```

```
kvm:x:36:
video:x:39:
ftp:x:50:
lock:x:54:
audio:x:63:
users:x:100:
clock:x:103:
input:x:104:kike
render:x:105:
sgx:x:106:
nobody:x:65534:
tss:x:59:
dbus:x:81:
systemd-journal:x:190:
systemd-oom:x:999:
polkitd:x:114:
printadmin:x:998:
sssd:x:997:
systemd-coredump:x:996:
systemd-timesync:x:995:
sshd:x:74:
systemd-network:x:192:
systemd-resolve:x:193:
avahi:x:70:
passim:x:994:
kike:x:1000:
wsdd:x:993:
geoclue:x:992:
rtkit:x:172:
pipewire:x:991:
usbmuxd:x:113:
unbound:x:990:
sddm:x:989:
firebird:x:988:
flatpak:x:987:
mysql:x:1003:
```

jue 2 oct - 15:33 ~ ⎇ origin main 2 41+
@kike

```
ftp:x:50:
lock:x:54:
audio:x:63:
users:x:100:
clock:x:103:
input:x:104:kike
render:x:105:
sgx:x:106:
nobody:x:65534:
tss:x:59:
dbus:x:81:
systemd-journal:x:190:
systemd-oom:x:999:
polkitd:x:114:
printadmin:x:998:
sssd:x:997:
systemd-coredump:x:996:
systemd-timesync:x:995:
sshd:x:74:
systemd-network:x:192:
systemd-resolve:x:193:
avahi:x:70:
passim:x:994:
kike:x:1000:
wsdd:x:993:
geoclue:x:992:
rtkit:x:172:
pipewire:x:991:
usbmuxd:x:113:
unbound:x:990:
sddm:x:989:
firebird:x:988:
flatpak:x:987:
mysql:x:1003:
TeamScrum:x:1004:
Carolina:x:1001:
```

jue 2 oct - 15:35 ~ ⎇ origin main 2 41+
@kike

d

1.1

```
jue  2 oct - 15:41    ~    origin  main  2 41
@kike    sudo chage -l Alexis

Último cambio de contraseña                                    : oct 02, 2025
La contraseña caduca                            : nunca
Contraseña inactiva                             : nunca
La cuenta caduca                                               : nunca
Número de días mínimo entre cambio de contraseña              : 0
Número de días máximo entre cambio de contraseña              : 99999
Número de días de aviso antes de que caduque la contraseña    : 7

jue  2 oct - 15:41    ~    origin  main  2 41
@kike    sudo chage -E 2025-10-03 Alexis

jue  2 oct - 15:43    ~    origin  main  2 41
@kike    sudo chage -E 2025-10-03 Alexis

jue  2 oct - 15:43    ~    origin  main  2 41
@kike    sudo passwd Alexis
Nueva contraseña:
CONTRASEÑA INCORRECTA: La contraseña tiene menos de 8 caracteres
Vuelva a escribir la nueva contraseña:
passwd: contraseña actualizada correctamente

jue  2 oct - 15:44    ~    origin  main  2 41
@kike    sudo chage -l Alexis

Último cambio de contraseña                                    : oct 02, 2025
La contraseña caduca                            : nunca
Contraseña inactiva                             : nunca
La cuenta caduca                                               : oct 03, 2025
Número de días mínimo entre cambio de contraseña              : 0
Número de días máximo entre cambio de contraseña              : 99999
Número de días de aviso antes de que caduque la contraseña    : 7

jue  2 oct - 15:44    ~    origin  main  2 41
@kike
```

kike@fedora
⚠ -> Linux 6.16.8-200.fc42.x86_64
▭ -> Hyprland 0.51.1 (Wayland)
▯ -> zsh 5.9
▪ -> kitty 0.42.2
● -> 2.73 GiB / 7.44 GiB
○ -> 35 mins

```
jue 2 oct - 15:45  ~  ⑂ origin ⦿ main ↑2 41
@kike  su - Alexis
Contraseña:
[Alexis@fedora ~]$ nano MyPer25B.txt
[Alexis@fedora ~]$ nano SisOpe25B.txt
[Alexis@fedora ~]$ cat MyPer25B.txt SisOpe25B.txt > SO25B.txt
[Alexis@fedora ~]$ cat SisOpe25B.tx S025B.txt MYPer25B.txt > UtlCon2025B.txt
cat: SisOpe25B.tx: No existe el fichero o el directorio
cat: MYPer25B.txt: No existe el fichero o el directorio
[Alexis@fedora ~]$ cat SisOpe25B.tx S025B.txt MyPer25B.txt > UtlCon2025B.txt
cat: SisOpe25B.tx: No existe el fichero o el directorio
[Alexis@fedora ~]$ cat SisOpe25B.txt S025B.txt MyPer25B.txt > UtlCon2025B.txt
[Alexis@fedora ~]$
```

2.2

3.3

```
jue 2 oct - 15:45  ~  ⑂ origin ⦿ main ↑2 41
@kike  su - Alexis
Contraseña:
[Alexis@fedora ~]$ nano MyPer25B.txt
[Alexis@fedora ~]$ nano SisOpe25B.txt
[Alexis@fedora ~]$ cat MyPer25B.txt SisOpe25B.txt > SO25B.txt
[Alexis@fedora ~]$ cat SisOpe25B.tx S025B.txt MYPer25B.txt > UtlCon2025B.txt
cat: SisOpe25B.tx: No existe el fichero o el directorio
cat: MYPer25B.txt: No existe el fichero o el directorio
[Alexis@fedora ~]$ cat SisOpe25B.tx S025B.txt MyPer25B.txt > UtlCon2025B.txt
cat: SisOpe25B.tx: No existe el fichero o el directorio
[Alexis@fedora ~]$ cat SisOpe25B.txt S025B.txt MyPer25B.txt > UtlCon2025B.txt
[Alexis@fedora ~]$ cat UtlCon2025B.txt
Seguridad
Servicios
UFW
Usuarios
Puertos
Enrique Bernardo Resendiz Heernadez
ICO-UAEMEX CU ZUMPANGO
2022-2027
2225860
Plan educativo 2025B
UA's: Robotica, Ciencia de los datos, Sistemas operativos, Sistemas digitales, Graficacion computacional, Administracion de proyectos informaticos
Seguridad
Servicios
UFW
Usuarios
Puertos
Enrique Bernardo Resendiz Heernadez
ICO-UAEMEX CU ZUMPANGO
2022-2027
2225860
Plan educativo 2025B
UA's: Robotica, Ciencia de los datos, Sistemas operativos, Sistemas digitales, Graficacion computacional, Administracion de proyectos informaticos
[Alexis@fedora ~]$
```

parte 4


```
jue 2 oct - 15:54   ~    origin  main  2 41+
@kike    sudo usermod -aG wheel Alexis
[sudo] contraseña para kike:

jue 2 oct - 15:54   ~    origin  main  2 41+
@kike    grep -E "port|PermitRootLogin|PasswordAuthentication" /etc/ssh/sshd_config
grep: /etc/ssh/sshd_config: Permiso denegado

X  jue 2 oct - 15:57   ~    origin  main  2 41+
@kike    sudo grep -E "port|PermitRootLogin|PasswordAuthentication" /etc/ssh/sshd_config
# If you want to change the port on a SELinux system, you have to tell
# semanage port -a -t ssh_port_t -p tcp #PORTNUMBER
#PermitRootLogin prohibit-password
#PasswordAuthentication yes
# PasswordAuthentication.  Depending on your PAM configuration,
# the setting of "PermitRootLogin prohibit-password".
# PAM authentication, then enable this but set PasswordAuthentication
# WARNING: 'UsePAM no' is not supported in this build and may cause several

jue 2 oct - 15:57   ~    origin  main  2 41+
@kike
```



```
jue 2 oct - 16:05   ~    origin  main  2 41+
@kike    putty

jue 2 oct - 16:05   ~    origin  main  2 41+
@kike    hostname -I
192.168.1.87

jue 2 oct - 16:05   ~    origin  main  2 41+
@kike    putty
```

```
login as: Alexis
Alexis@192.168.1.87's password:
Last login: Thu Oct  2 16:04:33 2025
[Alexis@fedora ~]$ ls
MyPer25B.txt  SisOpe25B.txt  SO25B.txt  UtlCon2025B.txt
[Alexis@fedora ~]$ sudo mv UlCon2025.tx /home/Kike
[sudo] contraseña para Alexis:
mv: no se puede efectuar `stat' sobre 'UlCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UlCon2025.txt /home/Kike
mv: no se puede efectuar `stat' sobre 'UlCon2025.txt': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UltCon2025.tx /home/Kike
mv: no se puede efectuar `stat' sobre 'UltCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UtlCon2025.tx /home/Kike
mv: no se puede efectuar `stat' sobre 'UtlCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UtlCon2025B.tx /home/Kike
mv: no se puede efectuar `stat' sobre 'UtlCon2025B.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UtlCon2025B.txt /home/Kike
[Alexis@fedora ~]$ ls
MyPer25B.txt  SisOpe25B.txt  SO25B.txt
[Alexis@fedora ~]$
```

4

```
login as: Alexis
Alexis@192.168.1.87's password:
Last login: Thu Oct  2 16:04:33 2025
[Alexis@fedora ~]$ ls
MyPer25B.txt  SisOpe25B.txt  SO25B.txt  UtlCon20258.txt
[Alexis@fedora ~]$ sudo mv UlCon2025.tx /home/Kike
[sudo] contraseña para Alexis:
mv: no se puede efectuar `stat' sobre 'UlCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UlCon2025.txt /home/Kike
mv: no se puede efectuar `stat' sobre 'UlCon2025.txt': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UlCon2025.tx /home/Kike
mv: no se puede efectuar `stat' sobre 'UlCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UlCon2025.tx /home/Kike
mv: no se puede efectuar `stat' sobre 'UlCon2025.tx': No existe el fichero o el directorio
[Alexis@fedora ~]$ sudo mv UtlCon20258.txt /home/Kike
[Alexis@fedora ~]$ ls
MyPer25B.txt  SisOpe25B.txt  SO25B.txt
[Alexis@fedora ~]$ ls -l
total 12
-rw-r--r--. 1 Alexis Carolina 246 oct  2 15:49 MyPer25B.txt
-rw-r--r--. 1 Alexis Carolina  44 oct  2 15:50 SisOpe25B.txt
-rw-r--r--. 1 Alexis Carolina 290 oct  2 15:51 SO25B.txt
[Alexis@fedora ~]$ df -h
S.ficheros      Tamaño Usados Disp Uso% Montado en
/dev/nvme0n1p6    50G    23G   26G  47% /
devtmpfs         3.7G      0  3.7G   0% /dev
tmpfs            3.8G   284K  3.8G   1% /dev/shm
efivarfs         268K   252K   12K  96% /sys/firmware/efi/efivars
tmpfs            1.5G   1.6M  1.5G   1% /run
tmpfs            1.0M      0  1.0M   0% /run/credentials/systemd-journald.service
/dev/nvme0n1p6    50G    23G   26G  47% /home
/dev/nvme0n1p5   974M   405M  502M  45% /boot
tmpfs            3.8G   2.3M  3.8G   1% /tmp
/dev/nvme0n1p1    96M    66M   31M  69% /boot/efi
tmpfs            1.0M      0  1.0M   0% /run/credentials/systemd-resolved.service
tmpfs            763M   164K  763M   1% /run/user/1000
tmpfs            763M    20K  763M   1% /run/user/1001
[Alexis@fedora ~]$ whoami
Alexis
[Alexis@fedora ~]$ pwd
/home/Carolina
[Alexis@fedora ~]$
```

b

parte 4 y 5


```
[sudo] contraseña para kike:
Estado: inactivo
@kike  sudo ufw enable
El cortafuegos está activo y habilitado en el arranque del sistema

@kike  sudo ufw status verbose

Estado: activo
Acceso: on (low)
Predeterminado: deny (entrantes), allow (salientes), disabled (enrutados)
Perfiles nuevos: skip

Hasta                       Acción      Desde
-----                       ------      -----
22/tcp (SSH)                ALLOW IN    Anywhere
224.0.0.251 5353/udp (mDNS) ALLOW IN    Anywhere
22/tcp (SSH (v6))           ALLOW IN    Anywhere (v6)
ff02::fb 5353/udp (mDNS)    ALLOW IN    Anywhere (v6)

@kike  sudo ufw reset
Reiniciando todas las reglas a sus valores predeterminados instalados.
¿Continuar con la operación (s|n)? s
Respaldando «user.rules» en «/var/lib/ufw/user.rules.20251002_161434»
Respaldando «before.rules» en «/etc/ufw/before.rules.20251002_161434»
Respaldando «after.rules» en «/etc/ufw/after.rules.20251002_161434»
Respaldando «user6.rules» en «/var/lib/ufw/user6.rules.20251002_161434»
Respaldando «before6.rules» en «/etc/ufw/before6.rules.20251002_161434»
Respaldando «after6.rules» en «/etc/ufw/after6.rules.20251002_161434»
AVISO: «/var/lib/ufw/user.rules» tiene permiso de lectura para todo el mundoAVISO: «/etc/ufw/before.rules» tiene permiso de lectura para todo el mundoAVISO: «/etc/ufw/after
.rules» tiene permiso de lectura para todo el mundoAVISO: «/var/lib/ufw/user6.rules» tiene permiso de lectura para todo el mundoAVISO: «/etc/ufw/before6.rules» tiene permis
o de lectura para todo el mundoAVISO: «/etc/ufw/after6.rules» tiene permiso de lectura para todo el mundo
@kike
```



```
show ARG                    show firewall report
version                     display version information

Application profile commands:
app list                    list application profiles
app info PROFILE            show information on PROFILE
app update PROFILE          update PROFILE
app default ARG             set default application policy

@kike  sudo ufw enable

El cortafuegos está activo y habilitado en el arranque del sistema

@kike  sudo ufw status verbose

Estado: activo
Acceso: on (low)
Predeterminado: deny (entrantes), allow (salientes), disabled (enrutados)
Perfiles nuevos: skip

Hasta                       Acción      Desde
-----                       ------      -----
22/tcp (SSH)                ALLOW IN    Anywhere
224.0.0.251 5353/udp (mDNS) ALLOW IN    Anywhere
80                          DENY IN     Anywhere
Anywhere                    DENY IN     192.178.56.206
7000:7006/tcp               DENY IN     Anywhere
22                          DENY IN     192.178.56.206
22/tcp (SSH (v6))           ALLOW IN    Anywhere (v6)
ff02::fb 5353/udp (mDNS)    ALLOW IN    Anywhere (v6)
80 (v6)                     DENY IN     Anywhere (v6)
7000:7006/tcp (v6)          DENY IN     Anywhere (v6)

@kike
```

```
jue 2 oct - 16:20   ~   ⎇ origin ⍟ main ↑2 41⬥
@kike ❯ su - Alexis
Contraseña:
[Alexis@fedora ~]$ sudo systemctl list-units --type=service
[sudo] contraseña para Alexis:
  UNIT                                                                                LOAD   ACTIVE SUB     DESCRIPTION
  auditd.service                                                                      loaded active running Security Audit Logging Service
  avahi-daemon.service                                                                loaded active running Avahi mDNS/DNS-SD Stack
  bluetooth.service                                                                   loaded active running Bluetooth service
  dbus-broker.service                                                                 loaded active running D-Bus System Message Bus
  dracut-shutdown.service                                                             loaded active exited  Restore /run/initramfs on shutdown
  firewalld.service                                                                   loaded active running firewalld - dynamic firewall daemon
  kmod-static-nodes.service                                                           loaded active exited  Create List of Static Device Nodes
  lm_sensors.service                                                                  loaded active exited  Hardware Monitoring Sensors
● NetworkManager-wait-online.service                                                  loaded failed failed  Network Manager Wait Online
  NetworkManager.service                                                              loaded active running Network Manager
  plymouth-quit-wait.service                                                          loaded active exited  Hold until boot process finishes up
  plymouth-quit.service                                                               loaded active exited  Terminate Plymouth Boot Screen
  plymouth-read-write.service                                                         loaded active exited  Tell Plymouth To Write Out Runtime Data
  plymouth-start.service                                                              loaded active exited  Show Plymouth Boot Screen
  polkit.service                                                                      loaded active running Authorization Manager
  rtkit-daemon.service                                                                loaded active running RealtimeKit Scheduling Policy Service
  sddm.service                                                                        loaded active running Simple Desktop Display Manager
  sshd.service                                                                        loaded active running OpenSSH server daemon
  systemd-backlight@backlight:intel_backlight.service                                 loaded active exited  Load/Save Screen Backlight Brightness of backlight:intel_
  systemd-fsck@dev-disk-by\x2duuid-5ec69fe4\x2de1b3\x2d40ff\x2d83b7\x2dba7e4a7d0a49.service loaded active exited  File System Check on /dev/disk/by-uuid/5ec69fe4-e1b3-40ff
  systemd-fsck@dev-disk-by\x2duuid-CE5F\x2dA00B.service                               loaded active exited  File System Check on /dev/disk/by-uuid/CE5F-A00B
  systemd-journal-flush.service                                                       loaded active exited  Flush Journal to Persistent Storage
  systemd-journald.service                                                            loaded active running Journal Service
  systemd-logind.service                                                              loaded active running User Login Management
  systemd-modules-load.service                                                        loaded active exited  Load Kernel Modules
  systemd-network-generator.service                                                   loaded active exited  Generate network units from Kernel command line
  systemd-random-seed.service                                                         loaded active exited  Load/Save OS Random Seed
  systemd-remount-fs.service                                                          loaded active exited  Remount Root and Kernel File Systems
  systemd-resolved.service                                                            loaded active running Network Name Resolution
  systemd-sysctl.service                                                              loaded active exited  Apply Kernel Variables
  systemd-tmpfiles-setup-dev-early.service                                            loaded active exited  Create Static Device Nodes in /dev gracefully
  systemd-tmpfiles-setup-dev.service                                                  loaded active exited  Create Static Device Nodes in /dev
  systemd-tmpfiles-setup.service                                                      loaded active exited  Create System Files and Directories
```

f

```
Use -t help to see a list of allowed values.
[Alexis@fedora ~]$ sudo systemctl list-units daemos
  UNIT LOAD ACTIVE SUB DESCRIPTION

0 loaded units listed. Pass --all to see loaded but inactive units, too.
To show all installed unit files use 'systemctl list-unit-files'.
[Alexis@fedora ~]$ sudo systemctl -t
systemctl: la opción requiere un argumento -- 't'
[Alexis@fedora ~]$ sudo systemctl deamos
Unknown command verb 'deamos', did you mean 'status'?
[Alexis@fedora ~]$ sudo systemctl list-units --type=service --state=running
  UNIT                   LOAD   ACTIVE SUB     DESCRIPTION
  auditd.service         loaded active running Security Audit Logging Service
  avahi-daemon.service   loaded active running Avahi mDNS/DNS-SD Stack
  bluetooth.service      loaded active running Bluetooth service
  dbus-broker.service    loaded active running D-Bus System Message Bus
  firewalld.service      loaded active running firewalld - dynamic firewall daemon
  NetworkManager.service loaded active running Network Manager
  polkit.service         loaded active running Authorization Manager
  rtkit-daemon.service   loaded active running RealtimeKit Scheduling Policy Service
  sddm.service           loaded active running Simple Desktop Display Manager
  sshd.service           loaded active running OpenSSH server daemon
  systemd-journald.service loaded active running Journal Service
  systemd-logind.service loaded active running User Login Management
  systemd-resolved.service loaded active running Network Name Resolution
  systemd-udevd.service  loaded active running Rule-based Manager for Device Events and Files
  systemd-userdbd.service loaded active running User Database Manager
  udisks2.service        loaded active running Disk Manager
  upower.service         loaded active running Daemon for power management
  user@1000.service      loaded active running User Manager for UID 1000
  user@1001.service      loaded active running User Manager for UID 1001
  wpa_supplicant.service loaded active running WPA supplicant

Legend: LOAD   → Reflects whether the unit definition was properly loaded.
        ACTIVE → The high-level unit activation state, i.e. generalization of SUB.
        SUB    → The low-level unit activation state, values depend on unit type.

20 loaded units listed.
[Alexis@fedora ~]$
```

```
  upower.service            loaded active running Daemon for power management
  user@1000.service         loaded active running User Manager for UID 1000
  user@1001.service         loaded active running User Manager for UID 1001
  wpa_supplicant.service    loaded active running WPA supplicant

Legend: LOAD   → Reflects whether the unit definition was properly loaded.
        ACTIVE → The high-level unit activation state, i.e. generalization of SUB.
        SUB    → The low-level unit activation state, values depend on unit type.

20 loaded units listed.
[Alexis@fedora ~]$ sudo systemctl stoop sshd
Unknown command verb 'stoop', did you mean 'stop'?
[Alexis@fedora ~]$ sudo systemctl stop sshd
[Alexis@fedora ~]$ sudo systemctl status sshd
○ sshd.service - OpenSSH server daemon
     Loaded: loaded (/usr/lib/systemd/system/sshd.service; enabled; preset: enabled)
    Drop-In: /usr/lib/systemd/system/service.d
             └─10-timeout-abort.conf
     Active: inactive (dead) since Thu 2025-10-02 16:26:26 CST; 15s ago
   Duration: 1h 16min 2.185s
 Invocation: 286f2af3f7fe41be9536c1bf341fc3a4
       Docs: man:sshd(8)
             man:sshd_config(5)
    Process: 897 ExecStart=/usr/sbin/sshd -D $OPTIONS (code=exited, status=0/SUCCESS)
   Main PID: 897 (code=exited, status=0/SUCCESS)
   Mem peak: 22.1M
        CPU: 131ms

oct 02 15:10:24 fedora systemd[1]: Starting sshd.service - OpenSSH server daemon...
oct 02 15:10:24 fedora sshd[897]: Server listening on 0.0.0.0 port 22.
oct 02 15:10:24 fedora sshd[897]: Server listening on :: port 22.
oct 02 15:10:24 fedora systemd[1]: Started sshd.service - OpenSSH server daemon.
oct 02 16:06:28 fedora sshd-session[12742]: Accepted password for Alexis from 192.168.1.87 port 36163 ssh2
oct 02 16:06:28 fedora sshd-session[12742]: pam_unix(sshd:session): session opened for user Alexis(uid=1001) by Alexis(uid=0)
oct 02 16:26:26 fedora systemd[1]: Stopping sshd.service - OpenSSH server daemon...
oct 02 16:26:26 fedora sshd[897]: Received signal 15; terminating.
oct 02 16:26:26 fedora systemd[1]: sshd.service: Deactivated successfully.
oct 02 16:26:26 fedora systemd[1]: Stopped sshd.service - OpenSSH server daemon.
[Alexis@fedora ~]$
```

d

parte 6

```
             man:sshd_config(5)
   Main PID: 897 (code=exited, status=0/SUCCESS)
   Mem peak: 22.1M
        CPU: 131ms

oct 02 15:10:24 fedora systemd[1]: Starting sshd.service - OpenSSH server daemon...
oct 02 15:10:24 fedora sshd[897]: Server listening on 0.0.0.0 port 22.
oct 02 15:10:24 fedora sshd[897]: Server listening on :: port 22.
oct 02 15:10:24 fedora systemd[1]: Started sshd.service - OpenSSH server daemon.
oct 02 16:06:28 fedora sshd-session[12742]: Accepted password for Alexis from 192.168.1.87 port 36163 ssh2
oct 02 16:06:28 fedora sshd-session[12742]: pam_unix(sshd:session): session opened for user Alexis(uid=1001) by Alexis(uid=0)
oct 02 16:26:26 fedora systemd[1]: Stopping sshd.service - OpenSSH server daemon...
oct 02 16:26:26 fedora sshd[897]: Received signal 15; terminating.
oct 02 16:26:26 fedora systemd[1]: sshd.service: Deactivated successfully.
oct 02 16:26:26 fedora systemd[1]: Stopped sshd.service - OpenSSH server daemon.
[Alexis@fedora ~]$
[Alexis@fedora ~]$ sudo systemctl start sshd
[Alexis@fedora ~]$ sudo systemctl enable sshd
[Alexis@fedora ~]$ sudo systemctl status sshd
● sshd.service - OpenSSH server daemon
     Loaded: loaded (/usr/lib/systemd/system/sshd.service; enabled; preset: enabled)
    Drop-In: /usr/lib/systemd/system/service.d
             └─10-timeout-abort.conf
     Active: active (running) since Thu 2025-10-02 16:28:23 CST; 9s ago
 Invocation: 8ec389391d6e401da9487f317b9e6613
       Docs: man:sshd(8)
             man:sshd_config(5)
   Main PID: 17642 (sshd)
      Tasks: 1 (limit: 8969)
     Memory: 1M (peak: 1.2M)
        CPU: 31ms
     CGroup: /system.slice/sshd.service
             └─17642 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

oct 02 16:28:23 fedora systemd[1]: Starting sshd.service - OpenSSH server daemon...
oct 02 16:28:23 fedora sshd[17642]: Server listening on 0.0.0.0 port 22.
oct 02 16:28:23 fedora sshd[17642]: Server listening on :: port 22.
oct 02 16:28:23 fedora systemd[1]: Started sshd.service - OpenSSH server daemon.
[Alexis@fedora ~]$
```