



# Visual Studio Code

# Qu'est ce que c'est?



#### => Interface de Visual Code Studio

```
8240%;11ne-height:1;letter-spacing
             ### 111 ## : -Webkit-font-smoothing:
          118 1 1 px; cursor:pointer; flex-direction:
     hadden; min-width: 290px; flex-grow: []
nnt malac: 14px; height: 22px; margin-to
hat to the second of the secon
                                                                       ANTIEX: 18: Max-Width: 70X). desc-brown
```




#### => Le VsCode Marketplace

```
<u>File Edit Selection View Go Debug Tasks Help</u>
                                                              JS grammarConverter.js X {} package.json vscode
                                                                                                              {} package.json vscode-docs
        EXPLORER

▲ OPEN EDITORS

           JS grammarConverter.js vscode-generator-code/generators/app
                                                                      * Copyright (C) Microsoft Corporation. All rights reserved.
          {} package.json vscode
          {} package.json vscode-docs
                                                                      'use strict';
       vscode
                                                                     var path = require('path');
                                                                     var fs = require('fs');
        vscode-docs
                                                                     var plistParser = require('./plistParser');
         var request = require('request');
 .vscode
          generators
                                                                     function convertGrammar(location, extensionConfig) {

▲ app
                                                                         extensionConfig.languageId = '';
             ▶ templates
                                                                         extensionConfig.languageName = '';
                                                                         extensionConfig.languageScopeName = '';
             JS env.js
                                                                         extensionConfig.languageExtensions = [];
            JS grammarConverter.js
            JS index.js
                                                                         if (!location) {
            JS plistParser.js
                                                                             extensionConfig.languageContent = '';
            JS snippetConverter.js
                                                                             return Promise.resolve();
             JS themeConverter.js
P master ♥ ⊗ 0 A 0
                                                                                                         Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript 😃
```



#### => Terminal de VsCode

# Conclusion

