# **Pathway Analysis Cheatsheet**

The tables below consist of valuable functions or commands that will help you through this module.

Each table represents a different library/tool and its corresponding commands.

Please note that these tables are not intended to tell you all the information you need to know about each command.

The hyperlinks found in each piece of code will take you to the documentation for further information on the usage of each command. Please be aware that the documentation will generally provide information about the given function's most current version (or a recent version, depending on how often the documentation site is updated). This will usually (but not always!) match what you have installed on your machine. If you have a different version of R or other R packages, the documentation may differ from what you have installed.

#### **Table of Contents**

- msigdbr
- AnnotationDbi
- Base R
- DESeq2
- enrichplot
- clusterProfiler
- GSVA
- qusage

## msigdbr

Read the msigdbr documentation.

Library/Package	Piece of Code	What it's called	What it does
msigdbr	msigdbr()	geom vertical line	Retrieves the specified MSigDB dataset

#### **AnnotationDbi**

Read the AnnotationDbi package vignette.

Library/Package	Piece of Code	What it's called	What it does
AnnotationDbi	keytypes()	Keytypes	Returns a character vector of column names/types of gene identifiers (e.g. ENSEMBL ) available in an AnnotationDbi package.
AnnotationDbi	mapIds()	Mapped IDs  Extracts the mapped IDs for a set of gene identifiers of gene identifiers (e.g. ENSEMBL or ENTREZ) are surprised arguments: keytype (type of gene identifiers we are in the keys argument) and column (type of gene identifiers want returned).	

### Base R

Read the Base R documentation.

Library/Package	Piece of Code	What it's called	What it does
Base R	fisher.test()	Fisher's Exact Test	Performs the Fisher's exact test for testing the null of independence of rows and columns for a given matrix or data.frame with count data

## DESeq2

Read the DESeq2 package documentation, and the package vignette by Love, Anders, and Huber.

Library/Package	Piece of Code	What it's called	What it does
DESeq2	lfcShrink()	Shrink Log Fold Changes	Adds shrunken log2 fold changes to the results of a DESeqDataSet object
DESeq2	results()	Results	Returns the results table from a DESeq2 analysis
DESeq2	resultsNames()	Results Names	Returns the names of the estimated effects or coefficients of the DESeq model

## enrichplot

Read the enrichplot package documentation.

Library/Package	Piece of Code	What it's called	What it does
enrichplot	dotplot()	Dot plot	Produces a dot plot for given enrichment results
enrichplot	upsetplot()	Upset plot	Produces an upset plot, which shows the overlapping genes between gene sets, for given enrichment results
enrichplot	gseaplot()	GSEA plot	Produces a plot visualization displaying the distribution of gene set and enrichment score

#### clusterProfiler

Read the clusterProfiler package documentation.

Library/Package	Piece of Code	What it's called	What it does
clusterProfiler	enricher()	Enricher	Performs a universal over-representation analysis for a given list of genes and gene sets or pathways
clusterProfiler	GSEA()	Gene Set Enrichment Analysis (GSEA)	Performs a universal gene set enrichment analysis on given preranked (sorted) named vector of statistics, where the names in the vector are gene identifiers of gene sets

### GSVA

Read the GSVA package documentation.

Library/Package	Piece of Code	What it's called	What it does
GSVA	gsva()	Gene Set Variation Analysis (GSVA)	Estimates gene set variation analysis enrichment scores on given gene expression matrix
GSVA	gsvaParam()	Gene Set Variation Analysis (GSVA)	Estimates gene set variation analysis enrichment scores on given gene expression matrix

#### qusage

Read the qusage package documentation.

Library/Package	Piece of Code	What it's called	What it does
qusage	read.gmt()	Read in .gmt files	Reads in gene set information from .gmt files