THE PROBLEM

One confident mistake costs 100 good answers

Send to a human	Book it, correct	Book it, wrong
cost 1	**+1**	**−100**
the safe choice	saves the review	reaches the system of record


Automation only pays if the booked answers are right more than 99 % of the time.

The real task is not to extract more. It is to know which answers you can prove.

WHAT WE LEARNED

Models don't know when they are wrong

Self-reported confidence



Asking the same model 3 times


```
sample 1:  year_1 = "$241.81"   conf 0.99
sample 2:  year_1 = "$241.81"   conf 0.99
sample 3:  year_1 = "$241.81"   conf 0.99
```

3 of 3 agree → booked → wrong (−100)

Agreement measures consistency,
not correctness. The model repeats its own mistake.

OUR IDEA

Different pipelines, different eyes, proven trust



A field is booked only if its field type has zero errors on many independent documents and the views agree with evidence in the document. Everything else goes to a human.

FIRST PROOF

Better eyes, and a selector that beats the human

A damaged scan (Schedule K-1)


Text layer
ine Harbour Water Utillties LLC ✗

Gemini on PDF
Pine Harbour Water Utilities LLC ✓

Claude on PDF
Pine Harbour Water Utilities LLC ✓

Two model families, same correct answer:
that agreement is a signal worth trusting.

Net saving vs. human review (dev)



378 fields booked, 0 wrong (simulated, text-only · symlog x-axis)

THE VISION

Trust is earned per field, not granted to a model

1 Suggest

Every field is pre-filled
with its evidence.
A human confirms.

2 Earn trust

Each confirmation is a label.
A field type with a clean
record goes automatic.

3 Scale

More document types,
scans and contracts.
Any drift → back to human.

Measured, reversible, and safe from day one: the system never books what it cannot prove.

Built: router · vision + 2-model views · contract pipeline · selector · review dashboard | Next: frozen audit