

Cannabis: A Comprehensive Guide

Historical Overview

- **Ancient Use (Asia, Africa, Europe):** Archeological evidence places *Cannabis* in Central Asia (Altai Mountains) ~12,000 years ago ¹. By the early Bronze Age it was widely used across Eurasia. Ancient China's pharmacopoeia (the "Divine Farmer" Shen Nung, c. 2700 BCE) and Egyptian papyri (c.1500 BCE) list cannabis remedies ² ³. Greek historian Herodotus (~440 BCE) described Scythians inhaling cannabis vapors during funeral rites ⁴. In India and the Middle East, cannabis (bhang) has been used for millennia in religious and folk medicine ⁵ ⁶.
- **Americas & Trade:** Cannabis spread west via trade and colonialism. By 1545 hemp (a cannabis variety) was cultivated in Chile, and by 1606 hemp seed reached Nova Scotia with European settlers ⁷. In North America, hemp was grown for fiber and oil by early colonists; psychoactive use came later.
- **Prohibition & Legal History:** In the 20th century many countries banned cannabis. The U.S. passed the **Marihuana Tax Act (1937)** effectively outlawing use ⁸. The **1961 UN Single Convention** classified cannabis alongside opiates (Schedule I) ⁹. In the U.S. the Controlled Substances Act of 1970 made cannabis a Schedule I drug (no accepted medical use) ¹⁰. These policies triggered a decades-long "War on Drugs," though attitudes began shifting in the late 20th century.

Cannabis in Cultures and Religions

- **Spiritual & Ritual Use:** Many cultures have regarded cannabis as sacred. In ancient India, cannabis (bhang) is linked to the god Shiva and used in Hindu festivals (e.g. Holi, Shivaratri) ⁵ ⁶. Sufi mystics in the Middle East historically used hashish for spiritual insight. Some Native American and Siberian shamans also employed cannabis in rituals.
- **Modern Religious Use:** Rastafarians consider cannabis ("ganja") a holy herb, used sacramentally in prayer. They cite Biblical passages and believe smoking it ("holy smoke") induces meditation and peace ¹¹. In 2018 Antigua & Barbuda recognized it as a sacrament, reflecting its cultural role.
- **Traditional Medicine:** Cannabis has long been a folk medicine. Ayurvedic texts name it *Vijaya*, used for pain, nausea, and appetite ⁵. Traditional Chinese medicine listed cannabis for various ailments. The **Ebers Papyrus** (Egypt, c.1550 BCE) recommends topical cannabis for inflammation ³. Assyrian medical tablets even mention using cannabis (Akkadian *azallû*) for mood disorders ³.

Anatomy and Biology of the Plant



Figure: Dense female cannabis flower buds covered in resinous trichomes (glandular hairs). These trichomes produce cannabinoids (e.g. THC, CBD) and aromatic terpenes.

Cannabis plants are **dioecious** (separate sexes). Female plants develop the psychoactive buds; males produce pollen sacs on small clusters ¹². Three species/varieties are often noted: **C. sativa** (tall, slender, fibrous stalks), **C. indica** (shorter, bushy, woodier stem) ¹³, and **C. ruderalis** (small, auto-flowering, low THC) ¹⁴. In practice modern “sativa” and “indica” strains are hybrids.

- **Roots & Stem:** Cannabis has a central taproot with spreading laterals, and a sturdy semi-woody stem that can reach >2 m (sativa) to <1 m (indica) ¹⁵ ¹³. Hemp strains have especially fibrous, lumber-strength stalks for cordage.

- **Leaves:** The characteristic **fan leaves** are palmate (hand-shaped) with serrated leaflets ¹⁶. Seedlings first produce smooth-edged cotyledons, then true serrated leaves. “Sugar leaves” grow near buds and have many trichomes.

- **Flowers/Buds:** Only female plants make buds. The **inflorescence** consists of clusters of flowers surrounded by bracts and bracteoles ¹⁷ ¹⁸. Each flower’s base is a *calyx* (protective layer) housing the ovule; from the calyx protrude the *pistils* (long stigmas, the hairs that catch pollen) ¹⁸. Buds contain the highest concentration of trichomes, giving a sticky “resin.”

- **Trichomes:** Tiny glandular hairs cover buds (and to a lesser extent leaves/stems), secreting a resin rich in cannabinoids and terpenes ¹⁹. Trichomes look like crystals under magnification. They are the plant’s chemical factories: for example, THC and CBD are synthesized in stalked trichomes on female buds ¹⁹.

- **Seeds:** The fruit is a single-seeded achene (~3–5 mm) with a hard coat ²⁰. These nut-like seeds are edible (high in protein/oils) and used as hempseed food or bird feed.

Chemistry and Pharmacology

- **Cannabinoids:** Cannabis produces over 100 cannabinoids. The most prominent are Δ^9 -tetrahydrocannabinol (**THC**) and cannabidiol (**CBD**) ²¹. THC is psychoactive (produces the “high”) and has analgesic, antiemetic, muscle-relaxant and appetite-stimulating effects ²¹. CBD is non-intoxicating and has anti-inflammatory, neuroprotective and anxiolytic properties ²¹. Other notable cannabinoids include cannabinol (**CBN**, a degradation product of THC), cannabigerol (**CBG**), and cannabichromene (**CBC**) ²²; these have mild pharmacological effects (e.g. CBN is mildly sedating) and are under research for medical potential.

- **Terpenes:** These are aromatic oils (monoterpenes, sesquiterpenes) in the cannabis essential oil. Terpenes determine the plant's fragrance (citrus, pine, skunky, etc.). Common terpenes include *myrcene* (earthy, sedating), *limonene* (citrus, mood-uplifting), *pinene* (pine, alertness), and *linalool* (floral, calming). Terpenes may also contribute to physiological effects (e.g. anti-inflammatory, analgesic) and **synergize** with cannabinoids, a phenomenon known as the "entourage effect" ²³ . In other words, the combined effect of a cannabis extract can exceed that of isolated THC/CBD ²³ ²⁴ .

- **Endocannabinoid System (ECS):** Cannabis acts on the human ECS, discovered in the 1990s. The ECS includes endogenous ligands (like anandamide), and two primary receptors: **CB1** (abundant in brain/central nervous system) and **CB2** (in immune cells and periphery) ²⁵ . THC binds to CB1 (causing psychotropic effects) and CB2; CBD does not bind strongly but influences the system (e.g. inhibiting endocannabinoid breakdown) ²⁶ . Through this system, cannabinoids modulate many functions: pain, mood, appetite, memory, immunity and more ²⁷ ²⁵ .

- **Bioavailability:** Inhalation (smoking or vaping) delivers THC quickly: blood levels peak within minutes, with ~20–30% of THC absorbed into the body ²⁸ . Oral ingestion (edibles, capsules) is much less efficient – only ~4–12% bioavailable ²⁸ – because much is metabolized in the liver. Edibles have delayed onset (30–90 minutes) but longer-lasting effects than inhalation. Sublingual tinctures bypass some liver metabolism, giving intermediate onset.

- **Entourage Effect:** Clinical and laboratory studies suggest that whole-plant cannabis (with its mix of cannabinoids and terpenes) may produce different effects than isolated compounds. For example, CBD+THC combinations can modulate each other's effects. Some researchers argue the "entourage effect" is real ²⁴ , while others note that rigorous evidence is still limited ²⁹ . In practice, many users and clinicians find that full-spectrum extracts provide balanced relief that single compounds may not.

Cannabinoid vs Effects:

Cannabinoid	Notable Effects
THC (Δ^9 -THC)	Psychoactive; analgesic, antiemetic, appetite stimulant ²¹
CBD	Non-psychoactive; anti-inflammatory, anxiolytic, anticonvulsant ²¹
CBN	Mildly sedative (breakdown product of THC)
CBG	Possible anti-inflammatory, neuroprotective (precursor molecule)
CBC	Analgesic, anti-inflammatory (studies ongoing)

Common Terpenes in Cannabis:

Terpene	Aroma	Potential Effects
Myrcene	Earthy/musky	Sedation, muscle relaxation
Limonene	Citrus	Mood elevation, stress relief
Pinene	Pine	Alertness, anti-inflammatory
Linalool	Floral/lavender	Anxiolytic, calming
Caryophyllene	Peppery	Anti-inflammatory (also binds CB2)

Cultivation Techniques

Cannabis growth has distinct stages: germination, seedling, vegetative, flowering, and harvest. Cultivators monitor light, nutrients, and environment carefully. Key practices include:

- Growth Stages:

- *Germination*: Seeds soak and sprout radicles in moist, dark conditions (1–7 days).
- *Seedling*: Seedling unfurls cotyledon leaves, then true fan leaves. Young plants need high humidity (~65–70%) and gentle light.
- *Vegetative*: Rapid foliage growth. Plants receive long light cycles (e.g. 18–24 hours light) and high nitrogen nutrition ³⁰. This stage can last weeks to months.
- *Flowering*: Triggered by about 12h light/12h dark for photoperiod varieties (auto-flower strains bloom on own schedule). Plant switches to reproductive mode, buds form at nodes. Grower switches nutrients to higher phosphorus/potassium to support flowers ³¹ ³².
- *Harvest*: When most pistils brown and trichomes turn milky/amber, buds are cut. Buds are then dried (in dark, 40–50% humidity) and **cured** (stored airtight ~55–65% humidity) for 2+ weeks to improve flavor and potency ³³.

• Growing Environments:

- *Indoor*: Controlled conditions (lights, temperature, CO₂). Allows year-round cultivation, consistent yields and heavy buds ³⁴ ³⁵. Requires investment (grow lights, AC, ventilation) and management of pests.
- *Outdoor*: Grows in natural soil and sunlight. Lower cost and potentially larger plants, but dependent on climate and season ³⁶. Outdoor crops may develop richer terpene profiles due to natural cycles ³⁶. Risks include weather damage, pests and legal exposure ³⁷.
- *Greenhouse*: Hybrid of indoor/outdoor; uses sunlight plus supplemental lighting and some environmental control.

• Hydroponics/Aeroponics:

Instead of soil, many growers use nutrient solutions or mist systems. *Hydroponic* setups (deep water culture, ebb/flow, etc.) deliver precise nutrients to roots, often accelerating growth. *Aeroponics* suspends roots in air and mists them, maximizing oxygenation – this can yield very rapid growth but is technically challenging. Both systems require careful pH (see below) and constant monitoring.

• Nutrients and pH:

Cannabis needs a balanced diet of macro- and micronutrients. In **vegetative** stage it prefers **high nitrogen** (N) for foliage growth ³⁰; in **flowering** it needs extra **phosphorus** and **potassium** for bud/fruit development ³¹ ³². Growers often use specialized fertilizers labeled N-P-K that change formula between phases.

Soil pH is crucial: cannabis best absorbs nutrients at pH ~6.0–7.0 ³⁸. In soilless or hydroponic systems the ideal is ~5.5–6.5 ³⁹. A simple chart:

- Soil: pH 6.0–7.0 ³⁸
- Hydro/coco: pH 5.5–6.5 ³⁹
Water and nutrient solutions are adjusted (“pH up/down”) to stay in range.

- **Climate Control:** Plants favor daytime temps ~20–30 °C and modest humidity. In **vegetative** stage humidity can be higher (50–70%), but in **flowering** it's lowered (40–50%) to prevent mold on dense buds. Good ventilation and clean air (CO₂ enrichment) improve growth.
- **Harvesting & Processing:** After cut-down, branches are dried slowly (to ~10–15% moisture) before curing in jars ³³. Proper curing (2–4 weeks) allows moisture to equalize and converts precursors to active compounds, improving taste and smoothness ³³. Trimmed flowers are then stored in cool, dark conditions to preserve potency.

Industrial Hemp

Hemp is cannabis grown for non-drug purposes. It is legally defined (in the US) as *Cannabis sativa* with ≤0.3% THC ⁴⁰ ⁴¹ (the EU uses 0.2%). Hemp plants are usually tall (2–4 m) with fibrous stalks. Major **uses** of hemp include: textiles and rope (hemp fibers), building materials (hempcrete), paper, biodegradable plastics, biofuel, and nutritious food products (seeds, oil, protein powder) ⁴². Hemp seeds and oil are high in omega-3/6 fatty acids. Unlike marijuana varieties, hemp has been bred for fiber and seed, not high resin content.

Legally, hemp has seen a resurgence: early US farmers grew hemp freely, but prohibition in 1937 included hemp ⁴³. The 2014 U.S. Farm Bill re-allowed hemp pilot programs (≤0.3% THC) ⁴⁴. The 2018 Farm Bill fully legalized industrial hemp, permitting broad cultivation and commerce of hemp-derived products ⁴⁵. Similar legalization has occurred in Canada, Europe, and elsewhere. Hemp's low THC means it lacks significant psychoactivity, but it does contain CBD, which is extracted for oils and supplements.

Myths vs Facts

- **“Gateway drug”: Myth.** Contrary to old fears, evidence does *not* show that cannabis use causes progression to “harder” drugs. Reviews find no causal link between cannabis and later illicit drug use ⁴⁶. Most users do not move on to substances like heroin; correlation with drug experimentation is confounded by social factors.
- **Brain damage (“kills brain cells”):** No conclusive evidence supports this old myth ⁴⁷. Long-term imaging studies have not found widespread neuronal death from moderate use. However, heavy use **in adolescence** can modestly affect cognitive development: a longitudinal New Zealand study found that persistent daily teen use was associated with a ~6–8 point average IQ drop in midlife ⁴⁸. (Importantly, those who only used heavily as adults showed *no* IQ loss ⁴⁸.)
- **Addiction potential:** Cannabis can be habit-forming. About 20–30% of users develop **Cannabis Use Disorder** (CUD) – difficulty controlling use despite harm ⁴⁹. Dependence is more common with early and heavy use (especially starting before 18) ⁴⁹. By comparison, alcohol and nicotine have higher addiction rates, but cannabis dependence is clinically recognized by health authorities.
- **Cancer cure & health claims:** Any claim that cannabis “cures” cancer or other major diseases is unsupported. Some cannabinoids are under study for anti-cancer or neuroprotective effects, but no rigorous human trials prove such cures. CBD is not a panacea: the FDA warns against unproven medical claims on CBD products ⁵⁰. Patients should rely on proven therapies and approved medications (e.g. Epidiolex for epilepsy).
- **Driving safety:** Cannabis impairs motor coordination, reaction time and judgment. Studies find a modest increase in car crash risk after acute cannabis use. Users should never drive high. (By contrast, zero overdose deaths are known – cannabis’ safety margin in terms of toxicity is high.)
- **General expectations:** While cannabis has real medical uses, it is not harmless. Scientific evidence guides realistic views: it can relieve pain, nausea, spasms, seizures, etc., but can also cause side effects (see below). Dispelling myths helps reduce stigma and promotes informed decisions.

Legal and Economic Impact

The legal status of cannabis varies globally and is rapidly changing. Historically it was broadly prohibited: the **1961 UN Single Convention** treated cannabis like heroin (Schedule I and IV) ⁵¹. In December 2020, the UN's drug commission removed cannabis from the strictest Schedule IV (reserving it solely in Schedule I) ⁵¹, acknowledging medical value while keeping controls.

Current Trends: By 2025, many regions have loosened laws. Three countries (Uruguay, Canada, Thailand) and dozens of U.S. states have legalized recreational use. Over 40 countries have some form of medical cannabis program. In the U.S., cannabis remains federally illegal (Schedule I ⁹), but states like California and Colorado (first legal recreational in 2012) have created robust legal markets. Europe is moving: Germany and Malta have legalized medical use nationwide.

Economic Boom: Legalization has created a multi-billion-dollar industry. In the U.S., adult-use tax revenues in established states are in the billions: e.g. Washington (2014–2023) collected ~\$4.1 B ⁵² and Colorado ~\$2.38 B ⁵². In 2022 Americans spent roughly **\$30 billion** on legal cannabis products ⁵³ (outpacing spending on chocolate or craft beer). The industry supports over **100,000 jobs** in cultivation, processing and retail ⁵⁴. IBISWorld reports ~15,000 cannabis dispensaries in the U.S. (~93,000 jobs) ⁵⁴. A 2023 report projected the U.S. cannabis sector to reach ~\$150 billion total economic output by 2026 ⁵³. Similar economic booms are seen in Canada and Latin America.

Regulations and Frameworks: Legal markets are tightly regulated. Governments set rules on licensing growers/processors, controlling product potency, mandating lab testing, and enforcing packaging/labeling standards. Age limits (typically 18–21+), advertising restrictions, and taxes are common. Medical cannabis programs usually require patient registration and doctor approval. The expansion of legal frameworks is ongoing as policymakers balance public health with economic and criminal justice interests.

Health Benefits and Risks

Cannabis affects individuals differently, with both potential benefits and harms. **Evidence-based Medical Uses:** Clinical research supports cannabis or cannabinoids for certain conditions. For example, cannabinoids significantly reduce chronic neuropathic and cancer pain (about a 30% pain reduction in studies ⁵⁵). THC-based medications (dronabinol) alleviate chemotherapy-induced nausea/vomiting and stimulate appetite in wasting illnesses. FDA-approved Epidiolex (CBD) reduces seizures in severe epilepsy syndromes (Dravet, Lennox-Gastaut) ⁵⁰. Some patients find relief from muscle spasticity (e.g. multiple sclerosis) and certain inflammatory conditions. However, benefits are often modest and vary by individual and formulation.

Side Effects and Contraindications: Short-term side effects include dizziness, dry mouth, increased heart rate, impaired memory and coordination, and anxiety or paranoia (especially at high doses of THC). Cannabinoids can interact with other medications (e.g. blood thinners). Smoking cannabis irritates lungs: it can cause acute bronchospasm and chronic bronchitis ⁵⁶; long-term lung cancer risk from cannabis smoke is not definitively established but is a concern since marijuana smoke contains many of the same carcinogens as tobacco ⁵⁷ ⁵⁶. Vaping cannabis oils has caused acute lung injuries (EVALI outbreaks) ⁵⁸, so vaping sources should be trusted and pure.

Dependency and Mental Health: About 9–30% of users develop CUD ⁴⁹, characterized by craving, withdrawal and loss of control. Withdrawal symptoms (irritability, insomnia) occur in heavy users. Heavy, long-term use starting in adolescence can impair cognitive development (e.g. small IQ loss ⁴⁸) and is

associated with poorer school/work outcomes. Cannabis use is linked to a higher risk of psychosis or schizophrenia in vulnerable individuals ⁵⁹ ; the absolute risk is low, but age <25 and frequent high-THC use increase it. Pregnant women and youth should avoid cannabis: it can affect fetal development and the still-forming teen brain ⁶⁰ .

Age-related Effects: Older adults tend to have slower metabolism of THC, so effects last longer. In elderly patients (with medical oversight), cannabis can help chronic pain, insomnia or arthritis, but it can also cause confusion or balance problems. In contrast, the adolescent brain (still maturing) is more sensitive to THC's adverse effects ⁶⁰ ⁴⁸ . Medical recommendations generally discourage recreational use before age 21 and strongly advise against it under 18.

Safety Profile: Fatal overdose from cannabis is effectively unheard of (LD is extremely high). However, high doses of THC can cause acute extreme discomfort: panic, vomiting (cannabis hyperemesis syndrome), or psychotic-like states. Always start with low doses, especially for inexperienced users.

Modern Cannabis Use

Cannabis today comes in many **forms** and **potencies**:

- **Flower:** Dried buds are smoked in pipes/joints or vaporized. This is the classic form.
- **Concentrates:** Resin extracts (hashish, shatter, wax, oils, live resin) contain very high THC (up to >90%). They are vaporized or “dabbed” (heated on a hot surface and inhaled).
- **Edibles:** Foods and drinks infused with cannabis (brownies, candies, teas, gummies). Effects are delayed (often 1–2 hours) but can last 4–8 hours. Dose carefully (label typically shows total mg of THC/CBD).
- **Tinctures/Oils:** Alcohol or oil extracts taken by mouth, often placed under the tongue. Onset ~15–45 minutes. Convenient for controlled dosing of CBD or THC.
- **Topicals:** Creams, balms, patches applied to skin. These produce localized relief (pain or inflammation) without psychoactivity, as cannabinoids absorb through skin but do not reach the bloodstream in significant amounts.
- **Other:** Capsules, suppositories, beverages, and even inhalers exist.

Methods of Consumption: Inhalation (smoking/vaping) gives fast effects (minutes), useful for quick relief. Ingestion (edibles/tinctures) is slower but longer-lasting, better for sustained medical use. Dosage is crucial: for novices, low doses (e.g. 2–5 mg THC) are recommended. Products now often list THC and CBD content per serving. Typical modern strains have 10–30% THC; CBD-dominant varieties (<1% THC) or balanced hybrids are used by those seeking medical benefits without intoxication.

Key Takeaway: Cannabis use is highly individualized. Modern products allow consumers to choose high-THC (recreational), high-CBD (therapeutic), or mixed formulations. Responsible use means understanding potency, choosing the right product for your needs, and being aware of legal limits and health guidelines.

Sources: This guide is based on historical records, scientific research and reviews ¹ ⁵ ²¹ ⁴⁹ ⁵³ . Wherever possible, peer-reviewed studies and authoritative summaries have been cited. The embedded figures and tables illustrate key points. All information is presented for educational purposes; consult healthcare professionals and local laws for personal decisions.

1 2 3 5 7 9 46 History of cannabis and the endocannabinoid system

- PMC

<https://pmc.ncbi.nlm.nih.gov/articles/PMC7605027/>

4 The First Evidence of Smoking Pot Was Found in a 2,500-Year-Old Pot

<https://www.smithsonianmag.com/smart-news/2500-year-old-chinese-cemetery-offers-earliest-physical-evidence-cannabis-smoking-180972410/>

6 Bhang - Wikipedia

<https://en.wikipedia.org/wiki/Bhang>

8 The Illegalization of Marijuana: A Brief History | Origins

<https://origins.osu.edu/article/illegalization-marijuana-brief-history>

10 Drug Scheduling

<https://www.dea.gov/drug-information/drug-scheduling>

11 Why Rastafari smoke marijuana for sacramental reasons and the faith's other beliefs | Africanews

<https://www.africanews.com/2023/06/02/why-rastafari-smoke-marijuana-for-sacramental-reasons-and-the-faiths-other-beliefs/>

12 15 16 17 20 SS-AGR-480/AG476: Cannabis sativa Plant Identification and Its Look-Alikes

<https://edis.ifas.ufl.edu/publication/AG476>

13 14 Indica vs. sativa: What's the difference?

<https://www.medicalnewstoday.com/articles/indica-vs-sativa>

18 Getting To Know The Cannabis Calyx, Resinous To The Top - RQS Blog

<https://www.royalqueenseeds.com/us/blog-getting-to-know-the-cannabis-calyx-resinous-to-the-top-n414>

19 Cannabis Glandular Trichomes: A Cellular Metabolite Factory - PMC

<https://pmc.ncbi.nlm.nih.gov/articles/PMC8488169/>

21 22 Phytocannabinoids: Exploring Pharmacological Profiles and Their Impact on Therapeutical Use - PMC

<https://pmc.ncbi.nlm.nih.gov/articles/PMC11050509/>

23 The Cannabis Terpenes - PMC

<https://pmc.ncbi.nlm.nih.gov/articles/PMC7763918/>

24 Frontiers | The Case for the Entourage Effect and Conventional Breeding of Clinical Cannabis: No "Strain," No Gain

<https://www.frontiersin.org/journals/plant-science/articles/10.3389/fpls.2018.01969/full>

25 26 27 Endocannabinoid System: A Simple Guide to How It Works

<https://www.healthline.com/health/endocannabinoid-system>

28 Pharmacokinetics of cannabinoids - PubMed

<https://pubmed.ncbi.nlm.nih.gov/16237477/>

29 Decoding the Postulated Entourage Effect of Medicinal Cannabis: What It Is and What It Isn't - PMC

<https://pmc.ncbi.nlm.nih.gov/articles/PMC10452568/>

30 31 32 Amsterdam Genetics » Nitrogen, Phosphorus, Potassium: Key Cannabis Nutrients

<https://www.amsterdamgenetics.com/nitrogen-phosphorus-potassium-key-cannabis-nutrients/>

33 Drying and Curing Bud for the Best Taste, Smell, Potency | Leafly

<https://www.leafly.com/learn/growing/harvesting-marijuana/drying-curing-cannabis>

34 35 36 37 Indoor vs. Outdoor Cannabis Cultivation: Pros and Cons - FloraFlex Media

https://floraflex.com/default/blog/post/indoor-vs-outdoor-cannabis-cultivation-pros-and-cons?srsId=AfmBOoqpTHGmRCQwfSAArDvi2PEX50ZDpeW5LtF56Go6_KmCK7e1knqj

38 39 pH for Cannabis: Why It Matters and How to Get It Right - RQS Blog

<https://www.royalqueenseeds.com/us/blog-the-perfect-ph-value-for-a-cannabis-plant-n87>

40 41 42 43 44 45 Industrial Hemp Overview – National Agricultural Law Center

<https://nationalaglawcenter.org/overview/industrialhemp/>

47 48 Does Weed Kill Brain Cells? Age, Short- and Long-Term Effects, More

<https://www.healthline.com/health/does-weed-kill-brain-cells>

49 59 60 Cannabis Facts and Stats | Cannabis and Public Health | CDC

<https://www.cdc.gov/cannabis/data-research/facts-stats/index.html>

50 FDA Approves First Drug Comprised of an Active Ingredient Derived from Marijuana to Treat Rare, Severe Forms of Epilepsy | FDA

<https://www.fda.gov/news-events/press-announcements/fda-approves-first-drug-comprised-active-ingredient-derived-marijuana-treat-rare-severe-forms>

51 unodc.org

https://www.unodc.org/documents/commissions/CND/CND_Sessions/CND_63Reconvened/Press_statement_CND_2_December.pdf

52 53 54 The Economic Benefits of Legalizing Marijuana

<https://www.investopedia.com/articles/insights/110916/economic-benefits-legalizing-weed.asp>

55 Balancing risks and benefits of cannabis use: umbrella review of meta-analyses of randomised controlled trials and observational studies - PubMed

<https://pubmed.ncbi.nlm.nih.gov/37648266/>

56 57 58 Marijuana & Lung Cancer Risk - Mayo Clinic Health System

<https://www.mayoclinichealthsystem.org/hometown-health/speaking-of-health/marijuana-and-lung-cancer-risk>