AV3 otobyord. Pno.	Muestras Sile
--------------------	---------------

	05/0	
	32,9	84001
4 222	It	7₽UOl
5,0025 66	, 80ih	94001
· mar h	bbit	24UOL
S Social S	21k 65.9	10044
5 pars 24	45.19	10U43
	2618	10042
	. Stit	100t
Spoods SV	D 0,9	10040
50089	3,01	10039
The state of the s	59,£	8EUOL
20 seed 1	95,9	TEUOL
15 sods	h,9	9EUOL
17 Seed S.	+2,5	JOU35
7501-1/c S.	85,2	10U34
ų.	18.9	10U33
5 10005 27	00	10032
\$ 5000 8	2,1,8	JOUST
7	55/4	10030
		100130
	056	
	2± '8	10028
	to't	10027
	3.8	10026
5192 10002 A	1/3	JOU25
5 1/1 mas t	2.0	JOU24
12 Jewilles	sh's	10023
3-5cmilles.	811	10022
ENTI NAME CI.	55 %	JOU21
15 Sewillus	01.h 12.9	nonso
	12,9	etnor
5 millis	4.0,2	10018
	22111	\tnor
1/ seeds	5217	97001
15 50015	LV14	ronts
	Shit	10014
	55,8	STUOL
5 po 25 EV	5.0,5	JOUIZ
5 500 d 3	2811.	ttnor
11 51	90,9	otnor
11. 21	£1,2	enor
2/0992, 51	91.5	8UO1
	24,8	LUOL
2 1- 992 ON	£ 12.5	anor
	69't	snor
	7,38	1004
	7:38	EUOL
	1111	znor
	062,9	tuot
оргечасіопея	bw osəd	bi
	ilene. Proyecto EVA	

		0000
	3 0/10	96001
16 Jewille	78'01	Senor
18 -2/1	9815	₽6NOI
chear pr	LVX	10093
Gyma 2.	70(1	76001
h	EU.)	16UOL
	95/t	06000
45000	82/11	68UOL
	80/1	88001
F securition	82111	78000
11 3 4	h8'8	98001
	ξh'2	28001
	98%	₽8UOL
	16/4	£8UOL
Wilman - 11	95,19	190082
1 3 Sewille,	2) 'h L L'OV	18UOL
	4Σ'00	08001
CW114/20 C U 1	94,14	67UOL
Salding (28'7	87UOL
Soll word ?	Σb'	ZZNOr
3 // 11/103 6	97 'h	9ZNOL
		SYNOL
		₽ ∠NOſ
		ETUOL
		SYUOL
		TZNOL
6 somilles	89'2	0ζηοι
الم يحسن الور	131/	69001
	8±'bb	89001
		79UOL
Mings	0F10	99001
9 5000 P	51,8	S9NOL
¥	£t,9	1900
	18.9	10U63
	h+18	10062
11 500 8	2,5	1900t
	98' <	09001
	18/3	65001
	bh b	10058
S semillas	±\$\frac{1}{2}	LSUOL
_ // _	8519	95001
	hZ'8	10055
	ht't	10054
	6510	100154
	09,9	100153
10005 V	19,0	
1 som 25		10027
Jb - EV	5Z18	10050
obsevaciones		6 t nor
	ilene. Proyecto EVA	bi

1	Ş	8.2.8	84702
\$\frac{1}{1} \begin{array}{c c c c c c c c c c c c c c c c c c c	50	£1.51	74TO2
### ### ##############################	2,	2.39	94TOS
\$\limp\{\frac{\partial}{\partial}}{\partial}\frac{\partial}{\parti	30		
\$\frac{1}{5} \frac{1}{5} \frac		82/11	
\$\frac{1}{5\partial 2} \text{of to 10}{5\partial 2} \text{of to 10}{5\part	02	69:51	£4TOS
\$\frac{1}{1} \frac{1}{1} \frac{1} \frac{1} \frac{1} \frac{1}{1} \frac{1} \frac{1} \frac{1} \frac{1}{1} \frac{1} \f	21	i + ' F.	
\$\frac{1}{1} \frac{1}{1} \frac{1} \frac{1}{1} \frac{1} \frac{1}{1} \frac{1} \frac{1} \frac{1}{1} \frac{1} \frac{1} \frac{1}{1}	07.	45,04	
1			04102
1		- 51/51	
1			
Speed Ph Stock Ph Ph Stock Ph Ph Stock Ph Ph Ph Ph Ph Ph Ph P			
\$\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac			
10 10 10 10 10 10 10 10	520005 24	8.4	
10 10 10 10 10 10 10 10	Spares 14	9.71	
\$\frac{1}{5}\text{Poss} \frac{1}{5}\text{Poss} \frac{1}\text{Poss} \frac{1}{5}\text{Poss} \frac{1}{5}\text{Poss} \	3,500 4 5,5	0,114	
15 15 15 15 15 15 15 15			
\$\frac{1}{2} \frac{1}{2} \frac	5 200 25 4	55.L	
\$\frac{1}{2} \frac{1}{2} \frac	3/100		
100 100	3 70	h0	05102
2	One of the state o	02.01	
2	C7	9900	40 8CTO2
25 15 25 25 25 25 25 25	h/	15.17	(%) ZCTOS
\$\frac{1}{2} \frac{1}{2} \frac		766	
\$\frac{1}{5}\frac{1}\frac{1}{5}\f	07	102.4	
2		+ b L	
\$\langle \frac{1}{2} \frac{1}{		7 21	
100			
\$\limits_{\begin{align*}{c c c c c c c c c c c c c c c c c c c			
100	30	8h h1	
15, page 71 25, page 71 26, page 71 27 28, page 71 29, page 71 20, page 71 2			soft gettos
25			
15 Seed 5 Strong 100 S			TITOS
\$\frac{1}{2} \frac{1}{2} \frac		75.27	
\$\langle \text{Posts} \text{ \text{TTO:} \text{Posts} \te		3,12	
15000 14 Seed 5 15000 15 Seed 5 15000 1500 1500 1500 1500 1500 1500			41TO2
1000 1000		EZ.F	SITOS
10000 100000 100000 100000 100000 100000 100000 10000	£}		SITOS
15 Seed 5 100 2100 2100 2100 2100 2100 2100 210			11TO2
15 28 28 210 2100 25 210 25 210 25 25 25 25 25 25 25 25 25 25 25 25 25	207	h9 'VY	OITOS
15 28 28 210 2100 25 210 25 210 25 25 25 25 25 25 25 25 25 25 25 25 25		£91h	6TO2
2 1000 01 1100		£8-27	8TO2
2 1000 01 1100	17	98191	\7TO2
2 1000 01 1100	.1	60181	9TO2
100 PA 100 STO		H3.5	STOS
100 PA 100 STO		Sbit	4TO2
100 PA 100 STO		ht.8	£TO2
	Ay seedls	25,6	STOS
		2 4.92	1TO2
	obsevaciones	bw osad	bi

			F	
L	ы		45-21	96TOS
	97		Et 21	26TO2
	ov		6019	(0) p 6TO2
	b		637	£6TO2
	9	/	75.8	Z6TO2
	07		tb-01	16TO2
	91		七9101	OGTOS
	SV		06'6	₩ 1068TO2
	२ ४		15 86	88TO2
	08		11.33	78TO2
	70		09.111	98TO2
	07		£9.7V	040 28TO2
	9		56-8	48TO2
	11		65.9	ESTO2
	71		12.0	SOTOS
	2.0		SF.51	18TO2
1	Q7°		13.81	08TO2
	Qč		08.41	
 	07		25.2N	67TOS
-	81		3f.11	(1) MAN SETTOS
-	20			TYTOS
-	30	-	10.83	9/TOS
-	98		so ti	SYTOS
-	30		25.111 25.111	₽/TO2
-	050 050			£\TOS
<u> </u>			01.91	SOT72
_	9		86.8	IZTOS
<u> </u>	02		86'TV	AND OTTOS
_	91		1,11,15	69TOS
_	01		5.32	89TO2
	11		86,8	79TOS
_	21		7tb	SOTES CAL
	12		15.88	SOTOS
<u> </u>	9		84.4	DAO 49TOS
L	†		52.9	£9TO2
	2		3.14	SOTOS
	tv		ES'2	SOT61 Chr.
L	SI		18'8 = 19951	NAD OSTOS
			hijor	and estos
,	SV		18.8	SOT58 office
obvision 20tal 16	13 506 5 (A.A) - HOSE (A.A)	2013 d 20hos -	(10)12mos (1)99151	72TO2
,				9STO2
\	02	3 30 30	so'EV	SOTSS Clau
	-V EV		Et'b	42TO2
	160002		TSIŁ	SOTS3
<u> </u>	T AT		25181	SOTS2
	S seeds			
	3/2005		40,2	12TO2
-	t	` _	8.63	02TO2
<u></u>	, ,		~ > 0	6₽TO2

obsevaciones

×

*

IDA = MOM

85.9

49,4

GEIE

Tt19

E2,9

MOR48

MOR47

MOR46

MOR45

MOR44

21,17 MOR43 this MOR42 PS.29 **WOR41** LV, E MOR40 8 tis **MOR39** T19 **MOR38** 89,9 MOR37 7419 **MOR36** 11-F **MOR35** 8h-5 MOR34 8 F.3 **MOR33** 94'9 **MOR32** 76-7 MOR31 46.2 **MOR30** £8.9 MOR29 SP.3 MOR28 81 h MOR27 55. P MOR26 1998 MOR25 3.85 **MOR24** £2 h **MOR23** 929 MOR22 MORZI 265 MOR20 25/2, MOR19 917 **MOR18** MOR17 81.5 **MOR16** 5'9 **WOR15** 81 1 **MOR14** 1 seulillat 3.75 **MOR13** 3 saullat 5912 **MOR12** 0115 MORIT 1912 9 SPW 11 P MOR10 583 MOR9 **8**80M MOR7 7.3 E 5 **MOR6** 81017 MORS B4.9 MOR4 110 **MOR3** 3400 **MOR2** Z F MORI opsevaciones osəd bi Muestras Silene. Proyecto EVA

MOR87 4107 (1982) MOR92 5.73 MOR92 6.82 MOR93 6.82 MOR93 6.82 MOR94 6.82 MOR95 6.82 MOR95 6.82 MOR95 6.82 MOR95 6.82 MOR96 6.82 MOR97 7.46	part of the second of the seco		
\$\text{\$\frac{\frac{\text{\$\frac{\circ{\cutex{\$\frac{\text{\$\frac{\circ{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\frac{\text{\$\frac{\circ{\circ{\circ{\cirk{\$\frac{\cirk{\$\frac{\circ{\cirk{\cirk{\$\		99,9	968ON
\$\text{\$\frac{\frac{\text{\$\frac{\circ{\cutex{\$\frac{\text{\$\frac{\circ{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\frac{\text{\$\frac{\circ{\circ{\circ{\cirk{\$\frac{\cirk{\$\frac{\circ{\cirk{\cirk{\$\		2.38	NOR95
\$\text{\$\frac{\frac{\text{\$\frac{\circ{\cutex{\$\frac{\text{\$\frac{\circ{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\frac{\text{\$\frac{\circ{\circ{\circ{\cirk{\$\frac{\cirk{\$\frac{\circ{\cirk{\cirk{\$\	19 5600	€0,h	NOR94
\$\frac{\chi_{\alpha}}{\chi_{\alpha}} \frac{\chi_{\alpha}}{\chi_{\alpha}} \frac{\chi_{\alpha}}}{\chi_{\alpha}} \frac{\chi_{\alpha}}{\chi_{\		51.5	NOR93
\$\frac{\chi_{\alpha}}{\chi_{\alpha}} \frac{\chi_{\alpha}}{\chi_{\alpha}} \frac{\chi_{\alpha}}}{\chi_{\alpha}} \frac{\chi_{\alpha}}{\chi_{\		55'9	
CLS 8800M CLS 6800M		2+,9	
CLS 8800M CLS 6800M		<i>†9,9</i>	NOR90
\$\frac{\xi_1}{\xi_2}\$ \\ \frac{\xi_1}{\xi_2}{\xi_2}\$ \\ \frac{\xi_2}{\xi_2}{\xi_2}\$ \\\ \frac{\xi_2}{\xi_2}\$ \\		7819	WOR89
\$\frac{1}{2} \frac{1}{2} \frac	Ip.	2,33	
1975 1980 1975 1980 1975 1980 1975 1980 1975 1980 1975 1980 1975 1980		9h, £	VOR87
## 1840 ## 184	spoos bt	hot	NOR86
## 1840 ## 184	•	19,5	NOR85
\$\partial \partial \part	17.	8619	
\$\frac{1}{1} \frac{1}{1} \frac{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}		18, 5	
\$\frac{1}{2} \frac{1}{2} \frac	Spass by	6214	
\$\frac{1}{2} \frac{1}{2} \frac	•	6914	
B B B B B B B B B B B		5914	
8		68,4	
Second		86,9	
\$\frac{1}{5}\text{OWN}\$ \$\frac		98,9	
\$\frac{1}{5}\text{OWN}\$ \$\frac	1820063	25,9	
\$\frac{1}{5}\text{OWN}\$ \$\frac	,	Eh,9	
## Copy	5 0005 81	65,9	
## Copy		50,9	
Oct 15		00,9	
OBIS OLYOW		04,5	
MORES 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
MORES 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		TEIT	
MORES 3'SE NORMS 3'SE	1	2/11/1	
MORES 3:56 MORES 3:56 MORES 5:45 MORES 6:84 MORES 6:48 MORES 6:48 MORES 7:46 MORES 7:46 MORES 8:46 MORES		62,9	
MORES MO	spoos hr		
B B B B			
Selection Sele		85,6	
MORAS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6176		F8,9	
MORAS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6178 MORS 6176		89.9	
WOR49 6178 WOR50 6178 WOR50 6178 WOR50 6176 WOR51 6176 WOR51 6176 WOR51 6176 WOR51 6176 WOR50 4176 WOR50		84,9	
WOBES		96,6	
## Part Part Part ## Part #			MOR59
## Part Part Part ## Part #		9b,t	MOR58
WORSS 8176 WORSS 6176 WORSS 766 WORSS 766 WORSS 766 WORSS 766 WORSS 766		06,19	MORS7
WORSS 6145 WORSS 6145 WORSS 6145 WORSS 6145 WORSS 6145 WORSS 6145			MORS6
WORST 6145 WORST HIND WORST 2186 WORST 2186 WORST 2186 WORST 2186 WORST 2190		94,8	
MORS3 H/4 MORS1 E188 MORS2 F140 MORS3 F186 MORS4 F170		Shig	
WOR49 € 190 WOR40 9%€ 02100000000000000000000000000000000000		brih	MOR53
MORSI \$\begin{align*} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Ohit	
WORSO → 66 MOR49 5 → 66		28.9	
MOR49 6170			
COUCLOS			
	opsevaciones	beso	bi

		9879	84LAN
19		12.57	TALAN
19		10,6	
19		45.9	
19	\$ 50°	90,9	
19	57338 84	69,9	
19	1/2000/14	91,9	
19 10 8 66FVN	8 7	225	
19 10 8 66FVN		69.4	
S2'9 SERAN Bb'+ SERAN Bb'	14 Sawills	1008	
S2'9 SEIVN Bb'+ SEIVN	7 seui:160	7.t. '7.	
S2'9 SEIVN Bb'+ SEIVN		76.9	
### ### ##############################		52.9	
	· · · · · · · · · · · · · · · · · · ·		
		56 9	
9	- 11 W	75.35	
1		07.0	
\$\frac{1}{2} \frac{1}{2} \frac		37. 2	
2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11-151	01.0	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	512300 01	L1 6	
2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11 31	846	
2 2 2 2 1 1 1 1 1 1 1 1 2 2 2 2 1 1 1 1		600	
2 2 2 2 1 1 1 1 1 1 1 1 2 2 2 2 1 1 1 1		203	
2 1 2 2 2 2 1 1 1 1 1 1 1 2 2 2 2 2 1 1 1 1 1 1 1 1 2 2 2 2 2 1	\$ 200 M C 1	7217	
2 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5/2321/		
2 Look of 2 Look	37000 07	3717	
2 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 2 2 2 2	[9010	
2 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 2 2 2 2	1 100 01	78.5	
2 10002 PT 20002 PT 2 12 12 12 12 12 12 12 12 12 12 12 12 1	**	5613	
2 1 2 2 2 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2	*	283	
2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		295	
150000 150000 150000 150000 150000 150000 150000 150000 150000 150000 150000 150000 150000 15000000 15000000 15000000 150000000 150000000 150000000 1500000000 15000000000 1500000000 150000000000		Lt S	
15 Seed 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2/	297	
2 2 2 2 1 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2	2 60.2 6		
1 1 2 2 2 2 1 1 1 2 2 2 2 2 1 1 2 2 2 2		02.8	
150000 Pt		6619	
1 1 2 2 2 3 1 1 1 1 1 2 2 2 3 1 1 1 1 1	1.5		
2 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1	.1	h & - 0 V	
2 2 2 2 1 1 1 1 2 2 2 2 1 1 1 1 2 2 2 2		h E13	
15000 PT 15000 DT 1000	1	92,2	
15000 Pt 15000 ILAN 25000 C 25000 C 25000 C 20000 C 2	5 10005 12	93,9	
15000 PT 15000 DT 1000	3/00% 6		
150000 1 100 100 100 100 100 100 100 100		bit	ΓΙΑΝ
2 2 2 2 1 1 2 2 2 2 1 2 2 2 2 2 2 2 2 2	spoos ht	8817	9LAN
2 2 2 2 1 1 2 2 2 2 1 2 2 2 2 2 2 2 2 2		4512	ZLAN
2 2 2 2 1 1 2 2 2 2 1 2 2 2 2 2 2 2 2 2	5 x 205 OV	2.9,72	₽ſĄŊ
2 2 2 2 1 1 2 2 2 2 1 2 2 2 2 2 2 2 2 2		42,9	
570005 61 T2,9 ITAN	2 boss E	25,1	
	370005 51	72,9	
	obsevaciones		

	th.9	96(AV
	59.9	ZELAN
	Ø.P	49LAN
	82 t St 9	EELAN
	St. 9	26LAN
) John Jan	hb'h	IELAN
	10.F	06LAN
	20.7	68LAN
delinie 81	5.89	88LAN
	£")	78LAN
	5.2	38LAN
	18.9	Z8LAN
	bh'h	\$8LAN
" 81	£ 63	£8LAN
16 semiller	34.E	S8LAN
11 /	2.88	18LAN
	£9'9	08LAN
	28.2	6ζ(AN
	13.5	87LAN
	92°5	ΓΓLAN 851414
	55.9	9γιαν Στιλιν
	00.F	27LAN
	04.2	₽₹LAN
(3) Junes 8	09,5	εγιαν
//	82,2	STIAN
	85.F	ΣΣΙΔΝ
	0p.F	07LAΝ 151.ΔΙΑ
	48.h	69LAN
	86,9	83LAN
	29,9	
	20,9	TOLAN
	16,5	23LAN 33LAN
12 Seed 5	btiE	49LAN
	T-E,IS	E9LAN
	64.9	Salan
	£ b1 h	19LAN
	29,H	09LAN
	1,1.9	62LAN
	hi't	82LAN
	16 ±	72LAN 821AM
	865	
81		22LAN 32LAN
97	8t's 2h'9	
	7.38	42LAN
		ESLAN
	h81t	SSLAN
	55'5	ISIAN
		OSLAN
opsevaciones	T O, 9 osəd	64LAN
5555,557,557	INEINE: PTOYECTO EVA	bi

\$ 1905 6		-0.0%	
10		22.91	1AC48
1000 1000	2 po p	tas	1AC47
1900 to 1900	1200	2010-	942Al
1900 to 1900	38.33 11	35,6	1AC45
1900 to 1900	- 3 post 12	88:21	JAC44
(COT) 1/2/5 1/2/5	1 Losas pour	Shih	1AC43
(COT) 1/2/5 1/2/5		£1.01	JAC42
(15.2) 4 15.000	19 5000	neabl	JAC41
(15.2) 4 15.000	* 4 9	09.21	042AL
(15.2) 4 15.000		38164	1AC39
(13) 4 (1	18 585085.	62.96	1AC38
(COR)	5 8385 21	62.6	7EJAL
100 100	5 2008 6/6	1-h-1-h	
100 100	Speas S	100	
(23) (24) (25) (25) (25) (25) (25) (25) (25) (25	10000+	1 0	
(23) (24) (25) (25) (25) (25) (25) (25) (25) (25		400 1 1 1	
(130) 12,52 (130) 13,52 (130) 13,53 (130)	and an alpha	36,67	
(130) 12,52 (130) 13,52 (130) 13,53 (130)	2 Long 61 MM	tribk	
(130) 12,52 (130) 13,52 (130) 13,53 (130)) Lossy 1/	98,3	1E2AL
100 100	A structure of the stru	50,22	0EJAL
100 100		22,22	JAC29
2 3 6 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7		66166	8S2AL
2 3 6 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	1 P335 60	23.9	722AL
2 3 6 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	s poos 6	39,06	JAC26
7 2005 2	Spars in	26,8	JAC25
## 19 19 19 19 19 19 19 19 19 19 19 19 19		2866	1AC24
1000 1 1 2000 1 20	5 pax 62	\$ 3.42	1AC23
1005 1506	10308 910	75,54	
1000 1000	5 Per 34	5 5,24	
State Stat	183561		
### #################################			
10 10 10 10 10 10 10 10	S read 0	20,00	
### 141 45 5 141 45	3 23 9	2016	
### ### ##############################	3 1003 21	23,37	
### ### ##############################		26162	
#C13		2016	JAC15
\$\delta \cdot	1 6300 H	12,01-	1AC14
\$\delta \cdot		55,02	S£2Al
\$\delta \cdot	5 Pars 4V	89171	JAC12
\$\delta \cdot	4,5 4,5	30,02	ILCII
ACS ASSES ACS <td>5 10005 21</td> <td>98,81</td> <td>1AC10</td>	5 10005 21	98,81	1AC10
ACS ASSES ACS <td></td> <td>till</td> <td>PAC9</td>		till	PAC9
VC2 State MC2 MC3 MC3 </td <td></td> <td>25.25</td> <td>82AL</td>		25.25	82AL
VC2 State MC2 MC3 MC3 </td <td>16905 191</td> <td>76,9L</td> <td>TJAL</td>	16905 191	76,9L	TJAL
VC2 State MC2 MC3 MC3 </td <td></td> <td>Shil</td> <td>JAC6</td>		Shil	JAC6
peso obsevaciones		6.8	JACS
peso obsevaciones	5 p 5 5 4 7	04.71	
peso obsevaciones		1171	
peso obsevaciones	130508 4	11.t	
peso obsevaciones		31 -	
		2013	IDAL
	2900i2EV93d0		bi

		962A
		S62A
		760∀I
		F62AI
		AC92
	No. Co.	AC91
	· ·	060A
1 7.	22186	682A
1	7.81	882A
	7.81 ht/th	782A
1 6000 8	11/12 11/14 10/16 11	982A
	+ iHe	KC85
5 pros 14.	. 08.7	1AC84
5 2005 2	99.4	E82A
	12,66	IAC82
S POSS II	75.4	18281
	Stille	082AI
	2816 56111 58166	972AI
spors 44	84.6	872AI
	bt, Et	777AL
	hhigh	972AL
	41.91	ZYJA1
	t 1.92	AC74
57028.21	09,21	EY2AL
3,00	221H	SYZZ
	SSG	17771
	8818V 0618V 6218V 9818V	072AI
	12.61	692AL
190056	98.41	892AI
	79,61	
	21.	792Al
	96.2)	992AL
spacel	751tL	PAC65
Spors 64	29,14 Zhilt	1AC64
50000 91	4. 17168	1AC63
2 6991 /2	£(J, U)	1AC62
Jan. W	h0,0	1AC61
	20,01 40,02 58,21 23,21 21,01 21,01	092AL
-	29,91	1AC59
	7314	1AC58
	2714	ZSZY
1 228 4 1	22.11.16	1AC56
s post L	47121	JACSS
21	21,01	1AC54
	07/11/	1AC53
\$ 1000 6	2-70/3	JACS2
5pos 01	11.0	1AC51
(No 2005 27	21,91 29,41 24,8 21,41 22,9	0SDAL
1 10 00 × 50	-22,3	1AC49
obsevaciones	peso	bi