

PRESSURE TRANSMITTER REPORT

PRINT DATE: TIME:	SOLID WASTE MANAGE- MENT SYSTEM	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8	Column 9	Column 10	Column 11	Column 12	Column 13	Column 14	Column 15	Column 16	Column 17	Column 18	Column 19	Column 20	Column 21	Column 22	Column 23	Column 24	Column 25	Column 26	Column 27	Column 28	Column 29	Column 30	Column 31	Column 32
20-02-2026 09:35:49	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:35:53	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:35:58	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:01	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:09	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:11	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:17	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:24	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:30	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		
20-02-2026 09:36:34	-0.24	-0.24	-0.24	-0.24	-0.24	-0.24	0.00	-0.24	0.03	0.01	-0.03	0.01	0.05	-0.02	0.00	-0.01	-0.01	0.00	-0.01	0.00	0.00	0.06	0.05	0.00	0.20	-0.01	-0.01	-0.01	0.02		